V-TAC®

INNOVATIVE LED LIGHTING

OUR JOURNEY SO FAR.....



V-TAC WAS DEVELOPED AND DESIGNED BY ENERGY AND LIGHTING SPECIALIST TO NOT ONLY BRING SUSTAINABLE LED LIGHTING SOLUTIONS TO YOUR HOMES BUT TO KEEP ADDING VALUE AND LIVE UP TO THE EXPECTATIONS OF OUR CUSTOMERS AND DISTRIBUTORS.

THANKS TO OUR CEASELESS INNOVATION, OUR BROAD PORTFOLIO INCLUDES A DIVERSE RANGE OF NEXT-GENERATION LED LIGHTING TECHNOLOGIES DESIGNED TO PROVIDE A PROFESSIONAL SOLUTION FOR PROFESSIONALS. INTRODUCING AN ENHANCED PRODUCT RANGE WITH A 5-YEAR WARRANTY.

THE V-TAC PRO SERIES IS SET TO TAKE THE LED MARKET BY STORM WITH SAMSUNG'S RELIABLE AND EFFICIENT LED CHIPS. CREATING A BETTER WORLD FOR MODERN LIGHTING THROUGH INNOVATIVE TECHNOLOGY AND MODERN COMPONENTS.



SAMSUNG ELECTRONICS LED DIVISION'S NEW LINEUP OF LED PRODUCTS WILL UTILIZE AN UNPARALLELED CHIP SCALE PACKAGING TECHNOLOGY.

THIS GROUND-BREAKING APPROACH TO LED TECHNOLOGY ENABLES ANY BUSINESS IN ANY ENVIRONMENT TO CREATE DYNAMIC AND RELIABLE DESIGNS THAT TRULY ENGAGE THEIR MARKETS. THEY HAVE DEDICATED THEIR EFFORTS TO CREATIVITY AND INNOVATION WHICH IS INLINE WITH V-TAC'S VISION.

LEDING THE WORLD TO A NEW DIMENSION

LIGHT IS CRUCIAL TO YOUR WELL-BEING AND TO YOUR ECONOMY'S DEVELOPMENT; AND YET GLOBALLY 1.2 BILLION PEOPLE ARE WITHOUT ACCESS TO MODERN LIGHTING. WE ARE ON A MISSION TO BRING V-TAC LED CLOSER TO YOUR HOME. WE ARE STRATEGICALLY BUILDING A NETWORK OF DISTRIBUTORS AND PARTNERS WHO SHARE OUR VISION OF GIVING YOU IMMERSIVE AND INNOVATIVE LED LIGHTING.

AND STILL MORE TO COME.....

Table of contents

V-TAC® INNOVATIVE LED LIGHTING

PRO series

LED provided by SAMSUNG

02 LED FLOOD LIGHTS
- WHITE 04
- BLACK 08
- GREY 12
- PIR- WHITE 16
- PIR- BLACK 18
- SPORTS LIGHT 20

22 LED PANELS
- BIG PANEL 24
- MINI PANEL 26

30 TUBES AND BATTEN FITTINGS
- LED TUBES 32
- BATTEN FITTINGS WITH TUBE 34
- PRISMATIC FITTINGS 36
- LED BATTEN FITTINGS 38
- WATERPROOF FITTINGS 42

44 LED HIGHBAYS
- REFLECTOR-HIGHBAYS 46
- UFO SERIES HIGH LUMENS 48
- UFO SERIES SAMSUNG DRIVER 50
- UFO SERIES 52
- LED CANOPY 54

56 LED STRIP LIGHT
- LED STRIP LIGHT 58

60 LED DOWN LIGHTS
- LED BULKHEAD 63
- LED BULKHEAD WITH EMERGENCY BATTERY 63
- LED BULKHEAD WITH SENSOR 64
- LED BULKHEAD WITH EMERGENCY BATTERY BACKUP AND SENSOR 65
- CABINET LIGHT 66
- CABINET LIGHT 67

68 D LINEAR AND TRACK LIGHTS
- HANGING LINEAR LIGHTING 70
- UP-DOWN LINEAR LIGHTING 76
- RECESSED LINEAR LIGHTING 80
- LINEAR TRUNKING LIGHTING 84
- LED TRACK LIGHTS 88

94 LED SPOTLIGHTS
- CAPSULES LIGHTS 96
- SPOTLIGHTS 97

100 LED BULBS
- AMBER FILAMENT 102
- CLEAR FILAMENT 104
- HIGH LUMEN BULBS 108
- PLASTIC BULBS 110

Table of contents

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED **BULBS**

PLASTIC BULBS

Page No. 125

BLISTER PACKING

Page No. 138

AMBER COVER

Page No. 142

WHITE COVER

Page No. 152

FROST COVER

Page No. 153

CLEAR COVER

Page No. 157

LED **SPOTLIGHTS**

G4-G9

Page No. 165

GU10-MR16

Page No. 166

ACCESSORIES

Page No. 170

PAR LAMPS

Page No. 186

LED **FLOOD LIGHTS**

FLOOD LIGHTS

Page No. 189

PIR FLOODLIGHTS

Page No. 195

LED **PANELS**

BIG PANELS

Page No. 203

MINI PANELS

Page No. 210

LED **TUBES LIGHTS**

LED TUBES

Page No. 227

WATERPROOF FITTINGS

Page No. 234

LED **HIGHBAYS**

UFO HIGHBAYS

Page No. 239

LINEAR LOWBAYS

Page No. 241

Table of contents

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED **STREET LIGHTS**

LED STREET LIGHTS

Page No. 243

LED STREET LIGHTS

Page No. 244

LED **STRIP LIGHTS**

BIG PANELS

Page No. 247

ALUMINUM PROFILES

Page No. 256

ACCESSORIES

Page No. 262

POWER SUPPLY

Page No. 265

LED **TRACK LIGHTS**

SMART COLOR CHANGING

Page No. 271

LED TRACK LIGHTS

Page No. 272

LED **DOWNLIGHTS**

LED DOWN LIGHTS

Page No. 279

LED DOME LIGHTS

Page No. 286

LED FIRERATED LIGHTS AND FITTINGS

Page No. 296

MOTION **SENSORS**

MOTION SENSORS

Page No. 301

LED **EMERGENCY** LIGHTS

LED EMERGENCY LIGHTS

Page No. 307

LED **TABLE** LAMPS

LED TABLE LAMPS

Page No. 312

LED **INNOVATIVE** LIGHTS

LED SOLAR LIGHTS

Page No. 323

SWITCHES

SMART SWITCHES

Page No. 327

Table of contents

V-TAC SMART LIGHT

V-TAC PUSHES LED LIGHTING INNOVATION EVEN FURTHER WITH THE NEW SMART HOME SERIES – A COLLECTION OF WIFI-SUPPORTED SOCKETS, TOUCH SWITCHES, AND POWER STRIPS THAT CAN BE FULLY CONTROLLED VIA AMAZON ALEXA OR GOOGLE HOME.

Page No. 331

V-TAC SMART HOME

SWITCHES

Page No. 334

PLUGS & SOCKETS

Page No. 336

V-TAC MEETS THE GROWING IOT DEMAND FOR HOME LIGHTING WITH THE NEW SMART LIGHT SERIES – A COLLECTION OF WIFI-SUPPORTED LED LIGHTING SOLUTIONS THAT CAN BE FULLY CONTROLLED VIA AMAZON ALEXA OR GOOGLE HOME.

V-TAC ESSENTIALS

V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED **OUTDOOR LIGHTS**

LED OUTDOOR LIGHTS

Page No. 339

GARDEN SPIKE LIGHT

Page No. 342

POOL LIGHTS

Page No. 343

LED **WALL LIGHTS**

LED WALL LIGHTS

Page No. 345

GARDEN **LAMPS**

GARDEN LAMPS

Page No. 363

LED **DISPLAY SCREEN**

LED DISPLAY SCREEN

Page No. 373

DECORATIVE & **LED PENDANTS**

PENDANTS

Page No. 375

HOLDERS

Page No. 410

DESIGNER SLEEK

Page No. 416

CHANDELIERS

Page No. 435

LED FLOODLIGHTS

V-TAC's all new slimline series are manufactured with cutting-edge components to deliver an exceptional performance. Together with its new sleek design, its diecast aluminum and IP65-rated body makes each unit extremely sturdy and perfect for outdoor applications.

This extensive range of 10w to 300w floodlights is ready to impress in terms of efficiency, as it has powerful illumination of up to 16000 lumens, brought by its IP-protected Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- IP-protected Samsung LED Chips to deliver uncompromised performance
- IP65 Rated: high-quality components used to ensure waterproof/airtight performance
- Modern and ultra-strong enclosure with a minimalistic design, for high-end support and design
- Includes black, white, grey, and PIR series
- Select units inclusive of a 1-metre wire for easy installation

IP PROTECTED BY SAMSUNG

IP65 RATING

MOTION PIR SENSOR

IP65 RATING | ONE METER WIRE | 5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-White Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- **Uses IP-protected SMD LED from Samsung**
- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-W

SKU: 427 | 3000K WARM WHITE
SKU: 428 | 4000K DAY WHITE
SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-W

SKU: 442 | 3000K WARM WHITE
SKU: 443 | 4000K DAY WHITE
SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-W

SKU: 403 | 3000K WARM WHITE
SKU: 404 | 4000K DAY WHITE
SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-50-W

SKU: 409 | 3000K WARM WHITE
SKU: 410 | 4000K DAY WHITE
SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

INNOVATIVE LED LIGHTING

provided by SAMSUNG



VT-100-W

SKU: 415 | 3000K WARM WHITE
SKU: 416 | 4000K DAY WHITE
SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE



VT-150-W

SKU: 478 | 3000K WARM WHITE
SKU: 479 | 4000K DAY WHITE
SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE



VT-200-W

SKU: 420 | 4000K DAY WHITE
SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE



VT-300-W

SKU: 486 | 4000K DAY WHITE
SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING | ONE METER WIRE | 5 YEAR WARRANTY*

LED FLOODLIGHTS

Slimline-Black Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- **Uses IP-protected SMD LED from Samsung**
- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-B

SKU: 424 | 3000K WARM WHITE
SKU: 425 | 4000K DAY WHITE
SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-B

SKU: 439 | 3000K WARM WHITE
SKU: 440 | 4000K DAY WHITE
SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-B

SKU: 400 | 3000K WARM WHITE
SKU: 401 | 4000K DAY WHITE
SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-50-B

SKU: 406 | 3000K WARM WHITE
SKU: 407 | 4000K DAY WHITE
SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-100-B

SKU: 412 | 3000K WARM WHITE
SKU: 413 | 4000K DAY WHITE
SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE



VT-150-B

SKU: 475 | 3000K WARM WHITE
SKU: 476 | 4000K DAY WHITE
SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE



VT-200-B

SKU: 418 | 4000K DAY WHITE
SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE



VT-300-B

SKU: 422 | 4000K DAY WHITE
SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- **Uses IP-protected SMD LED from Samsung**
- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-G

SKU: 430 | 3000K WARM WHITE
SKU: 431 | 4000K DAY WHITE
SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs





VT-20-G

SKU: 445 | 3000K WARM WHITE
SKU: 446 | 4000K DAY WHITE
SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs





VT-30-G

SKU: 454 | 3000K WARM WHITE
SKU: 455 | 4000K DAY WHITE
SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs





VT-50-G

SKU: 463 | 3000K WARM WHITE
SKU: 464 | 4000K DAY WHITE
SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-100-G

SKU: 472 | 3000K WARM WHITE
SKU: 473 | 4000K DAY WHITE
SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE



VT-150-G

SKU: 481 | 3000K WARM WHITE
SKU: 482 | 4000K DAY WHITE
SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE



VT-200-G

SKU: 484 | 4000K DAY WHITE
SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE



VT-300-G

SKU: 488 | 4000K DAY WHITE
SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

MOTION PIR SENSOR

5 YEAR WARRANTY*

LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in10w to 50w, in a sleek white finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-S-W

SKU: 433 - 3000K WARM WHITE
SKU: 434 - 4000K DAY WHITE
SKU: 435 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE



VT-20-S-W

SKU: 448 - 3000K WARM WHITE
SKU: 449 - 4000K DAY WHITE
SKU: 450 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE



VT-30-S-W

SKU: 457 - 3000K WARM WHITE
SKU: 458 - 4000K DAY WHITE
SKU: 459 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE



VT-50-S-W

SKU: 466 - 3000K WARM WHITE
SKU: 467 - 4000K DAY WHITE
SKU: 468 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

IP65 RATING

MOTION PIR SENSOR

5 YEAR WARRANTY*

LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in10w to 50w, in a sleek black finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



VT-10-S-B

SKU: 436 - 3000K WARM WHITE
SKU: 437 - 4000K DAY WHITE
SKU: 438 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE



VT-20-S-B

SKU: 451 - 3000K WARM WHITE
SKU: 452 - 4000K DAY WHITE
SKU: 453 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE



VT-30-S-B

SKU: 460 - 3000K WARM WHITE
SKU: 461 - 4000K DAY WHITE
SKU: 462 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE



VT-50-S-B

SKU: 469 - 3000K WARM WHITE
SKU: 470 - 4000K DAY WHITE
SKU: 471 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED FLOODLIGHTS

Sports Light

120 LM/WATT

5 YEAR WARRANTY*

A symbol of limitless strength. V-TAC's all new high efficiency sports light is designed with cutting-edge components to deliver an exceptional performance. It is extremely sturdy and absolutely perfect for outdoor applications.

- **Using MEAN WELL driver**
- **No Lead or Mercury content**
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

VT-500D

SKU: 490 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffuser which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and IP-protected Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

IP PROTECTED BY SAMSUNG

QUICK CONNECTOR



QUICK CONNECTOR

LED BIG PANELS

Square Panels-60x60

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Aluminum+ PMMA+PP**
- **Flicker Free**

5 YEAR WARRANTY*

SKU:750 | 4000K DAY WHITE
SKU:751 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs



TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE
SKU: 633 | 4000K DAY WHITE
SKU:634 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs

PMMA Diffuser



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

QUICK CONNECTOR



LED BIG PANELS

Rectangle Panels-120x60

5 YEAR WARRANTY*

SKU:748 | 4000K DAY WHITE
SKU:749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs

PMMA Diffuser



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Round Edge Series

A combination of function and aesthetics, our new LED mini panels have stylish and contemporary designs which light up all the way to the edges for your efficient, indoor ambient lighting.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR WARRANTY*

SKU: 626 | 3000K WARM WHITE
SKU: 627 | 4000K DAY WHITE
SKU: 628 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs



Cutting Size: Ø 70 mm

SKU: 620 | 3000K WARM WHITE
SKU: 621 | 4000K DAY WHITE
SKU: 622 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs



Cutting Size: Ø 95 mm

SKU: 614 | 3000K WARM WHITE
SKU: 615 | 4000K DAY WHITE
SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: Ø 140 mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Quick Connector



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS

Square Edge Series

A combination of function and aesthetics, our new LED mini panels have stylish and contemporary designs which light up all the way to the edges for your efficient, indoor ambient lighting.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR WARRANTY*

SKU: 623 | 3000K WARM WHITE
SKU: 624 | 4000K DAY WHITE
SKU: 625 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-608SQ	8w	800	100 pcs



Cutting Size: 70 X 70mm

SKU: 617 | 3000K WARM WHITE
SKU: 618 | 4000K DAY WHITE
SKU: 619 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-615SQ	15w	1500	40 pcs



Cutting Size: 95X 95mm

SKU: 611 | 3000K WARM WHITE
SKU: 612 | 4000K DAY WHITE
SKU: 613 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620SQ	20w	2000	40 pcs



Cutting Size: 142X 142mm

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Quick Connector





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TUBES

Longer lifespan, and control compatibility. Besides the efficiency, our LED tube range is your best choice in the age of smart lighting as its lifespan is not affected by the number of switching cycles. This converts to more savings in operating and replacement costs. V-TAC's complete LED tubes range includes T8s and integrated batten fittings, perfect for indoor lighting.

APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

KEY FEATURES

- High lumen rating: 120 lumen/watt
- Uses IP-protected LED chip from Samsung
- Works perfectly with controls

IP PROTECTED BY SAMSUNG

120 LM/WATT



LED TUBES

G13-T8 -Nano Plastic Tube

This modern range of high-lumen LED tubes with IP-protected Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**

5 YEAR WARRANTY*

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	**10w**	**18w**	**1100**	**0.1264**	**25 pcs**

SKU: 686 | 4000K DAY WHITE
SKU: 687 | 6400K WHITE



2 FEET | 120 LM/WATT

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	**18w**	**45w**	**2250**	**0.1904**	**25 pcs**

SKU: 688 | 3000K WARM WHITE
SKU: 672 | 4000K DAY WHITE
SKU: 673 | 6400K WHITE



4 FEET | 120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	**22w**	**75w**	**3000**	**0.2572**	**25 pcs**

SKU: 689 | 3000K WARM WHITE
SKU: 674 | 4000K DAY WHITE
SKU: 675 | 6400K WHITE



5 FEET | 120 LM/WATT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE
SKU: 651 | 4000K DAY WHITE
SKU: 652 | 6400K WHITE



2 FEET

A++ A+ A B C D E — A+

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE
SKU: 654 | 4000K DAY WHITE
SKU: 655 | 6400K WHITE



4 FEET

A++ A+ A B C D E — A+

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE
SKU: 657 | 4000K DAY WHITE
SKU: 658 | 6400K WHITE



5 FEET

A++ A+ A B C D E — A+

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	**18w**	**1700**	**15000**	**>0.5**	**10 pcs**

SKU: 6442 | 4000K DAY WHITE
SKU: 6443 | 6400K WHITE

4 FEET TUBE INCLUDED

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	**22w**	**2000**	**15000**	**>0.5**	**10 pcs**

SKU: 6438 | 4000K DAY WHITE
SKU: 6439 | 6400K WHITE

5 FEET TUBE INCLUDED

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	**36w**	**3400**	**15000**	**>0.5**	**10 pcs**

SKU: 6444 | 4000K DAY WHITE
SKU: 6445 | 6400K WHITE

4 FEET
TUBE INCLUDED

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	**44w**	**4000**	**15000**	**>0.5**	**10 pcs**

SKU: 6440 | 4000K DAY WHITE
SKU: 6441 | 6400K WHITE

5 FEET
TUBE INCLUDED



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FIXTURES WITH LED

LED Prismatic Fittings

This new 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with IP-protected LED chip from Samsung. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

5 YEAR WARRANTY*

Quick Connector

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	**10w**	**1200**	**0.26**	**10 pcs**

SKU: 659 | 3000K WARM WHITE
SKU: 660 | 4000K DAY WHITE
SKU: 661 | 6400K WHITE



1 FEET

120 LM/WATT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE
SKU: 663 | 4000K DAY WHITE
SKU: 664 | 6400K WHITE



2 FEET

120 LM/WATT

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE
SKU: 666 | 4000K DAY WHITE
SKU: 667 | 6400K WHITE



4 FEET

120 LM/WATT

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE
SKU: 669 | 6400K WHITE



5 FEET

120 LM/WATT

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE
SKU: 671 | 6400K WHITE



6 FEET

120 LM/WATT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

FIXTURES WITH LED

LED Batten Fitting

FLICKER FREE

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **Tp(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**

5 YEAR WARRANTY*

TP(a)
Polycarbonate

Compatible Emergency Pack

Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs

SKU: 755 | 4000K DAY WHITE



4 FEET

120 LM/WATT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



5 FEET

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



6 FEET

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FIXTURES WITH LED

LED Batten Fitting

FLICKER FREE

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **Tp(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**

5 YEAR WARRANTY*

TP(a)
Polycarbonate

Compatible Emergency Pack

Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



4 FEET

120 LM/WATT

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



5 FEET

120 LM/WATT

Emergency Pack (Optional)

VT-8-5 SKU: 758 Compatible with Batten

Charging time::
≥24 HOURS
Charge current :
200 MA
Working time :
3 HOURS

Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:
4M (@3M MOUNTING HEIGHT)
Detection angle:
150°(WALL) 360°(CEILING)
Hold time:
5S / 30S / 90S / 3MIN / 30MIN

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

FIXTURES WITH LED

LED Waterproof Fittings

With its IP65 rating and tough aluminum exterior, the new LED Tri-Proof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these high-lumen tri-proof fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

- **SMD LED Type**
- **20,000 - 30,000 hrs Lifespan**
- **110° Beam Angle**
- **IP65 Rating**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF: >0.9**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	**60w**	**5400**	**15000**	**Plastic**	**>0.9**	**1.30**	**9 pcs**

SKU: 680 | 4000K DAY WHITE
SKU: 681 | 6400K WHITE

6 FEET

IP65 RATING



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	**60w**	**7200**	**15000**	**Aluminum**	**>0.9**	**2.10**	**9 pcs**

SKU: 678 | 4000K DAY WHITE
SKU: 679 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	**70w**	**8400**	**15000**	**Aluminum**	**>0.9**	**2.67**	**9 pcs**

SKU: 676 | 4000K DAY WHITE
SKU: 677 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED HIGHBAY

One of the forerunners in the PRO series is the LED Highbays. This 100w to 200w highbay range includes subgroups with Mean Well and Samsung driver upgrades, both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

COMPLETE RANGE OF HIGHBAYS

Reflector Highbays with Mean Well Driver

Dimmable, IP65 LED highbays with a remarkable 180 lm/w rating for intensive lighting; equipped with the Mean Well driver; compatible with the Daylight Sensor; available in 100 W and 120 W

UFO Highbays with Mean Well Driver

IP65 highbays with an impressive 120 lm/w rating; also dimmable and compatible with our Daylight Sensor; available in 100 W and 150 W

Reflector Highbays with Samsung Power Supply

IP65 highbays with guaranteed reliability through its Samsung drivers for fine dimmability and high efficiency; compatible with the Daylight Sensor; Samsung Drivers included in range

UFO Highbays

Competitively priced IP44 LED highbays perfect for intensive lighting, perfect for industrial and even commercial areas; available in 100 W, 150 W, and 200 W

LED Canopy Lighting

Precisely designed for petrol stations; tough exterior made to withstand extreme conditions; suitable for both recessed and surface-mounted mounting

IP PROTECTED BY SAMSUNG

V-TAC PERFORMANCE 180 LUMENS/WATT

IP65 RATING

V-TAC PERFORMANCE
180 LUMENS/WATT

IP65 RATING

MW MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V DIMMABLE

REFLECTOR HIGHBAYS

MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of LED highbays with IP-protected Samsung LED hip is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE
SKU: 567 | 6400K WHITE

120° BEAM ANGLE

V-TAC PERFORMANCE 180 LUMENS/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE
SKU: 569 | 6400K WHITE

120° BEAM ANGLE

V-TAC PERFORMANCE 180 LUMENS/WATT



COVER OPTIONS

Aluminum Reflector
90° SKU-570

Aluminum Reflector
120° SKU-571

PC Transparent Reflector
120° SKU-574



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120
LUMENS/WATT

IP65
RATING

MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE

UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays from V-TAC's PRO series are ready to impress with its high-lumen rating of 120 lm/w and IP-protected LED chip from Samsung. This range is equipped with drivers from Mean Well -- a key player in the LED driver industry for a strong and efficient performance.

- **Available in 100 and 120 watts**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:100-277V,50/60Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs

SKU:585 | 4000K DAY WHITE
OPTIONAL EMERGENCY KIT AVAILABLE
SKU:8384

120° BEAM ANGLE

DALI Dimming



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE
SKU: 565 | 6400K WHITE

90° BEAM ANGLE

120 LM/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE
SKU: 561 | 6400K WHITE

90° BEAM ANGLE

120 LM/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE
SKU: 563 | 6400K WHITE

120° BEAM ANGLE

120 LM/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE
SKU: 559 | 6400K WHITE

120° BEAM ANGLE

120 LM/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs

SKU: 580 | 4000K DAY WHITE
SKU: 581 | 6400K WHITE

120° BEAM ANGLE

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

120
LUMENS/WATT

IP65
RATING

USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE

REFLECTOR HIGHBAYS

SAMSUNG Power Supply

A new strong addition to V-TAC's PRO series are these LED high bays with Samsung drivers. With our latest in-branding program with Samsung, these highbays boasts of efficiency in every lumen with Samsung's cutting-edge drivers and IP-protected LED chip. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- **120 lm/w**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE
SKU: 576 | 6400K WHITE

120° BEAM ANGLE

V-TAC PERFORMANCE 180 LUMENS/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE
SKU: 578 | 6400K WHITE

120° BEAM ANGLE

120 LM/WATT



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE
SKU: 584 | 6400K WHITE

90° BEAM ANGLE

120 LM/WATT



COVER OPTIONS

Aluminum Reflector
90° SKU-570

Aluminum Reflector
120° SKU-571

PC Transparent Reflector
120° SKU-574

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



UFO HIGHBAYS

This new range of IP44-LED high bays from V-TAC's PRO series delivers strong lighting for spacious areas that require intense lighting from high ceilings like manufacturing facilities and construction/development areas. Equipped with the advanced, IP-protected Samsung LED, it has exceptional performance without flickers and warm-up periods.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-98	100w	8000	90°	4 pcs

SKU: 556 | 4000K DAY WHITE
SKU: 557 | 6400K WHITE

90° BEAM ANGLE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-148	150w	12000	90°	2 pcs

SKU: 552 | 4000K DAY WHITE
SKU: 553 | 6400K WHITE

90° BEAM ANGLE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-99	100w	8000	120°	4 pcs

SKU: 554 | 4000K DAY WHITE
SKU: 555 | 6400K WHITE

120° BEAM ANGLE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-149	150w	12000	120°	2 pcs

SKU: 550 | 4000K DAY WHITE
SKU: 551 | 6400K WHITE

120° BEAM ANGLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the new LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- **Specially designed for gas stations**
- **Suitable for recessed or surface mounted installation**
- **Super slim design and nice looking, easier to install**
- **Instant start, no noise, no fl ickering.**
- **Heat and Shock Resistant.**
- **Reduce maintenance costs up to 90%, almost free of maintenance.**
- **Suit for both indoor and outdoor use.**

5 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE
SKU: 573 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

APPLICATION

Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG



KEY FEATURES

- Easy installation
- Uses IP-protected LED chip from Samsung
- Available in 5m and 10m
- Exceptionally low power consumption

IP PROTECTED BY SAMSUNG



LED STRIP & NEON FLEX LIGHTS

This range includes 15-watt dust and moisture-rated LED strip lights, equipped with IP-protected Samsung LED for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- **LED strip is a low voltage flexible ribbon available in 24v and 12V**
- **Flexible & easy installation**
- **Exceptionally low power consumption**
- **Multiple visual effects in unending colours and shades**

3 YEAR WARRANTY*

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-10-240	15w	1600	DC:24V	80 Packets

SKU: 320 | 3000K WARM WHITE
SKU: 321 | 4000K DAY WHITE
SKU: 322 | 6400K WHITE

10 METER ROLL

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-5-120	12w	1200	DC:12V	80 Packets

SKU: 323 | 3000K WARM WHITE
SKU: 324 | 4000K DAY WHITE
SKU: 325 | 6400K WHITE

5 METER ROLL



WATERPROOF LED NEON FLEX

UV PROTECTION

IP65 RATING

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-55	10w	300	DC:12V	40 Packets

SKU: 326 | 3000K WARM WHITE
SKU:327 | 4000K DAY WHITE
SKU:328 | 6400K WHITE

5 METER ROLL

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

IP PROTECTED BY SAMSUNG

Microwave Sensor

Emergency Battery Backup

3 IN 1 Emergency Battery Backup Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP

MICROWAVE
SENSOR

3 IN 1
EMERGENCY
BATTERY BACKUP
MICROWAVE SENSOR

IP65
RATING

LED BULKHEAD

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**

- **AC:200-240V,50/60Hz**
- **PC Body type**
- **SMD LED Type**
- **20,000 hrs Lifespan**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.
VT-08	8w	720	10 pcs

SKU: 815 | 4000K DAY WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-15	15w	1400	10 pcs

SKU: 801 | 4000K DAY WHITE
SKU: 802 | 6400K WHITE



2D Bulkhead with Emergency Battery

Emergency Battery Backup

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-11	10w	720	10 pcs

SKU: 816 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-17	17w	1400	10 pcs

SKU: 806 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead with Sensor

Microwave Sensor

This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

5 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-09	10w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs

SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE

VANDAL-PROOF



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

2D Bulkhead with Emergency Battery Backup and Sensor

3 IN 1 Emergency Battery Backup, Microwave Sensor

Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

3 YEAR WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-19	15w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

Built in light sensor
(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



MOTION (PIR) SENSOR

CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

5 YEAR WARRANTY*

- **Easy to mount**
- **Automatic sensing**
- **Convenient power source: uses battery instead of power supply, no need for wires**
- **Ideal for wardrobes, bookcases, cupboards, drawer, strongbox and more**

VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

Built in light sensor
(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)

Off *On (People in)* *Off*

MOTION (PIR) SENSOR





CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

5 YEAR WARRANTY*

- **Easy to mount**
- **Automatic sensing**
- **Convenient power source: uses battery instead of power supply, no need for wires**
- **Ideal for wardrobes, bookcases, cupboards, drawer, strongbox and more**

VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED LINEAR LIGHTS

V-TAC LED Linear Lights is an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

COMPLETE RANGE OF LINEAR LIGHTS

Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White

Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White



Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White

Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White

LED Recessed Linear (Linkable)

Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White

LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





LINEAR HANGING LIGHTS-NON LINKABLE

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**

5 YEAR WARRANTY*

SILVER **VT-7-61-S**

SKU:607 | 4000K DAY WHITE

WHITE **VT-7-61-W**

SKU:606 | 4000K DAY WHITE



WATTS	LUMENS	SIZE	BOX QTY.
UP 30w	**UP-3300**	**1179x64x35mm**	**8 pcs**
DOWN 30w	**DOWN-3300**		

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





LINKABLE
UP TO 12 METERS TOGETHER

LINEAR HANGING LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**

5 YEAR WARRANTY*



SILVER **VT-7-62-S**
SKU:609 | 4000K DAY WHITE

WHITE **VT-7-62-W**
SKU:608 | 4000K DAY WHITE



WATTS	LUMENS	SIZE	BOX QTY.
UP 30w **DOWN 30w**	**UP-3300** **DOWN-3300**	**1190x160x30mm**	**4 pcs**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR WARRANTY*

BLACK	VT-7-40-B	SILVER	VT-7-40-S	WHITE	VT-7-40-W
SKU:374 | 4000K DAY WHITE		SKU:375 | 4000K DAY WHITE		SKU:376 | 4000K DAY WHITE	
SKU:600 | 6000K WHITE		SKU:601 | 6000K WHITE		SKU:602 | 6000K WHITE	

WATTS	LUMENS	SIZE
40w	**4000**	**1200x35x67mm**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED LINEAR LIGHTS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**

5 YEAR WARRANTY*



BLACK	SILVER	WHITE
VT-7-60-B	**VT-7-60-S**	**VT-7-60-W**
SKU:379 | 4000K DAY WHITE	SKU:378 | 4000K DAY WHITE	SKU:377 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
UP 20w	**UP-2000**	**1200x75x105mm**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Up and Down lights

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**

5 YEAR WARRANTY*



SILVER **VT-7-43-S**
SKU:384 | 4000K DAY WHITE

WHITE **VT-7-43-W**
SKU:383 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
40w	**3400**	**1200x50x65mm**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR WARRANTY*

SILVER **VT-7-41-S**

SKU:380 | 4000K DAY WHITE
SKU:603 | 6000K WHITE

WHITE **VT-7-41-W**

SKU:381 | 4000K DAY WHITE
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
40w	**4000**	**1211x70x35mm**



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



8W
VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE
WHITE: SKU:385 | 4000K DAY WHITE



10W
VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE
WHITE: SKU:387 | 4000K DAY WHITE



12W
VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE
WHITE: SKU:389 | 4000K DAY WHITE



14W
VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE
WHITE: SKU:391 | 4000K DAY WHITE



16W
VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE
WHITE: SKU:393 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LINKABLE
UP TO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR WARRANTY*

WHITE **VT-7-42-W**

SKU:382 | 4000K DAY WHITE

WATTS	LUMENS	SIZE
40w	**4000**	**1211x90x35mm**



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

10W
VT-7-42-L
: SKU:395 | 4000K DAY WHITE



10W
VT-7-42-LN
: SKU:396 | 4000K DAY WHITE



12W
VT-7-42-LW
: SKU:397 | 4000K DAY WHITE



14W
VT-7-42-T
: SKU:398 | 4000K DAY WHITE



16W
VT-7-42-X
: SKU:399 | 4000K DAY WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output:160 lm/W to meet different requirements

V-TAC PERFORMANCE 160 LUMENS/WATT

Flexible Beam angle

90°, 120°, double-asymmetric

Modular system

Continous row system, seamless connection, max 3500W /row



V-TAC PERFORMANCE

160

LUMENS/WATT

PRO series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm

LINEAR MASTER TRUNKING

SKU: 1360 | 4000K Day White

90° LENS

DIMMABLE



LINEAR MASTER TRUNKING

SKU: 1361 | 4000K Day White

120° LENS

DIMMABLE



LINEAR MASTER TRUNKING

SKU: 1362 | 4000K Day White

DOUBLE ASYMMETRIC LENS

DIMMABLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm

LINEAR FOLLOW TRUNKING

SKU: 1363 | 4000K Day White

90° LENS

DIMMABLE



LINEAR FOLLOW TRUNKING

SKU: 1364 | 4000K Day White

120° LENS

DIMMABLE



LINEAR FOLLOW TRUNKING

SKU: 1365 | 4000K Day White

DOUBLE ASYMMETRIC LENS

DIMMABLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

ACCESSORIES FOR LINER TRUNKING

LINEAR TRACK MODULE

SKU : **1382**

END CAP-LINEAR LIGHT ACCESSORY

SKU : **1366**

SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : **1367**

8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : **1368**

L NODE CONNECTOR-LINEAR ACCESORY

SKU : **1383**

T NODE CONNECTOR-LINEAR ACCESORY

SKU : **1384**

X NODE CONNECTOR-LINEAR ACCESORY

SKU : **1385**

S LINE-FOLLOW TRUNKING RAIL

SKU : **1451**

S LINE-PC BLANK COVER

SKU : **1452**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACK LIGHTS

Color has a massive influence on purchasing decisions. V-TAC's new generation of innovative 4-Line LED Track Lights are the premiere choice for retail lighting since Samsung's COB solution are optimized for this purpose. The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-Line track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

IP PROTECTED BY SAMSUNG

LED TRACKLIGHTS

4 Line Tracklights-Black Body

5 YEAR WARRANTY*

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with IP-protected LEDs by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	**7w**	**420**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 353 | 3000K WARM WHITE
SKU: 354 | 4000K DAY WHITE
SKU: 355 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	**15w**	**1050**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 359 | 3000K WARM WHITE
SKU: 360 | 4000K DAY WHITE
SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	**20w**	**1400**	**>0.9**	**>90**	**40 pcs**	**24°**

SKU: 365 | 3000K WARM WHITE
SKU: 366 | 4000K DAY WHITE
SKU: 367 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

4 Line Tracklights-White Body

5 YEAR WARRANTY*

A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with IP-protected LEDs by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	**7w**	**490**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 350 | 3000K WARM WHITE
SKU: 351 | 4000K DAY WHITE
SKU: 352 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	**15w**	**1200**	**>0.5**	**>90**	**40 pcs**	**24°**

SKU: 356 | 3000K WARM WHITE
SKU: 357 | 4000K DAY WHITE
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	**20w**	**1600**	**>0.9**	**>90**	**40 pcs**	**24°**

SKU: 362 | 3000K WARM WHITE
SKU: 363 | 4000K DAY WHITE
SKU: 364 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED TRACKLIGHTS

LED Shutter Tracklights

5 YEAR WARRANTY*

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**

MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	**33w**	**2640**	**>0.9**	**>90**	**8 pcs**	**24°-60° Adjustable**

SKU: 371 | 3000K WARM WHITE
SKU: 372 | 4000K DAY WHITE
SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	**33w**	**2640**	**>0.9**	**>90**	**8 pcs**	**24°-60° Adjustable**

SKU: 368 | 3000K WARM WHITE
SKU: 369 | 4000K DAY WHITE
SKU: 370 | 5000K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Uses IP-protected Samsung LED chip
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38’D to 300’D
- Set the right tone: dimmable options available

IP PROTECTED BY SAMSUNG

DIMMABLE



LED SPOTLIGHTS

LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with IP-protected Samsung LED chip for maximum efficiency.

- **30,000-hr lifespan**
- **DC:12V for G4**
- **AC:220-240V,50Hz for G9**
- **CRI: >80**

5 YEAR WARRANTY*

G4

G4

G9

G9

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-201	**1.5w**	**10w**	**100**	**G4**	**400 pcs**

SKU: 240 | 3000K WARM WHITE
SKU: 241 | 4000K DAY WHITE
SKU: 242 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-234	**3.2w**	**30w**	**385**	**G4**	**pcs**

SKU: 131 | 3000K WARM WHITE
SKU: 132 | 4000K DAY WHITE
SKU: 133 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-203	**2.5w**	**20w**	**200**	**G9**	**500 pcs**

SKU: 243 | 3000K WARM WHITE
SKU: 244 | 4000K DAY WHITE
SKU: 245 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-204	**3w**	**25w**	**300**	**G9**	**500 pcs**

SKU: 246 | 3000K WARM WHITE
SKU: 247 | 4000K DAY WHITE
SKU: 248 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED SPOTLIGHTS

LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life. The best professional choice to highlight your highlights – these energy-saving spotlights are compatible with existing GU10 holders while giving the classic warm light that a conventional halogen spot provides.

- **Clear and frost cover options**
- **Available in 38'D or 110'D beam angle**
- **Uses IP-protected Samsung LED chip**
- **Dimmable options available**
- **30,000-hr lifespan**

5 YEAR WARRANTY*

GU10

GU10

GU10

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	**5w**	**35w**	**400**	**GU10**	**200 pcs**

SKU: 201 | 3000K WARM WHITE
SKU: 202 | 4000K DAY WHITE
SKU: 203 | 6400K WHITE

110° BEAM ANGLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-275	**5w**	**40w**	**380**	**GU10**	**192 pcs**

SKU: 108 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE
38° BEAM ANGLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-275D	**5w**	**35w**	**380**	**GU10**	**192 pcs**

SKU: 109 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE
DIMMABLE
38° BEAM ANGLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED SPOTLIGHTS

LED GU10 Lights

5 YEAR WARRANTY*

GU10

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs

SKU: 192 | 3000K WARM WHITE
SKU: 193 | 4000K DAY WHITE
SKU: 194 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247D	6.5w	55w	450	GU10	200 pcs

SKU: 198 | 3000K WARM WHITE
SKU: 199 | 4000K DAY WHITE
SKU: 200 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227D	6.5w	35w	450	GU10	200 pcs

SKU: 195 | 3000K WARM WHITE
SKU: 196 | 4000K DAY WHITE
SKU: 197 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED SPOTLIGHTS

MR16 | GU10

5 YEAR WARRANTY*

GU5.3

GU10

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs

SKU: 204 | 3000K WARM WHITE
SKU: 205 | 4000K DAY WHITE
SKU: 206 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs

SKU: 207 | 3000K WARM WHITE
SKU: 208 | 4000K DAY WHITE
SKU: 209 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-277	7w	65w	480	GU10	200 pcs

SKU: 165 | 3000K WARM WHITE
SKU: 166 | 4000K DAY WHITE
SKU: 167 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range are IP-protected, shielding it from any dust or moisture that may compromise its performance.

From aesthetically-pleasing filament bulbs to our extensive options of 360'D omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

APPLICATION

General lighting in residential, commercial, and industrial areas

V-TAC®
INNOVATIVE LED LIGHTING

LED provided by SAMSUNG

KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Uses IP-protected Samsung LED chip
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps

IP PROTECTED BY SAMSUNG

120 LM/WATT

DIMMABLE

A++ ENERGY RATING

LED AMBER FILAMENT

A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR WARRANTY*

A60 | E27

A60 | B22

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-214	**4w**	**30w**	**350**	**E27**	**A60**	**50 pcs**

SKU: 282 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	**6w**	**55w**	**725**	**E27**	**A60**	**50 pcs**

SKU: 286 | 2200K WARM WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	**4w**	**35w**	**350**	**B22**	**A60**	**96 pcs**

SKU:107 | 2200K WARM WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR WARRANTY*

G95

G125



ST64

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-296	**6w**	**55w**	**725**	**E27**	**G95**	**20 pcs**

SKU: 293 | 2200K WARM WHITE

120 LM/WATT

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	**6w**	**55w**	**725**	**E27**	**G125**	**20 pcs**

SKU: 291 | 2200K WARM WHITE

120 LM/WATT

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	**6w**	**55w**	**725**	**E27**	**ST64**	**50 pcs**

SKU: 290 | 2200K WARM WHITE

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CLEAR FILAMENT

A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- **Uses IP-protected Samsung LED chip**
- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

3 YEAR WARRANTY*

A60 | E27

A60 | B22

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	**6w**	**60w**	**806**	**E27**	**A60**	**50 pcs**

SKU: 287 | 2700K WARM WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	**4w**	**40w**	**400**	**B22**	**A60**	**96 pcs**

SKU: 106 | 3000K WARM WHITE

BAYONET



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CLEAR FILAMENT

Candle

Candle | B22

Candle | E14

Twist Candle

Flame Candle

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	**4w**	**40w**	**400**	**B22**	**Candle**	**192 pcs**

SKU: 105 | 3000K WARM WHITE

BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	**4w**	**35w**	**400**	**E14**	**Candle**	**100 pcs**

SKU: 272 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	**4w**	**30w**	**350**	**E14**	**Candle**	**100 pcs**

SKU: 278 | 2700K WARM WHITE

DIMMABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	**4w**	**35w**	**400**	**E14**	**Candle**	**100 pcs**

SKU: 279 | 2700K WARM WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	**4w**	**35w**	**400**	**E14**	**Candle**	**100 pcs**

SKU: 275 | 2700K WARM WHITE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED CLEAR FILAMENT

Candle | G45 | G95 | G125

3 YEAR WARRANTY*

Candle

G45

G95

G125

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-284D	4w	30w	350	B15	100 pcs

SKU: 862 | 3000K WARM WHITE

DIMMABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs

SKU: 280 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs

SKU: 294 | 2700K WARM WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs

SKU: 292 | 2700K WARM WHITE

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

High **Lumen** Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 +
LUMENS/ WATT
SUPER EFFICIENT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

HIGH LUMEN BULBS

C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

C37

G45

P45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	**4.5w**	**40w**	**470**	**E14**	**Candle**	**200 pcs**

SKU: 258 | 3000K WARM WHITE
SKU: 259 | 4000K DAY WHITE
SKU: 260 | 6400K WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	**4.5w**	**40w**	**470**	**E27**	**G45**	**200 pcs**

SKU: 261 | 3000K WARM WHITE
SKU: 262 | 4000K DAY WHITE
SKU: 263 | 6400K WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	**4.5w**	**40w**	**470**	**E14**	**P45**	**200 pcs**

SKU: 264 | 3000K WARM WHITE
SKU: 265 | 4000K DAY WHITE
SKU: 266 | 6400K WHITE

120 LM/WATT





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

HIGH LUMEN BULBS

A60 | A65

Adequate light at an optimal cost – equipped with Samsung LED chip, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of LED lighting technology. Better design, quality, and performance; truly a modern take on traditional lamps.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

A60

A65

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	**6.5w**	**60w**	**806**	**E27**	**A60**	**100 pcs**

SKU: 255 | 3000K WARM WHITE
SKU: 256 | 4000K DAY WHITE
SKU: 257 | 6400K WHITE

120 LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	**8.5w**	**75w**	**1055**	**E27**	**A60**	**100 pcs**

SKU: 252 | 3000K WARM WHITE
SKU: 253 | 4000K DAY WHITE
SKU: 254 | 6400K WHITE

120 LM/WATT

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	**12w**	**100w**	**1521**	**E27**	**A65**	**100 pcs**

SKU: 249 | 3000K WARM WHITE
SKU: 250 | 4000K DAY WHITE
SKU: 251 | 6400K WHITE

120 LM/WATT



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

High **Plastic** Bulbs

The definition of sustainability:Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **Uses IP-protected Samsung LED chip**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

ST26

T37

T37

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-202	**2w**	**20w**	**180**	**E14**	**ST26**	**400 pcs**

SKU: 234 | 3000K WARM WHITE
SKU: 235 | 4000K DAY WHITE
SKU: 236 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-248	**8w**	**55w**	**725**	**E14**	**T37**	**200 pcs**

SKU: 267 | 3000K WARM WHITE
SKU: 268 | 4000K DAY WHITE
SKU: 269 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-237	**8w**	**55w**	**725**	**E27**	**T37**	**200 pcs**

SKU: 144 | 3000K WARM WHITE
SKU: 145 | 4000K DAY WHITE
SKU: 146 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

Candle C37

5 YEAR WARRANTY*

Candle | E14

Candle | B22

Flame Candle

Candle | E14

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs

SKU: 171 | 3000K WARM WHITE
SKU: 172 | 4000K DAY WHITE
SKU: 173 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs

SKU: 859 | 3000K WARM WHITE

DIMMABLE

12 PCS PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs

SKU: 858 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs

SKU: 117 | 3000K WARM WHITE
SKU: 118 4000K DAY WHITE
SKU: 119 | 6400K WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w		600	E14	Candle	200 pcs

SKU: 111 | 3000K WARM WHITE
SKU: 112 4000K DAY WHITE
SKU: 113 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

G45 | P45

5 YEAR WARRANTY*

G45

P45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-246	**5.5w**	**40w**	**470**	**E27**	**G45**	**200 pcs**

SKU: 174 | 3000K WARM WHITE
SKU: 175 | 4000K DAY WHITE
SKU: 176 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-283	**5.5w**	**40w**	**470**	**E27**	**G45**	**200 pcs**

SKU: 857 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-290	**7w**	**45w**	**600**	**E27**	**G45**	**200 pcs**

SKU: 866 | 3000K WARM WHITE
SKU: 867 | 4000K DAY WHITE
SKU: 868 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-236	**5.5w**	**40w**	**470**	**E14**	**P45**	**200 pcs**

SKU: 168 | 3000K WARM WHITE
SKU: 169 | 4000K DAY WHITE
SKU: 170 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-282	**5.5w**	**40w**	**470**	**E14**	**P45**	**200 pcs**

SKU: 856 | 3000K WARM WHITE

12 PCS PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-270	**7w**	**45w**	**600**	**E14**	**P45**	**200 pcs**

SKU: 863 | 3000K WARM WHITE
SKU: 864 | 4000K DAY WHITE
SKU: 865 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A58

5 YEAR WARRANTY*

A58 | E14

A58 | E27

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A58	100 pcs

SKU: 114 | 3000K WARM WHITE
SKU: 115 4000K DAY WHITE
SKU: 116 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-209	9w	55w	725	E27	A58	100 pcs

SKU: 156 | 3000K WARM WHITE
SKU: 157 | 4000K DAY WHITE
SKU: 158 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A58	100 pcs

SKU: 228 | 3000K WARM WHITE
SKU: 229 | 4000K DAY WHITE
SKU: 230 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-211	11w	70w	975	E27	A60	100 pcs

SKU: 177 | 3000K WARM WHITE
SKU: 178 | 4000K DAY WHITE
SKU: 179 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A58 | A65 | A80

5 YEAR WARRANTY*

A58

A65

A80

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs

SKU: 231 | 3000K WARM WHITE
SKU: 232 | 4000K DAY WHITE
SKU: 233 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs

SKU: 159 | 3000K WARM WHITE
SKU: 160 | 4000K DAY WHITE
SKU: 161 | 6400K WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs

SKU: 162 | 3000K WARM WHITE
SKU: 163 | 4000K DAY WHITE
SKU: 164 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w	125w	2000	E27	A80	100 pcs

SKU: 126 | 3000K WARM WHITE
SKU: 127 | 4000K DAY WHITE
SKU: 128 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

Candle | G45

BAYONET

5 YEAR WARRANTY*

Candle | B15

Candle | B22

G45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs

SKU: 860 | 3000K WARM WHITE

BAYONET

12 PCS PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs

SKU: 861 | 3000K WARM WHITE

BAYONET DIMMABLE 12 PCS PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs

SKU: 103 | 3000K WARM WHITE

BAYONET

12 PCS PACK ALSO AVIALABLE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs

SKU: 104 | 3000K WARM WHITE

BAYONET

12 PCS PACK ALSO AVIALABLE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PLASTIC BULBS

A58

BAYONET

5 YEAR WARRANTY*

A58

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs

SKU: 101 | 3000K WARM WHITE
SKU:850 | 4000K DAY WHITE
SKU: 851 | 6400K WHITE

12 PACK ALSO AVIALABLE | BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-219	9w	60w	806	B22	A58	100 pcs

SKU: 270 | 3000K WARM WHITE

BAYONET





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs

SKU: 852 | 3000K WARM WHITE

12 PACK ALSO AVIALABLE | DIMMABLE | BAYONET



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING

provided by SAMSUNG

LED PLASTIC BULBS

A60 | A65

BAYONET

5 YEAR WARRANTY*

A60

A65

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs

SKU: 271 | 3000K WARM WHITE
SKU:110 | 4000K DAY WHITE

BAYONET

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs

SKU: 102 | 3000K WARM WHITE
SKU: 853 | 6400K WHITE

12 PCS PACK ALSO AVIALABLE

BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs

SKU: 854 | 3000K WARM WHITE
SKU: 855 | 6400K WHITE

12 PCS PACK ALSO AVIALABLE

BAYONET

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- **Available in E14 and E27**
- **Uses IP-protected Samsung LED chip**
- **30,000-hr lifespan**
- **120° Beam Angle**

5 YEAR WARRANTY*

R39

R50

R63

R80

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	**3w**	**25w**	**250**	**E14**	**R39**	**200 pcs**

SKU: 210 | 3000K WARM WHITE
SKU: 211 | 4000K DAY WHITE
SKU: 212 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	**6w**	**40w**	**470**	**E14**	**R50**	**200 pcs**

SKU: 138 | 3000K WARM WHITE
SKU: 139 | 4000K DAY WHITE
SKU: 140 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	**8w**	**60w**	**570**	**E27**	**R63**	**200 pcs**

SKU: 141 | 3000K WARM WHITE
SKU: 142 | 4000K DAY WHITE
SKU: 143 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	**10w**	**75w**	**800**	**E27**	**R80**	**200 pcs**

SKU: 135 | 3000K WARM WHITE
SKU: 136 | 4000K DAY WHITE
SKU: 137 | 6400K WHITE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses IP-protected LED chip from Samsung.

- **Uses IP-protected Samsung LED chip**
- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

PAR20

PAR30

PAR38

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	**7w**	**65w**	**495**	**E27**	**PAR20**	**100 pcs**

SKU: 147 | 3000K WARM WHITE
SKU: 148 | 4000K DAY WHITE
SKU: 149 | 6400K WHITE

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	**11w**	**95w**	**825**	**E27**	**PAR30**	**30 pcs**

SKU: 153 | 3000K WARM WHITE
SKU: 154 | 4000K DAY WHITE
SKU: 155 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	**14w**	**120w**	**1100**	**E27**	**PAR38**	**30 pcs**

SKU: 150 | 3000K WARM WHITE
SKU: 151 | 4000K DAY WHITE
SKU: 152 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has IP-protected Samsung LED for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR WARRANTY*

F150

F200

F250

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-216	**15w**	**80w**	**1200**	**E27**	**F150**	**20 pcs**

SKU: 213 | 3000K WARM WHITE
SKU: 214 | 4000K DAY WHITE
SKU: 215 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-224	**24w**	**120w**	**1900**	**E27**	**F200**	**20 pcs**

SKU: 216 | 3000K WARM WHITE
SKU: 217 | 4000K DAY WHITE
SKU: 218 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-235	**36w**	**170w**	**2900**	**E27**	**F250**	**20 pcs**

SKU: 219 | 3000K WARM WHITE
SKU: 220 | 4000K DAY WHITE
SKU: 221 | 6400K WHITE





*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

PAR Bulb | G120

5 YEAR WARRANTY*

GX53

G120

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-207	7w	45w	550	GX53	100 pcs

SKU: 222 | 3000K WARM WHITE
SKU: 223 | 4000K DAY WHITE
SKU: 224 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-218	17w	100w	1521	E27	G120	20 pcs

SKU: 225 | 3000K WARM WHITE
SKU: 226 | 4000K DAY WHITE
SKU: 227 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-288	18w		2000	E27	G120	20 pcs

SKU: 123 | 3000K WARM WHITE
SKU: 124 | 4000K DAY WHITE
SKU: 125 | 6400K WHITE



*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED BULBS

LED Big Bulb | Lowbay

5 YEAR WARRANTY*

E27

E40

E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs

SKU: 283 | 3000K WARM WHITE
SKU: 284 | 4000K DAY WHITE
SKU: 285 | 6400K WHITE

110 LM/WATT

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	4800	E40	20 pcs

SKU: 187 | 4000K DAY WHITE
SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

SKU: 520 | 4000K DAY WHITE
SKU: 521 | 6400K WHITE

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Witness the True to Life Colors

CRI >95

Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

COMING SOON

V-TAC®
INNOVATIVE LED LIGHTING
ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.

LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Product Features

- **Lasts 20 times longer than Standard Bulbs**
- **Broad Range of holders**
- **Uses 80% less energy than Standard Bulbs**
- **Excellent Heat Radiation Efficiency**
- **Customized exterior for stronger body**
- **High Power LED Chips**
- **Non – Flickering**
- **Dimmable & Non Dimmable options**

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.

Bulbs-A60-E27-RGB

6W VT-2022

SKU: 7121 - 2700K Warm White	3800157609975
SKU: 7150 - 4000K Day White	3800157610711
SKU: 7151 - 6400K White	3800157610728

RGB BULB

DIMMABLE

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice

Bulbs-A60-E27-Sensor

9W VT-2016

SKU: 4459 - 2700K Warm White	3800157608237
SKU: 4460 - 4000K Day White	3800157608244
SKU: 4461 - 6000K White	3800157608251

SENSOR BULB



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x122mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.

Bulbs-A60-E27-3 Step Dimming

9W VT-2011

SKU: 4447 - 2700K Warm White	3800157607988
SKU: 4448 - 4000K Day White	3800157607995
SKU: 4449 - 6400K White	3800157608008

3 STEP DIMMING

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

Bulbs-A60-E27-Color Changing

9W VT-2119

SKU: 7317 - 3 IN 1	3800157624497

COLOR CHANGING

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

V-TAC SMART

HOW IT WORKS
1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.

Bulbs-A60-E27-DC 24V

9W VT-2059

SKU: 7417 - 4000K Day White 3800157632744
SKU: 7224 - 6400K White 3800157617543

DC24V



EQ. Watts:	55w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	DC:24V	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	720lm	PF:	>0.7	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000R

SKU: 7341 - Red 3800157626033

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	270lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000Y

SKU: 7342 - Yellow 3800157626040

EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	570lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000G

SKU: 7343 - Green 3800157626057

EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	310lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-E27

9W VT-2000B

SKU: 7344 - Blue 3800157626064

EQ. Watts:	15w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	120lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

LED Bulbs-E27

5W VT-2055

SKU: 7266 - 2700K Warm White 3800157622981



EQ. Watts:	35w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	420lm	PF:	>0.5	Dimension:	55x106mm
Commercial Type:	A55	Base:	E27	Box Qty:	30 Pcs

LED Bulbs-E27

9W VT-1900

SKU: 7241 - 4000K Day White 3800157620147
SKU: 7242 - 6400K White 3800157620154

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	20 Pcs

LED Bulbs-B22

9W VT-2069-3PC

SKU: 7246 - 2700K Warm White 3800157620192



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	B22	Box Qty:	20 Pcs

Bulbs-A60-E27

9W VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
SKU: 7261 - 4000K Day White 3800157622127
SKU: 7262 - 6400K White 3800157622134

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A60-B22

9W VT-1853

SKU: 7402 - 4000K Day White 3800157629270
SKU: 7403 - 6400K White 3800157629287

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	B22	Box Qty:	100 Pcs

Bulbs-A60-B22

9W VT-2189

SKU: 7422 - 2700K Warm White 3800230626295

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x106mm
Commercial Type:	A60	Base:	B22	Box Qty:	100 Pcs



LED Bulbs-E27

11W VT-2113

SKU: 7352 - 2700K Warm White 3800157627412
SKU: 7354 - 6400K White 3800157627429
3800157627436

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	40 Pcs

Bulbs-A60-E27

11W VT-2112

SKU: 7350 - 2700K Warm White 3800157627399
SKU: 7351 - 6400K White 3800157627320
3800157627405

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Bulbs-A65-B22

15w VT-2015-B22

SKU: 7229 - 2700K Warm White	3800157619554
SKU: 7399 - 4000K Day White	3800157629010
SKU: 7400 - 6400K White	3800157629027

Bayonet Holder

EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	B22	Box Qty:	100 Pcs



Bulbs-A65-E27

15w VT-2015-E27

SKU: 4453 - 2700K Warm White	3800157608091
	3800157608107
	3800157608114

EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1500lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	100 Pcs

Bulbs-A65-E27

17w VT-2017

SKU: 4456 - 2700K Warm White	3800157608121

EQ. Watts:	130w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1800lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	100 Pcs



Bulbs-G45-B22

3w VT-2053-B22

SKU: 7233 - 6400K White	3800157619783

Bayonet Holder

EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	250lm	PF:	>0.5	Dimension:	45x75mm
Commercial Type:	G45	Base:	B22	Box Qty:	200 Pcs



Bulbs-G45-E27

3w VT-2053-E27

SKU: 7202 - 2700K Warm White	3800157615860
SKU: 7203 - 4000K Day White	3800157615877
SKU: 7204 - 6400K White	3800157615884

EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	250lm	PF:	>0.4	Dimension:	45x76mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs

Bulbs-G45-E27

4W VT-1830

SKU: 4207 - 6400K White 3800230624611



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs

Bulbs-G45-E27

5.5W VT-1879N

SKU: 7407 - 2700K Warm White 3800157629485
SKU: 7408 - 4000K Day White 3800157629492
SKU: 7409 - 6400K White 3800157629508





EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	200 Pcs

Bulbs-G45 - 3Pc Pack

5.5W VT-2176

SKU: 7362 - 2700K Warm White 3800157628204
SKU: 7363 - 4000K Day White 3800157628211
SKU: 7364 - 6400K White 3800157628228



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	60 Pcs

Bulbs-G45-B22

5.5W VT-2197D

SKU: 7419 - 2700K Warm White 3800157633079



EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.7	Dimension:	45x81mm
Commercial Type:	G45	Base:	B22	Box Qty:	100 Pcs

Bulbs-G45-B22

6W VT-1973

SKU: 4441 - 2700K Warm White 3800157607674



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x80mm
Commercial Type:	G45	Base:	B22	Box Qty:	100 Pcs

Bulbs-Candle-B22

3W VT-2073

SKU: 7230 - 2700K Warm White 3800157619578
SKU: 7231 - 6400K White 3800157619585



EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	250lm	PF:	>0.4	Dimension:	37x102mm
Commercial Type:	Candle	Base:	B22	Box Qty:	200 Pcs

Bulbs-Candle-E14

3W VT-2033

SKU: 7196 - 2700K Warm White 3800157615808
SKU: 7197 - 4000K Day White 3800157615815
SKU: 7198 - 6400K White 3800157615822



EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	250lm	PF:	>0.4	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Bulbs-Candle-E14

4W VT-1818

SKU: 4216 - 2700K Warm White 3800230624796
SKU: 4166 - 4000K Day White 3800230620675
SKU: 4122 - 6400K White 3800230620668



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Bulbs-Candle-E14

4W VT-1818TP

SKU: 4164 - 2700K Warm White 3800230620743



EQ. Watts:	30w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	320lm	PF:	>0.4	Dimension:	37x124mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs



Bulbs-Candle-E14

5.5W VT-1855

SKU: 42151 - 2700K Warm White 3800157639316
SKU: 42581 - 4000K Day White 3800157639323



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Thermoplastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs



Candle-E14 - 3Pc Pack

5.5w VT-2076

SKU: 7263 - 2700K Warm White 3800157622950
SKU: 7264 - 4000K Day White 3800157622967
SKU: 7265 - 6400K White 3800157622974

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	60 Pcs



Bulbs-Candle-E27

5.5w VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381
SKU: 43431 - 4000K Day White 3800157624398
SKU: 43441 - 6400K White 3800157624404

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E27	Box Qty:	200 Pcs





Bulbs-Candle-B22

5.5w VT-2196D

SKU: 7418 - 2700K Warm White 3800157633062

EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	B22	Box Qty:	200 Pcs



Bulbs-Candle-B15

6w VT-1857

SKU: 4217 - 3000K Warm White 3800230624802

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x102mm
Commercial Type:	Candle	Base:	B15	Box Qty:	200 Pcs



Bulbs-Candle-B22

6w VT-1965

SKU: 4440 - 2700K Warm White 3800157607667
SKU: 7346 - 6400K White 3800157627283

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x102mm
Commercial Type:	Candle	Base:	B22	Box Qty:	200 Pcs



Bulbs-Candle-E14

7W VT-2097

SKU: 7320 - 6400K White 3800157624527



EQ. Watts:	55w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	750lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Bulbs-P45-E14

3W VT-2043

SKU: 7199 - 2700K Warm White 3800157615839
SKU: 7200 - 4000K Day White 3800157615846
SKU: 7201 - 6400K White 3800157615853





EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	250lm	PF:	>0.4	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	200 Pcs

Bulbs-P45-E14

5.5W VT-1880N

SKU: 42501 - 2700K Warm White 3800157624367
SKU: 42511 - 4000K Day White 3800157626408
SKU: 42521 - 6400K White 3800157624374



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	200 Pcs

LED Bulbs-E14

5.5W VT-2156

SKU: 7357 - 2700K Warm White 3800157628150
SKU: 7358 - 4000K Day White 3800157628167
SKU: 7359 - 6400K White 3800157628174



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	60 Pcs

Bulbs-R39-E14

3W VT-1861

SKU: 4220 - 4000K Day White 3800230625489
SKU: 4242 - 6400K White 3800230626806



EQ. Watts:	25w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	210lm	PF:	>0.4	Dimension:	39x67mm
Commercial Type:	R39	Base:	E14	Box Qty:	200 Pcs

Bulbs-R50-E14

6W VT-1876

SKU: 4246 - 6400K White 3800230626813



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	400lm	PF:	>0.4	Dimension:	50x86mm
Commercial Type:	R50	Base:	E14	Box Qty:	200 Pcs

Bulbs-R63-E27

8W VT-1862

SKU: 4140 - 4000K Day White 3800230620903
SKU: 4244 - 6400K White 3800230626820



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	500lm	PF:	>0.4	Dimension:	63x100mm
Commercial Type:	R63	Base:	E27	Box Qty:	200 Pcs

Bulbs-PL-G24

6W VT-2046-G24

SKU: 7210 - 3000K Warm White 3800157617024



EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Plastic+Alumin-
Luminous Flux:	480lm	PF:	>0.5	Dimension:	ium
Commercial Type:	PL	Base:	G24	Box Qty:	38x145mm

Bulbs-R7S

7W VT-1917

SKU: 7123 - 3000K Warm White 3800157610032
SKU: 7124 - 4000K Day White 3800157610049



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	360°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	25x118mm
Commercial Type:	R7S	Base:	R7S	Box Qty:	100 Pcs

Bulbs-R7S

10W VT-1990

SKU: 4369 - 3000K Warm White 3800157602952
SKU: 4389 - 4000K Day White 3800157604130
SKU: 4390 - 6400K White 3800157604147



EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	360°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1000lm	PF:	>0.5	Dimension:	25x118mm
Commercial Type:	R7S	Base:	R7S	Box Qty:	100 Pcs

Bulbs-T37-E14

9W VT-2029

SKU: 7173 - 2700K Warm White 3800157615495
SKU: 7174 - 4000K Day White 3800157615501
SKU: 7175 - 6400K White 3800157615518

EQ. Watts:	50w	LED Type:	SMD	Beam Angle:	230°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	750lm	PF:	>0.5	Dimension:	37x115mm
Commercial Type:	T37	Base:	E14	Box Qty:	200 Pcs



PAR38 Bulbs-E27

15W VT-1125-G

SKU: 4418 - Green 3800157606318
SKU: 4419 - Red 3800157606325
SKU: 4420 - Blue 3800157606301

EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	40°
Voltage/Frequency:	AC:180-240V,50/60Hz	CRI:	>80	Body Type:	Plastic Coated
Luminous Flux:	1200lm	PF:	>0.5	Dimension:	Aluminium
Commercial Type:	PAR38	Base:	E27	Box Qty:	Ø120x133mm



Bulbs-Globe-E27

10W VT-1893

SKU: 4276 - 3000K Warm White 3800230627889
SKU: 4277 - 4000K Day White 3800230627896
SKU: 4278 - 6400K White 3800230627902

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	810lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs





Bulbs-Globe-E27

13W VT-1883

SKU: 4253 - 3000K Warm White 3800230627094
SKU: 4274 - 6400K White 3800230627865

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.7	Dimension:	120x164mm
Commercial Type:	G120	Base:	E27	Box Qty:	12 Pcs





Bulbs-Globe-E27

13W VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.7	Dimension:	120x164mm
Commercial Type:	G120	Base:	E27	Box Qty:	12 Pcs





UFO-F150-E27

15w VT-2116

SKU: 7159 - 4000K Day White 3800157612494
SKU: 7160 - 6400K White 3800157612500
3800157612517



EQ. Watts:	90w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	1350lm	PF:	>0.5	Dimension:	150x80mm
Commercial Type:	F150	Base:	E27	Box Qty:	20 Pcs



UFO-F150-E27

24w VT-2124

SKU: 7161 - 3000K Warm White 3800157612524
SKU: 7163 - 6400K White 3800157612531
3800157612548



EQ. Watts:	160w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	2610lm	PF:	>0.5	Dimension:	200x80mm
Commercial Type:	F150	Base:	E27	Box Qty:	20 Pcs



UFO-F150-E27

36w VT-2136

SKU: 7164 - 3000K Warm White 3800157612555
SKU: 7166 - 6400K White 3800157612562
3800157612579



EQ. Watts:	190w	LED Type:	SMD	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	3240lm	PF:	>0.9	Dimension:	250x80mm
Commercial Type:	F150	Base:	E27	Box Qty:	20 Pcs

Big Bulbs-T100-E27

24w VT-2125

SKU: 7275 - 3000K Warm White 3800157623650
SKU: 7276 - 4000K Day White 3800157623667
3800157623674

EQ. Watts:	150w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Plastic
Luminous Flux:	2080lm	PF:	>0.5	Dimension:	100x174mm
Commercial Type:	T100	Base:	E27	Box Qty:	40 Pcs

Bulbs-ED90-E27

40w VT-1940

SKU: 7132 - 3000K Warm White 3800157610285
SKU: 7133 - 4000K Day White 3800157610292
SKU: 7134 - 6500K White 3800157610308

EQ. Watts:	250w	LED Type:	SMD2835	Beam Angle:	235°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Aluminium+PC
Luminous Flux:	3500lm	PF:	>0.9	Dimension:	90x212mm
Commercial Type:	ED-90	Base:	E27	Box Qty:	30 Pcs

LED Bulbs-E14

4W VT-2184

SKU: 7366 - 2700K Warm White 3800157628570



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	50 Pcs

LED Bulbs-E27

4W VT-2194

SKU: 7367 - 2700K Warm White 3800157628587

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	50 Pcs

LED Candle Filament Bulbs

4W VT-2104

SKU: 7282 - 2700K Warm White 3800157623728





EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

LED Candle Filament Bulbs

4W VT-2134D

SKU: 7284 - 2700K Warm White 3800157623742



EQ. Watts:	35w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

LED Candle Filament Bulbs

4W VT-2174

SKU: 7365 - 2700K Warm White 3800157628563

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

LED Filament Bulbs

4W VT-2114

SKU: 7283 - 2700K Warm White 3800157623735



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

6W VT-2186

SKU: 7368 - 2700K Warm White 3800157628594



EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	660lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Candle Bulbs

5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
SKU: 7292 - 4000K Day White 3800157623827
SKU: 7293 - 6400K White 3800157623834



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	37x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

LED Bulbs-E14

5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
SKU: 7356 - 4000K Day White 3800157628143



EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.5	Dimension:	45x81mm
Commercial Type:	P45	Base:	E14	Box Qty:	50 Pcs

LED Bulbs-E27

5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181
SKU: 7361 - 4000K Day White 3800157628198

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	180°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.4	Dimension:	45x82mm
Commercial Type:	G45	Base:	E27	Box Qty:	50 Pcs

LED Bulbs-E27

6W VT-2022BP

SKU: 7324 - 2700K Warm White 3800157624602
SKU: 7325 - 4000K Day White 3800157624619
SKU: 7326 - 6400K White 3800157624626

RGB BULB

DIMMABLE

EQ. Watts:	40w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	470lm	PF:	>0.4	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	40 Pcs

LED Bulbs-E27

9W VT-2139

SKU: 7295 - 4000K Day White 3800157623858
SKU: 7296 - 6400K White 3800157623865

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs



LED Bulbs-E27

9W VT-2109

SKU: 7285 - 2700K Warm White 3800157623759
SKU: 7286 - 4000K Day White 3800157623766
SKU: 7287 - 6400K White 3800157623773

SENSOR BULB

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x122mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs



LED Bulbs-E27

9W VT-2129

SKU: 7288 - 2700K Warm White 3800157623780
SKU: 7289 - 4000K Day White 3800157623797
SKU: 7290 - 6400K White 3800157623803

3 STEP DIMMING

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

9W VT-2149

SKU: 7309 - 3 IN 1 3800157623995

COLOR CHANGING

EQ. Watts:	60w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	806lm	PF:	>0.5	Dimension:	60x112mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

11w VT-2111

SKU: 7297 - 2700K Warm White 3800157623872
3800157623889
3800157623896

EQ. Watts:	75w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	60x120mm
Commercial Type:	A60	Base:	E27	Box Qty:	25 Pcs

LED Bulbs-E27

15w VT-2117

SKU: 7300 - 2700K Warm White 3800157623902



EQ. Watts:	100w	LED Type:	SMD	Beam Angle:	200°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	ThermoPlastic
Luminous Flux:	1500lm	PF:	>0.5	Dimension:	66.5x134mm
Commercial Type:	A65	Base:	E27	Box Qty:	25 Pcs



LED Filament Bulbs

Filament bulbs can be replacements for 30w to 55w counterparts to let you achieve incredible energy savings. This range is a modern take on the classic Edison lamp but with a cool running performance and environmentally-friendly components.

Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars

Product Features

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

NEW

SpecialBulbs

Filament-A70-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



EQ. Watts:	**40w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**500lm**
Commercial Type:	**A165**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**340°**
Type:	**Glass**
Dimension:	**160x298mm**
Box Qty:	**6 Pcs**

DIMMABLE

NEW

SpecialBulbs

Filament-A70-E27

8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374



EQ. Watts:	**40w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**500lm**
Commercial Type:	**G200**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**340°**
Type:	**Glass**
Dimension:	**200x280mm**
Box Qty:	**4 Pcs**

DIMMABLE

NEW

SpecialBulbs

Filament-BF180-E27

8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381



EQ. Watts:	**40w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**500lm**
Commercial Type:	**BF180**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**340°**
Type:	**Glass**
Dimension:	**180x360mm**
Box Qty:	**6 Pcs**

DIMMABLE

NEW

SpecialBulbs

Filament-BF180-E27

8W VT-2178D

SKU: 7464 - 2000K Warm White 3800157637398

EQ. Watts:	**50w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**600lm**
Commercial Type:	**BF180**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**340°**
Type:	**Glass**
Dimension:	**180x360mm**
Box Qty:	**6 Pcs**

DIMMABLE

NEW

SpecialBulbs

Smoky Filament-S200-E27

8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404



EQ. Watts:	**30w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**350lm**
Commercial Type:	**S200**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**340°**
Type:	**Glass**
Dimension:	**180x390mm**
Box Qty:	**4 Pcs**

DIMMABLE

NEW

SpecialBulbs

Filament-R125-E27

8W VT-2198D

SKU: 7468 - 6500K White 3800157639187
SKU: 7466 - 2700K Warm White 3800157639163
SKU: 7467 - 4000K Day White 3800157639170



EQ. Watts:	**50w**
Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**600lm**
Commercial Type:	**R125**
LED Type:	**Filament**
CRI:	**>80**
PF:	**>0.5**
Base:	**E27**
Beam Angle: Body	**110°**
Type:	**Glass**
Dimension:	**125x182mm**
Box Qty:	**24 Pcs**

DIMMABLE

Amber Cover -Filament-A60-E27

3W VT-2063

SKU: 7219 - 2200K Warm White 3800157617277

EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	150lm	PF:	>0.4	Dimension:	60x105mm
Commercial Type:	A60	Base:	E27	Box Qty:	100 Pcs

Amber Cover -LED Filament Bulbs

4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	360lm	PF:	>0.5	Dimension:	60x98mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs



Filament-A60-E27

4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.5	Dimension:	60x98mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27

4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-A60-E27

8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	720lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs



Amber Cover -Filament-A67-E27

10w VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

EQ. Watts:	65w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	900lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Amber Filament-A70-E27

12.5w VT-2123

SKU: 7457 - 2200K Warm White 3800157637862

EQ. Watts:	85w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1240lm	PF:	>0.5	Dimension:	70x132mm
Commercial Type:	A70	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-ST64-E27

4w VT-2144

SKU: 7327 - 2200K Warm White 3800157624718



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-B22

4w VT-2145

SKU: 7421 - 2200K Warm White 3800157633093



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	B22	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-B22

4w VT-2145D

SKU: 7420 - 2200K Warm White 3800157633086



EQ. Watts:	25w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	B22	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

4W VT-1964D

SKU: 4368 - 2200K Warm White 3800157602945

DIMMABLE



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.7	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

4W VT-1964

SKU: 4361 - 2200K Warm White 3800157602747

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-ST64-E27

5W VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

5W VT-2066

SKU: 7220 - 2200K Warm White 3800157617284



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

5W VT-2065D

SKU: 7416 - 2200K Warm White 3800157632003

DIMMABLE

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	64x140mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-ST64-E27

6w VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27

8w VT-1968

SKU: 4421 - 2200K Warm White 3800157606356

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	64x138mm
Commercial Type:	ST64	Base:	E27	Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27

4w VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	80x140mm
Commercial Type:	G80	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-Globe-E27

4w VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

5w VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	95x138mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

6W VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210

DIMMABLE



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.7	Dimension:	95x135mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs

Amber Cover -Filament-Globe-E27

7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605



EQ. Watts:	65w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	95x140mm
Commercial Type:	G95	Base:	E27	Box Qty:	50 Pcs

Amber Cover -Filament-Globe-E27

4W VT-1956

SKU: 4473 - 2200K Warm White 3800157609074



EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	550lm	PF:	>0.5	Dimension:	125x165mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Amber Cover -Filament-Globe-E27

5W VT-2085

SKU: 7216 - 2200K Warm White 3800157617246



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Amber Cover -Filament-Globe-E27

5w VT-2085D

SKU: 7415 - 2200K Warm White 3800157631990

DIMMABLE

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	300lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Amber Cover -Filament-Globe-E27

6w VT-2126

SKU: 7328 - 2200K Warm White 3800157624725



EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>70	Body Type:	Glass
Luminous Flux:	480lm	PF:	>0.5	Dimension:	125x175mm
Commercial Type:	G125	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-Globe-E27

8w VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203

DIMMABLE

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.7	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs



Filament-G125-E27

12.5w VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

EQ. Watts:	85w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1240lm	PF:	>0.5	Dimension:	125x178mm
Commercial Type:	G125	Base:	E27	Box Qty:	25 Pcs

Amber Cover -Filament-T30-E27

2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833



EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	30x136mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Filament-T30-E27

2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826



EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	200lm	PF:	>0.5	Dimension:	30x136mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575





EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	500lm	PF:	>0.5	Dimension:	30x300mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582





EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	30x185mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filaments-T30-E27

7W VT-2008

SKU: 7144 - 2200K Warm White 3800157610599





EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	700lm	PF:	>0.5	Dimension:	30x300mm
Commercial Type:	T30	Base:	E27	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1955

SKU: 7113 - 2200K Warm White 3800157609883



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1949

SKU: 7114 - 2200K Warm White 3800157609890



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1948

SKU: 7115 - 2200K Warm White 3800157609906



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Amber Cover -Filament-Candle-E14

4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

White Cover -Filament-A60-E27

4W VT-1939

SKU: 4489 - 2700K Warm White 3800157609647
SKU: 4490 - 4000K Day White 3800157609654
SKU: 4491 - 6400K White 3800157609661

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

White Cover -Filament-Candle-E14

4W VT-1924

SKU: 7102 - 4000K Day White 3800157609777
SKU: 7103 - 6400K White 3800157609784

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs



Cross Filament-Candle-E14

4W VT-1924C

SKU: 71011 - 2700K Warm White 3800157628617
SKU: 71031 - 6400K White 3800157624244

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs





White Cover -Filament-Candle-E14

4W VT-1927

SKU: 7105 - 4000K Day White 3800157609807
SKU: 7106 - 6400K White 3800157609814

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs



Cross Filament-Candle-E14

4W VT-1927C

SKU: 71041 - 2700K Warm White 3800157624299

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-1936

SKU: 4474 - 2700K Warm White 3800157609081
SKU: 4475 - 4000K Day White 3800157609098
SKU: 4476 - 6400K White 3800157609104

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-1937

SKU: 4477 - 2700K Warm White 3800157609111
SKU: 4478 - 4000K Day White 3800157609128
SKU: 4479 - 6400K White 3800157609135

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-1928

SKU: 7108 - 4000K Day White 3800157609838
SKU: 7109 - 6400K White 3800157609845

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Cross Filament-Candle-E14

4W VT-1928C

SKU: 71071 - 2700K Warm White 3800157624213
SKU: 71081 - 4000K Day White 3800157624220
SKU: 71091 - 6400K White 3800157624237

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852
SKU: 7111 - 4000K Day White 3800157609869
SKU: 7112 - 6400K White 3800157609876

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-2054D

SKU: 7176 - 2700K Warm White 3800157615525

DIMMABLE

EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Candle-E14

4W VT-2056D

SKU: 7177 - 2700K Warm White 3800157615532

DIMMABLE



EQ. Watts:	35w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-Globe-E27

4W VT-1974

SKU: 4496 - 4000K Day White 3800157609715
SKU: 4497 - 6400K White 3800157609722



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Frost Cover -Filament-P45-E14

4W VT-1835C

SKU: 44941 - 6400K White 3800157624268
3800157624282

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

Frost Cover -Filament-A60-E27

4W VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

5W VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
SKU: 7179 - 4000K Day White 3800157615556
SKU: 7180 - 6400K White 3800157615563



EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A60-E27

6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

EQ. Watts:	**55w**	LED Type:	**Filament**	Beam Angle:	**300°**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Body Type:	**Glass**
Luminous Flux:	**660lm**	PF:	**>0.5**	Dimension:	**60x107mm**
Commercial Type:	**A60**	Base:	**E27**	Box Qty:	**50 Pcs**

Frost Cover -Filament-A60-E27

6W VT-1935

SKU: 4481 - 4000K Day White 3800157609159
SKU: 4482 - 6400K White 3800157609166

EQ. Watts:	**55w**	LED Type:	**Filament**	Beam Angle:	**300°**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Body Type:	**Glass**
Luminous Flux:	**660lm**	PF:	**>0.5**	Dimension:	**60x107mm**
Commercial Type:	**A60**	Base:	**E27**	Box Qty:	**50 Pcs**

Frost Cover -Filament-A60-E27

7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570
SKU: 7182 - 4000K Day White 3800157615587
SKU: 7183 - 6400K White 3800157615594

EQ. Watts:	**60w**	LED Type:	**Filament**	Beam Angle:	**300°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Body Type:	**Glass**
Luminous Flux:	**840lm**	PF:	**>0.5**	Dimension:	**60x107mm**
Commercial Type:	**A60**	Base:	**E27**	Box Qty:	**50 Pcs**

Frost Cover -Filament-A60-E27

7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

EQ. Watts:	**60w**	LED Type:	**Filament**	Beam Angle:	**300°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Body Type:	**Glass**
Luminous Flux:	**840lm**	PF:	**>0.5**	Dimension:	**60x107mm**
Commercial Type:	**A60**	Base:	**E27**	Box Qty:	**50 Pcs**

Frost Cover -Filament-A67-E27

8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
SKU: 4484 - 4000K Day White 3800157609593
SKU: 4485 - 6400K White 3800157609609

EQ. Watts:	**60w**	LED Type:	**Filament**	Beam Angle:	**300°**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Body Type:	**Glass**
Luminous Flux:	**800lm**	PF:	**>0.5**	Dimension:	**67x123mm**
Commercial Type:	**A67**	Base:	**E27**	Box Qty:	**50 Pcs**

Frost Cover -Filament-A67-E27

10w VT-2023

SKU: 7153 - 4000K Day White 3800157612180
SKU: 7154 - 6400K White 3800157612197

EQ. Watts:	75w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1055lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-A67-E27

9w VT-2049

SKU: 7184 - 2700K Warm White 3800157615600
SKU: 7185 - 4000K Day White 3800157615617
SKU: 7186 - 6400K White 3800157615624

EQ. Watts:	80w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1100lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	50 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2057

SKU: 7187 - 2700K Warm White 3800157615631
SKU: 7188 - 6400K White 3800157615648

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	95x135mm
Commercial Type:	G95	Base:	E27	Box Qty:	12 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
SKU: 7190 - 6400K White 3800157615662

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	840lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Frost Cover -Filament-Globe-E27

7w VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679

EQ. Watts:	55w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	750lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	12 Pcs

Clear Glass-Filament-ST64-E27

4w VT-2105D

SKU: 7414 - 2700K Warm White 3800157630320

EQ. Watts:	45w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	490lm	PF:	>0.4	Dimension:	64x145mm
Commercial Type:	ST64	Base:	E27	Box Qty:	100 Pcs

Clear Glass-Filament-A60-E27

4w VT-1885

SKU: 4259 - 2700K Warm White 3800230627179

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-A60-E27

4w VT-1885C

SKU: 42591 - 2700K Warm White 3800157624312

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-A60-E27

4w VT-1885DC

SKU: 43641 - 2700K Warm White 3800157624305

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-A60-B22

5w VT-2035

SKU: 7170 - 2700K Warm White 3800157615464

EQ. Watts:	50w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	60x107mm
Commercial Type:	A60	Base:	B22	Box Qty:	50 Pcs

Clear Glass-Filament-A67-E27

8w VT-1978

SKU: 4407 - 2700K Warm White 3800157606165
SKU: 4409 - 6400K White 3800157606189

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	800lm	PF:	>0.5	Dimension:	67x123mm
Commercial Type:	A67	Base:	E27	Box Qty:	100 Pcs

Clear Filament-A70-E27

12.5w VT-2133

SKU: 7460 - 6500K White 3800157637893
SKU: 7458 - 3000K Warm White 3800157637879
SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts:	100w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1550lm	PF:	>0.5	Dimension:	70x132mm
Commercial Type:	A70	Base:	E27	Box Qty:	50 Pcs

Clear Glass-Filament-ST26-E14

2w VT-1952

SKU: 4445 - 4000K Day White 3800157607865
SKU: 4446 - 6400K White 3800157607872



EQ. Watts:	20w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	180lm	PF:	>0.4	Dimension:	26x58mm
Commercial Type:	ST26	Base:	E14	Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4w VT-1986

SKU: 4301 - 2700K Warm White 3800230629951



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4w VT-1986C

SKU: 43011 - 2700K Warm White 3800157624114



EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1986DC

SKU: 43651 - 2700K Warm White 3800157624176

DIMMABLE



EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1985C

SKU: 43071 - 2700K Warm White 3800157624183

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
SKU: 4431 - 4000K Day White 3800157606455
SKU: 4432 - 6400K White 3800157606462

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995D

SKU: 4388 - 2700K Warm White 3800157603973

DIMMABLE

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1995DC

SKU: 43881 - 2700K Warm White 3800157624251

DIMMABLE

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	350lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	50 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1997D

SKU: 4366 - 2700K Warm White 3800157602921





EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

4W VT-1997C

SKU: 44301 - 6400K White 3800157624190
3800157624206

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	35x121mm
Commercial Type:	Candle	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-Candle-E14

6W VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
SKU: 7424 - 4000K Day White 3800157632584
SKU: 7425 - 6400K White 3800157632591



EQ. Watts:	45w	LED Type:	SMD	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	600lm	PF:	>0.5	Dimension:	35x100mm
Commercial Type:	Candle	Base:	E14	Box Qty:	200 Pcs

Clear Glass-Filament-Globe-E27

4W VT-1980

SKU: 4427 - 4000K Day White 3800157606417
SKU: 4428 - 6400K White 3800157606424

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-P

SKU: 7410 - PinK 3800157630269



EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-G

SKU: 7411 - Green 3800157630276

EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-B

SKU: 7412 - Blue 3800157630283

EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Color Bulbs-G45-E27

2W VT-2132-R

SKU: 7413 - Red 3800157630290

EQ. Watts:	10w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	60lm	PF:	>0.4	Dimension:	45x75mm
Commercial Type:	G45	Base:	E27	Box Qty:	100 Pcs

Clear Glass-Filament-P45-E14

4W VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-P45-E14

4w VT-1996

SKU: 4426 - 6400K White 3800157606394
3800157606400

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs

Clear Glass-Filament-P45-E14

4w VT-1996C

SKU: 43001 - 2700K Warm White 3800157624138
3800157628600

EQ. Watts:	40w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	400lm	PF:	>0.4	Dimension:	45x77mm
Commercial Type:	P45	Base:	E14	Box Qty:	100 Pcs



Clear Glass-Filament-Globe-E27

4w VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021

DIMMABLE

EQ. Watts:	30w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	320lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs



Clear Glass-Filament-Globe-E27

6w VT-2147

SKU: 7427 - 6400K White 3800157635288

EQ. Watts:	60w	LED Type:	Filament	Beam Angle:	300°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	806lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	20 Pcs

Clear Glass-Filament-Globe-E27

12.5w VT-2143

SKU: 7455 - 6500K White 3800157637848
SKU: 7453 - 3000K Warm White 3800157637824
SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts:	100w	LED Type:	Filament	Beam Angle:	330°
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Body Type:	Glass
Luminous Flux:	1550lm	PF:	>0.5	Dimension:	125x177mm
Commercial Type:	G125	Base:	E27	Box Qty:	25 Pcs

VT-798

B22-E27 Converter-Bulbs

SKU: 3420 3800157608435

Aluminium+PC

Box Qty.
250 Pcs

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance

VT-7135

String Light-WP Socket-E27

SKU: 3698

Box Qty.
4 Pcs

- 15 Meter Long String
- 15 Holders with 1 Meter Distance

VT-713

String Light-WP Socket-E27

SKU: 3673

Box Qty.
4 Pcs

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance

VT-70510

String Light-LED-5M

0.5w

SKU: 7437 - 6000K White 3800157637473
SKU: 7436 - 3000K Warm White 3800157637466
SKU: 7435 - RGB+Yellow 3800157637459

Box Qty.
10 Pcs

- 10 Meter Long String
- 20 Holders with 0.5 Meter Distance

VT-71020

String Light-LED-10M

0.5w

SKU: 7440 - 6000K White 3800157637503
SKU: 7439 - 3000K Warm White 3800157637497
SKU: 7438 - RGB+Yellow 3800157637480

Box Qty.
5 Pcs

LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Capsules-G9-Blister Pack

2W **VT-2102BP**

SKU: 7340 - 3000K Warm White 3800157625630



EQ. Watts:	20w	CRI:	>80	Body Type:	Glass
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.7	Dimension:	14.5x43.5mm
Luminous Flux:	230lm	Base:	G9	Box Qty:	400 Pcs
LED Type:	COB	Beam Angle:	230°		

Capsules-G9

2W **VT-2102**

SKU: 7337 - 3000K Warm White 3800157625210
SKU: 7338 - 4000K Day White 3800157625227
SKU: 7339 - 6000K White 3800157625234



EQ. Watts:	20w	CRI:	>80	Body Type:	Glass
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.7	Dimension:	14.5x43.5mm
Luminous Flux:	230lm	Base:	G9	Box Qty:	400 Pcs
LED Type:	COB	Beam Angle:	230°		

NEW

Capsules-G9

5W **VT-2175D**

SKU: 7429 - 3000K Warm White 3800157637046
SKU: 7430 - 4000K Day White 3800157637053
SKU: 7431 - 6400K White 3800157637060

EQ. Watts:	50w	CRI:	>80	Body Type:	Ceramic
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.4	Dimension:	22x60mm
Luminous Flux:	500lm	Base:	G9	Box Qty:	600 Pcs
LED Type:	SMD	Beam Angle:	300°		

NEW

Capsules-G9

5.5W **VT-2177**

SKU: 7432 - 3000K Warm White 3800157637077
SKU: 7433 - 4000K Day White 3800157637084
SKU: 7434 - 6400K White 3800157637091

EQ. Watts:	50w	CRI:	>80	Body Type:	Ceramic
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.4	Dimension:	16x63mm
Luminous Flux:	550lm	Base:	G9	Box Qty:	600 Pcs
LED Type:	SMD	Beam Angle:	300°		

Spotlights-GU10-Lens-38°

2W VT-2002

SKU: 7169 - 6400K White 3800157612821

EQ. Watts:	15w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.4	Dimension:	35x46.5mm
Luminous Flux:	180lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

Spotlights-GU10-Lens-38°

5W VT-2165D

SKU: 7428 - 3000K Warm White 3800157636247

EQ. Watts:	40w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	ø50x55mm
Luminous Flux:	380lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

Spotlights-GU10-Lens-110°

7W VT-2778

SKU: 1672 - 3000K Warm White 3800157602136
SKU: 1673 - 4500K Day White 3800157602143
SKU: 1674 - 6400K White 3800157602150



EQ. Watts:	45w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	500lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		

Spotlights-GU10-Lens-38°

7W VT-2666

SKU: 1657 - 3000K Warm White 3800157601641
SKU: 1658 - 4500K Day White 3800157601658
SKU: 1659 - 6000K White 3800157601665





EQ. Watts:	50w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	550lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

Spotlights-GU10-Lens-38°

7W VT-2886D

SKU: 1666 - 3000K Warm White 3800157602075
SKU: 1667 - 4500K Day White 3800157602082
SKU: 1668 - 6000K White 3800157602099



EQ. Watts:	50w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	550lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		

Spotlights-MR16-Lens-38°

7W VT-1967

SKU: 1663 - 3000K Warm White	3800157602044
SKU: 1664 - 4500K Day White	3800157602051
SKU: 1665 - 6000K White	3800157602068

EQ. Watts:	50w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.5	Dimension:	50x50mm
Luminous Flux:	550lm	Base:	MR16	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		



Spotlights-GU10-Lens-38°

8W VT-2889

SKU: 1693 - 3000K Warm White	3800157608947
SKU: 1695 - 6400K White	3800157608961

EQ. Watts:	80w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x55mm
Luminous Flux:	750lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	38°		



Spotlights-GU10-Milky Cover-110°

3W VT-1933

SKU: 7126 - 3000K Warm White	3800157610148
SKU: 7127 - 4000K Day White	3800157610155
SKU: 7128 - 6400K White	3800157610162

EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.4	Dimension:	50x57mm
Luminous Flux:	210lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		



Spotlights-GU10-Milky Cover-110°

5W VT-1975

SKU: 1685 - 3000K Warm White	3800157606240
SKU: 1686 - 4000K Day White	3800157606257
SKU: 1687 - 6000K White	3800157606264

EQ. Watts:	40w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.4	Dimension:	50x57mm
Luminous Flux:	320lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		



Spotlights-GU10-3PC Pack

5W VT-2095

SKU: 7269 - 3000K Warm White	3800157623018
SKU: 7270 - 4000K Day White	3800157623025
SKU: 7271 - 6400K White	3800157623032

EQ. Watts:	35w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	400lm	Base:	GU10	Box Qty:	60 Pcs
LED Type:	SMD	Beam Angle:	110°		

Spotlights-GU10-Blister Pack

6W VT-2107

SKU: 7303 - 3000K Warm White	3800157623933
SKU: 7304 - 4000K Day White	3800157623940
SKU: 7305 - 6400K White	3800157623957

EQ. Watts:	40w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	500lm	Base:	GU10	Box Qty:	50 Pcs
LED Type:	SMD	Beam Angle:	110°		

Spotlights-GU10-Blister Pack

6.5W VT-2108D

SKU: 7306 - 3000K Warm White	3800157623964
SKU: 7307 - 4000K Day White	3800157623971
SKU: 7308 - 6400K White	3800157623988

DIMMABLE

EQ. Watts:	40w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	450lm	Base:	GU10	Box Qty:	50 Pcs
LED Type:	SMD	Beam Angle:	38°		



Spotlights-GU10-Lens-110°

7W VT-2887D

SKU: 1669 - 3000K Warm White	3800157602105
SKU: 1670 - 4500K Day White	3800157602112
SKU: 1671 - 6000K White	3800157602129

DIMMABLE

EQ. Watts:	45w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	50x57mm
Luminous Flux:	500lm	Base:	GU10	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		





Spotlights-MR16-Milky Cover-110°

7W VT-1977

SKU: 1688 - 3000K Warm White	3800157606950
SKU: 1690 - 6000K White	3800157606974

EQ. Watts:	45w	CRI:	>80	Body Type:	Plastic
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.5	Dimension:	50x50mm
Luminous Flux:	500lm	Base:	MR16	Box Qty:	200 Pcs
LED Type:	SMD	Beam Angle:	110°		





Reflector-Round

5W VT-1100RD

SKU: 7331 - 6400K White	3800157624848

EQ. Watts:	35w	CRI:	>80	Body Type:	ABS+PC
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.4	Dimension:	Ø90x 45mm
Luminous Flux:	350lm	Base:	N/A	Box Qty:	100 Pcs
LED Type:	SMD	Beam Angle:	68°		





Reflector-Square

5W VT-1100SQ



SKU: 7332 - 3000K Warm White 3800157624855
SKU: 7333 - 4000K Day White 3800157624862
SKU: 7334 - 6400K White 3800157624879

EQ. Watts:	35w	CRI:	>80	Body Type:	ABS+PC
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.4	Dimension:	90x90x45mm
Luminous Flux:	350lm	Base:	N/A	Box Qty:	50 Pcs
LED Type:	SMD	Beam Angle:	68°		

PAR-GX53

7W VT-1969



SKU: 4439 - 6000K White 3800157607056

EQ. Watts:	45w	CRI:	>80	Body Type:	Thermoplastic
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Dimension:	75x29mm
Luminous Flux:	550lm	Base:	Gx53	Box Qty:	100 Pcs
LED Type:	SMD	Beam Angle:	110°		



Fitting Round-GU10



Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638968
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638975
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638982
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638999
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639002
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639019
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639026
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639033
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639040
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639057
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639064
Box Qty:	50 Pcs

Fitting Round-GU10

Model No	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639071
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639088
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639095
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639101
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639118
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN:	3800157639125
Box Qty:	50 Pcs

Fitting Square-GU10

Model No	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN:	3800157639132
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN:	3800157612074
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612081
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612098
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612043
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612050
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612067
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	White
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625241
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Gold
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625258
Box Qty:	50 Pcs

GX53-Accessory



Model No	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625265
Box Qty:	50 Pcs

Fitting-Square-GU10

Model No	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	70x70x75mm
Cutting Size:	N/A
EAN:	3800157624589
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624596
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	75x75x75mm
Cutting Size:	N/A
EAN:	3800157624732
Box Qty:	36 Pcs

0

Fitting-Round-GU10

Model No	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø75x75mm
Cutting Size:	N/A
EAN:	3800157624749
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	215x120x60mm
Cutting Size:	215x120mm
EAN:	3800157618588
Box Qty:	20 Pcs

Fitting-Square-GU10

Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157618595
Box Qty:	24 Pcs

Fitting-Round-GU10

Model No	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN:	3800157618601
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x30mm
Cutting Size:	103x103mm
EAN:	3800157618618
Box Qty:	30 Pcs

Fitting-Round-GU10

Model No	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x30mm
Cutting Size:	Ø103mm
EAN:	3800157618625
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN:	3800157618632
Box Qty:	20 Pcs

Fitting-Round-GU10



Model No	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN:	3800157616348
Box Qty:	24 Pcs

Fitting-Square-GU10

Model No	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x40mm
Cutting Size:	123x123mm
EAN:	3800157616355
Box Qty:	24 Pcs

Fitting-Round-GU10

Model No	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN:	3800157618649
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x45mm
Cutting Size:	123x123mm
EAN:	3800157625180
Box Qty:	24 Pcs

Fitting-Square-GU10-Frost Glass

Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	120x120x60mm
Cutting Size:	123x123mm
EAN:	3800157628938
Box Qty:	24 Pcs

Fitting-Round-GU10-Frost Glass

Model No	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø120x60mm
Cutting Size:	Ø123mm
EAN:	3800157628945
Box Qty:	24 Pcs

Fitting-Round-GU10-2Pc Pack

Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607131
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack

Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607148
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607155
Box Qty:	200 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607223
Box Qty:	100 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607230
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617086
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617093
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617109
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617116
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617123
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617130
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607285
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607292
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-783RD-WH
SKU:	3601
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607308
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-783RD-AB
SKU:	3602
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607315
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-784RD-WH
SKU:	3603
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	255x91x25
Cutting Size:	235x75mm
EAN:	3800157607322
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-784RD-AB
SKU:	3604
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607339
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607346
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607353
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607360
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607377
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607384
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607391
Box Qty:	50 Pcs

Fitting-Round-GU10

Model No	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø82x25mm
Cutting Size:	Ø74mm
EAN:	3800157605885
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø82x25mm
Cutting Size:	Ø74mm
EAN:	3800157605892
Box Qty:	100 Pcs

Fitting-Round-GU10

Model No	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Stainless Steel
Dimension:	Ø82x25mm
Cutting Size:	Ø74mm
EAN:	3800157605908
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607407
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607414
Box Qty:	100 Pcs

Fitting-Square-GU10

Model No	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN:	3800157605915
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN:	3800157605922
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fxture:	Stainless Steel
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN:	3800157605939
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN:	3800157625135
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628501
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628518
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607421
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607438
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607445
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607452
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607247
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607254
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607261
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607278
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607162
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607179
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607186
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157607193
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607209
Box Qty:	100 Pcs

Fitting-Square-GU10

Model No	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	Chrome
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607216
Box Qty:	100 Pcs

Fitting-Round-G9

Model No	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	70x90x95mm
Cutting Size:	N/A
EAN:	3800157633536
Box Qty:	24 Pcs

Fitting-Square-G9



Model No	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	70x100x100mm
Cutting Size:	N/A
EAN:	3800157633543
Box Qty:	24 Pcs

Fitting-Square-GU10



Model No	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x40mm
Cutting Size:	103x103mm
EAN:	3800157633550
Box Qty:	40 Pcs

Fitting-Round-GU10



Model No	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fxture:	White
Dimension:	ø100x40mm
Cutting Size:	ø103
EAN:	3800157633567
Box Qty:	40 Pcs

Fitting-Suspended-GU10



Model No	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634366
Box Qty:	9 Pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635332
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635349
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634373
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634540
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10



Model No	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635325
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635356
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635363
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635370
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635387
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634380
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634397
Box Qty:	9 pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635394
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635400
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635417
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635424
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634403
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634410
Box Qty:	12pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634427
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634434
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634441
Box Qty:	24 pcs

Fitting-Recessed-1XGU10





Model No	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Grey+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634458
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634465
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634472
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634489
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634496
Box Qty:	24 pcs

Fitting-Recessed-1XGU10

Model No	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634502
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634519
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634526
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634533
Box Qty:	24 pcs

Fitting-Ceiling Metal-1XGU10



Model No	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	200x200mm
Cutting Size:	206x206mm
EAN:	3800157634557
Box Qty:	12 pcs

Fitting-Recessed-Black Metal-Round

Model No	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Black
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635592
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Round

Model No	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635608
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold Met-



Model No	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635615
Box Qty:	30 pcs

Fitting-Recessed-Blcak Metal-Square



Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Black
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635622
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Square

Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635639
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold-



Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635646
Box Qty:	30 pcs

Fitting-Recessed-Square



Model No	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	ø120x120mm
Cutting Size:	127x127mm
EAN:	3800157635653
Box Qty:	24 Pcs

Fitting-Recessed-Round



Model No	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White
Dimension:	ø120mm
Cutting Size:	ø127mm
EAN:	3800157635660
Box Qty:	24 Pcs

Gu10-Holder-PVC Cable

5 PIECE PACK

Model No	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157609982
Box Qty:	100 Pcs

GU10 Silicon Wire-5Pc Pack

5 PIECE PACK

Model No	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Wire length:	158mm
EAN:	3800157636063
Box Qty:	500 Pcs

Mr16-Lampholder-5Pc Pack

5 PIECE PACK

Model No	VT-7889
SKU:	36265
Base:	MR16
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157609999
Box Qty:	100 Pcs

Gu10-Holder-PVC Cable

Model No	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157607827
Box Qty:	500 Pcs

GU10 Silicon Wire

Model No	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Wire length:	158mm
EAN:	3800157607704
Box Qty:	500 Pcs

LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting

AR111 Downlight

20W VT-1120-20



SKU: 1243 - 3000K Warm White	3800157606004
SKU: 1244 - 4500K Day White	3800157606011
SKU: 1245 - 6000K White	3800157606028



EQ. Watts:	100w	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.7	Dimension:	Ø111x53mm
Luminous Flux:	1800lm	Base:	N/A	Box Qty:	50 Pcs
LED Type:	COB	Beam Angle:	20°		

AR111 Downlight

20W VT-1120-40



SKU: 1246 - 3000K Warm White	3800157606035
SKU: 1247 - 4500K Day White	3800157606042
SKU: 1248 - 6000K White	3800157606059

EQ. Watts:	100w	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.7	Dimension:	Ø111x53mm
Luminous Flux:	1800lm	Base:	N/A	Box Qty:	50 Pcs
LED Type:	COB	Beam Angle:	40°		

AR111-G53

15W VT-1110-20



20°
BEAM ANGLE

SKU: 4084 - 3000K Warm White	3800230620064
SKU: 4062 - 4000K Day White	3800230620057
SKU: 4061 - 6400K White	3800230620040



EQ. Watts:	75w	CRI:	>80	Body Type:	Plastic Clad Aluminium
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.9	Dimension:	Ø111x86x63mm
Luminous Flux:	950lm	Base:	G53	Box Qty:	60 Pcs
LED Type:	COB	Beam Angle:	20°		

AR111-G53

15W VT-1110-40



40°
BEAM ANGLE

SKU: 4257 - 3000K Warm White	3800230628664
SKU: 4256 - 4000K Day White	3800230628657
SKU: 4255 - 6400K White	3800230628640

EQ. Watts:	25w	CRI:	>80	Body Type:	Plastic Clad Aluminium
Voltage/Frequency:	AC/DC:12V,50Hz	PF:	>0.9	Dimension:	Ø111x86x63mm
Luminous Flux:	950lm	Base:	G53	Box Qty:	60 Pcs
LED Type:	COB	Beam Angle:	40°		

AR111-GU10

12W VT-1112



SKU: 4224 - 2700K Warm White	3800230626257
SKU: 4223 - 4000K Day White	3800230626219
SKU: 4225 - 6400K White	3800230626264



EQ. Watts:	60w	CRI:	>80	Body Type:	Plastic Clad Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	Ø111x86mm
Luminous Flux:	900lm	Base:	GU10	Box Qty:	60 Pcs
LED Type:	COB	Beam Angle:	40°		

AR111-GU10

12w VT-1112D

SKU: 7234 - 3000K Warm White	3800157620055
SKU: 7235 - 4500K Day White	3800157620062
SKU: 7236 - 6000K White	3800157620079

DIMMABLE



EQ. Watts:	60w	CRI:	>80	Body Type:	Plastic Clad Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	Ø111x86mm
Luminous Flux:	900lm	Base:	GU10	Box Qty:	60 Pcs
LED Type:	COB	Beam Angle:	40°		



AR111-Accessories

Model No:	VT-7221-W	Dimension:	174x174 mm
SKU:	3575	Cutting Size:	168x155mm
Base:	1XAR111	EAN:	3800157604765
Material:	Aluminium	Box Qty:	24 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7222-W	Dimension:	325x174mm
SKU:	3576	Cutting Size:	306x162mm
Base:	2XAR111	EAN:	3800157604772
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7223-W	Dimension:	475x174mm
SKU:	3577	Cutting Size:	455x168 mm
Base:	3XAR111	EAN:	3800157604789
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	White		





AR111-Accessories

Model No:	VT-7221-B	Dimension:	174x174 mm
SKU:	3581	Cutting Size:	168x155mm
Base:	1XAR111	EAN:	3800157607063
Material:	Aluminium	Box Qty:	24 Pcs
Color of Fxture:	Black		



AR111-Accessories

Model No:	VT-7222-B	Dimension:	325x174 mm
SKU:	3582	Cutting Size:	306x162mm
Base:	2XAR111	EAN:	3800157607070
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	Black		





AR111-Accessories

Model No:	VT-7223-B	Dimension:	475x174mm
SKU:	3583	Cutting Size:	455x168 mm
Base:	3XAR111	EAN:	3800157607087
Material:	Aluminium	Box Qty:	12 Pcs
Color of Fxture:	Black		

LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof /airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

Applications

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots

Slimline-White Body-White Wire

50W VT-4955W

SKU: 5827 - 6400K White 3800157615013

IP65 RATING







Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	237x194x38mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	White	Beam Angle:	100°		

Slimline-White Body-White Wire

100W VT-49100W

SKU: 5844 - 4000K Day White 3800157615181

IP65 RATING







Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	293x41x231mm
Luminous Flux:	8500lm	IP Rating:	IP65	Box Qty:	4 Pcs
Color of Fixture:	White	Beam Angle:	100°		

Slimline-White Body-White Wire

100W VT-49101W

SKU: 5970 - 3000K Warm White 3800157626231
SKU: 5971 - 4000K Day White 3800157626248
SKU: 5972 - 6400K White 3800157626255

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	291x240x30mm
Luminous Flux:	8500lm	IP Rating:	IP65	Box Qty:	4 Pcs
Color of Fixture:	White	Beam Angle:	100°		

Slimline-Black/Grey Body

150W VT-49150GB

SKU: 5858 - 3000K Warm White 3800157615327

IP65 RATING







Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	411x313x51mm
Luminous Flux:	12750lm	IP Rating:	IP65	Box Qty:	2 Pcs
Color of Fixture:	Black+Grey	Beam Angle:	100°		

I Series-Black Body

10W VT-4611B

SKU: 5877 - 6000K White 3800157615983
3800157615990

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	122x105x30mm
Luminous Flux:	850lm	IP Rating:	IP65	Box Qty:	50 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

I Series-Black Body

50W VT-4651B

SKU: 5885 - 4500K Day White 3800157616072
SKU: 5886 - 6000K White 3800157616089

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	255x196x36mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

I Series-White Body

10W VT-4611W

SKU: 5899 - 4500K Day White 3800157619226
SKU: 5900 - 6000K White 3800157619233

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	122x105x30mm
Luminous Flux:	850lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	White	Beam Angle:	110°		

I Series-White Body

50W VT-4651W

SKU: 5905 - 4500K Day White 3800157619387
SKU: 5906 - 6000K White 3800157619394

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Dimension:	255x196x36mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

10W VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364
SKU: 5944 - 4000K Day White 3800157625371
SKU: 5945 - 6500K White 3800157625388

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	110x112x22mm
Luminous Flux:	850lm	IP Rating:	IP65	Box Qty:	40 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

20W VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425
SKU: 5950 - 4000K Day White 3800157625432
SKU: 5951 - 6500K White 3800157625449

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	150x143x26mm
Luminous Flux:	1700lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

30W VT-4031W

SKU: 5955 - 3000K Warm White	3800157625487
SKU: 5956 - 4000K Day White	3800157625494
SKU: 5957 - 6500K White	3800157625500

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	185x163x26mm
Luminous Flux:	2550lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

50W VT-4051W

SKU: 5961 - 3000K Warm White	3800157625548
SKU: 5962 - 4000K Day White	3800157625555
SKU: 5963 - 6500K White	3800157625562

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	245x192x28mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

100W VT-40101W

SKU: 5967 - 3000K Warm White	3800157625609
SKU: 5968 - 4000K Day White	3800157625616
SKU: 5969 - 6500K White	3800157625623

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	330x271x33mm
Luminous Flux:	8500lm	IP Rating:	IP65	Box Qty:	5 Pcs
Color of Fixture:	White	Beam Angle:	110°		

E Series-White Body

10W VT-4011B

SKU: 5940 - 3000K Warm White	3800157625333
SKU: 5941 - 4000K Day White	3800157625340
SKU: 5942 - 6500K White	3800157625357

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	110x112x22mm
Luminous Flux:	850lm	IP Rating:	IP65	Box Qty:	40 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

E Series-White Body

20W VT-4021B

SKU: 5946 - 3000K Warm White	3800157625395
SKU: 5947 - 4000K Day White	3800157625401
SKU: 5948 - 6500K White	3800157625418

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	150x143x26mm
Luminous Flux:	1700lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

E Series-White Body

30W VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456
SKU: 5953 - 4000K Day White 3800157625463
SKU: 5954 - 6500K White 3800157625470

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	185x163x26mm
Luminous Flux:	2550lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

E Series-White Body

50W VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517
SKU: 5959 - 4000K Day White 3800157625524
SKU: 5960 - 6500K White 3800157625531

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	245x192x28mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

E Series-White Body

100W VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579
SKU: 5965 - 4000K Day White 3800157625586
SKU: 5966 - 6500K White 3800157625593

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	330x271x33mm
Luminous Flux:	8500lm	IP Rating:	IP65	Box Qty:	5 Pcs
Color of Fixture:	Black	Beam Angle:	110°		

Floodlight With Stand- EU Plug

30W VT-4230

SKU: 5927 - 4000K Day White 3800157622837
SKU: 5928 - 6400K White 3800157622844

EU PLUG 3 METER WIRE

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	243x275x184mm
Luminous Flux:	2550lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	Black	Beam Angle:	100°		

Floodlight With Stand- EU Plug

50W VT-4250

SKU: 5929 - 4000K Day White 3800157622851
SKU: 5930 - 6400K White 3800157622868

EU PLUG 3 METER WIRE

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	278x313x183mm
Luminous Flux:	4250lm	IP Rating:	IP65	Box Qty:	10 Pcs
Color of Fixture:	Black	Beam Angle:	100°		

Floodlight With Stand- EU Plug

100W VT-42100

SKU: 5931 - 4000K Day White 3800157622875
SKU: 5932 - 6400K White 3800157622882

EU PLUG

3 METER WIRE

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Dimension:	354x378x184mm
Luminous Flux:	8500lm	IP Rating:	IP65	Box Qty:	4 Pcs
Color of Fixture:	Black	Beam Angle:	100°		

Rechargable-IP44

20W VT-4822

SKU: 5692 - 4000K Day White 3800157603515
SKU: 5735 - 6000K White 3800157606929

RECHARGEABLE

Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>70	Battery Capacity:	3.7V,8800mAh
Luminous Flux:	1600lm	IP Rating:	IP44	Charging Time:	5-6 Hours
Color of Fixture:	Green	Beam Angle:	100°	Working Time:	High Light 2-3 Hours/ Low Light 6Hours
Body Type:	Plastic+Aluminium	Box Qty:	10 Pcs	Dimension:	208x204x355mm

new!

Solar-Floodlight

10W VT-787-10

SKU: 8550 - 4000K Day White 3800157639224

Solar Lights

MOTION PIR SENSOR

IP65 RATING

Voltage/Frequency:	3.7V Lithium Battery, 3000mAh	CRI:	>70	Body Type:	ABS+PC
Luminous Flux:	1100lm	PF:	>0.5	Dimension:	300x215x35mm
Color of Fixture:	Black	IP Rating:	IP65	Box Qty:	8Pcs
		Beam Angle:	90°		

Floodlight-Infrared-RGB

10W VT-4711RF

SKU: 5894 - RGB 3800157617512

IP65 RATING



Sensor Compatible:	Yes	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	87X115X85mm
Luminous Flux:	800lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	White	Beam Angle:	100°		

Floodlight-Infrared-RGB

10W VT-4711IF

SKU: 5895 - RGB 3800157617529

IP65 RATING



Sensor Compatible:	Yes	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Dimension:	87X115X85mm
Luminous Flux:	800lm	IP Rating:	IP65	Box Qty:	20 Pcs
Color of Fixture:	Grey	Beam Angle:	100°		

Floodlight-Remote Control-RGB

30W VT-4732

SKU: 5755 - RGB 3800157609517

IP65 RATING



Sensor Compatible:	Yes	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:100-240V	PF:	>0.9	Dimension:	136x227x206mm
Luminous Flux:	2400lm	IP Rating:	IP65	Box Qty:	6 Pcs
Color of Fixture:	Grey	Beam Angle:	100°		

Floodlight-Remote Control-RGB

50W VT-4752

SKU: 5691 - RGB 3800157603508

IP65 RATING



Sensor Compatible:	Yes	CRI:	>80	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	136x227x206mm
Luminous Flux:	4000lm	IP Rating:	IP65	Box Qty:	6 Pcs
Color of Fixture:	Grey	Beam Angle:	120°		

High Lumen-Meanwell Driver

500W VT-49500

SKU: 5934 - 4500K Day White 3800157623605
SKU: 5935 - 6000K White 3800157623612

100° BEAM ANGLE

5 YEAR WARRANTY*

120+ LUMENS/ WATT SUPER EFFICIENT

MEAN WELL

IP65 RATING



Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	658x154x537mm
Luminous Flux:	60000lm	IP Rating:	IP65	Box Qty:	1 Pc
Color of Fixture:	Grey	Beam Angle:	100°		

High Lumen-Meanwell Driver

500W VT-49501

SKU: 5936 - 4000K Day White 3800157624985
SKU: 5937 - 6000K White 3800157624992

120° BEAM ANGLE

5 YEAR WARRANTY*

120+ LUMENS/ WATT SUPER EFFICIENT

MEAN WELL

IP65 RATING



Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	658x154x537mm
Luminous Flux:	60000lm	IP Rating:	IP65	Box Qty:	1 Pc
Color of Fixture:	Black	Beam Angle:	120°		

High Lumen-Meanwell Driver

1000W VT-491001

SKU: 5938 - 4000K Day White 3800157625005
SKU: 5939 - 6000K White 3800157625012

60° BEAM ANGLE

5 YEAR WARRANTY*

120+ LUMENS/ WATT SUPER EFFICIENT

MEAN WELL

IP65 RATING



Sensor Compatible:	Yes	CRI:	>70	Body Type:	Die Cast Aluminium
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	748x762x154mm
Luminous Flux:	120000lm	IP Rating:	IP65	Box Qty:	1 Pc
Color of Fixture:	Black	Beam Angle:	60°		

LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings.These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.

PIR-Slimline-White Body

10W VT-4911PIRW

SKU: 5786 - 3000K Warm White	3800157614603
SKU: 5787 - 4500K Day White	3800157614610
SKU: 5788 - 6000K White	3800157614627

Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	113x178x47mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	800lm	Beam Angle:	100°		





PIR-Slimline-White Body

20W VT-4922PIRW

SKU: 5804 - 3000K Warm White	3800157614788
SKU: 5806 - 6000K White	3800157614801

Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	181x205x57mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	1600lm	Beam Angle:	100°		





PIR-Slimline-White Body

30W VT-4933PIRW

SKU: 5822 - 3000K Warm White	3800157614962
SKU: 5824 - 6400K White	3800157614986

Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	217x231x59mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	2550lm	Beam Angle:	100°		





PIR-Slimline-White Body

50W VT-4955PIRW

SKU: 5840 - 3000K Warm White	3800157615143
SKU: 5841 - 4000K Day White	3800157615150
SKU: 5842 - 6400K White	3800157615167

Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	237x251x62mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	4250lm	Beam Angle:	100°		





PIR-Slimline-Black Body

10W VT-4911PIRB

SKU: 5783 - 3000K Warm White 3800157614573

MOTION PIR SENSOR





Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	113x178x47mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	800lm	Beam Angle:	100°		

PIR-Slimline-Black Body

30W VT-4933PIRB

SKU: 5819 - 3000K Warm White 3800157614931
SKU: 5821 - 6400K White 3800157614955

MOTION PIR SENSOR





Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	217x231x59mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	2550lm	Beam Angle:	100°		

PIR-Slimline-Black Body

50W VT-4955PIRB

SKU: 5837 - 3000K Warm White 3800157615112
3800157615129
3800157615136

MOTION PIR SENSOR





Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	237x251x62mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	4250lm	Beam Angle:	100°		

PIR-Slimline-White Body

10W VT-4810PIRW

SKU: 5747 - 4500K Day White 3800157608213
3800157608206

MOTION PIR SENSOR





Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	133x178x47mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	20 Pcs
Luminous Flux:	800lm	Beam Angle:	100°		

PIR-Slimline-White Body

20W VT-4820PIRW

SKU: 5756 - 3000K Warm White 3800157611688
SKU: 5750 - 6000K White 3800157608879

MOTION PIR SENSOR





Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	185x211x50mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	15 Pcs
Luminous Flux:	1600lm	Beam Angle:	100°		

PIR-Slimline-White Body

30W VT-4830PIRW

SKU: 5752 - 6000K White 3800157608893

MOTION PIR SENSOR



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	217x231x51mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	2400lm	Beam Angle:	100°		

PIR-Slimline-White Body

50W VT-4850PIRW

SKU: 5758 - 3000K Warm White 3800157611701
SKU: 5754 - 6000K White 3800157608909
3800157608916

MOTION PIR SENSOR



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	237x255x51mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	4000lm	Beam Angle:	100°		

PIR-Slimline-Black Body

20W VT-4820PIRB

SKU: 5697 - 3000K Warm White 3800157604338

MOTION PIR SENSOR



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	185x211x50mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	15 Pcs
Luminous Flux:	1600lm	Beam Angle:	100°		

PIR-Slimline-Black Body

30W VT-4830PIRB

SKU: 5699 - 3000K Warm White 3800157604352
SKU: 5716 - 6000K White 3800157604956

MOTION PIR SENSOR



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	217x231x51mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	2400lm	Beam Angle:	100°		

PIR-Slimline-Black Body

50W VT-4850PIRB

SKU: 5701 - 3000K Warm White 3800157604376
3800157604963

MOTION PIR SENSOR



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°	CRI:	>70	Body Type:	Die Cast Aluminium
Detection Distance:	2-8m	PF:	>0.9	Dimension:	237x255x51mm
Voltage/Frequency:	AC:220-240V,50/60Hz	IP Rating:	IP44	Box Qty:	10 Pcs
Luminous Flux:	4000lm	Beam Angle:	100°		

PIR Sensor-WIFI-Camera

18W **VT-4818W**

SKU: 5745 - 6000K White 3800157608268



Video Compression:	H.264 /MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	White
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x 162x 181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		

PIR Sensor-WIFI-Camera

18W **VT-4818B**

SKU: 5917 - 6000K White 3800157620925



Video Compression:	H.264 /MJPEG dual video stream	PF:	>0.5
Image Resolution:	1280*720	Beam Angle:	180°
Image sensor:	1/4 " 1Megapixel CMOS	Color of Fixture:	Black
Pixels:	1 million pixels	Body Type:	ABS+Aluminium
Delay Time:	0-30S	IP Rating:	IP20
Voltage/Frequency:	AC:100-240V,50/60Hz	Dimension:	248x162x181mm
Luminous Flux:	600lm	Box Qty:	4 Pcs
CRI:	>70		

ACCESSORIES FOR FLOOD LIGHTS

NEW

Waterproof Box Terminal Block

VT-868

SKU: 5977 3800157636070

Voltage:	450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5~1.5mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000

IP68 RATING

UV PROTECTION



NEW

Waterproof Box Terminal Block

VT-869-B

SKU: 5978 3800157636087

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

IP68 RATING

UV PROTECTION



NEW

Waterproof Box Terminal Block

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-W

SKU: 5979 3800157636094

IP68 RATING

UV PROTECTION



NEW

Waterproof Box Terminal Block

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

VT-870-B

SKU: 5980 3800157636100

IP68 RATING

UV PROTECTION



NEW

Waterproof Box Terminal Block

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

VT-870-W

SKU: 5981 3800157636117

IP68 RATING

UV PROTECTION



NEW

Waterproof Box Terminal Block

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

VT-871-B

SKU: 5982 3800157636124

IP68 RATING

UV PROTECTION





NEW

Waterproof Box Terminal Block

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100

VT-871-W

SKU: 5983 3800157636131

IP68 RATING

UV PROTECTION



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm²
Box Qty:	160 Pcs

IP65 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs

IP68 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm²
Box Qty:	240 Pcs

IP65 RATING

UV PROTECTION

Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs

IP68 RATING

UV PROTECTION

Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size:	900x940~1800mm
Box Qty:	8 Pcs

Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size:	900x940~1800mm
Box Qty:	8 Pcs

Billboard Stand

VT-793

SKU: 3622 3800157607803

Size:	870x200mm
Box Qty:	4 Pcs

87cm Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

VT-794

SKU: 3623 3800157607810

Size:	850x150mm
Box Qty:	4 Pcs

85cm Suitable For:

10w - 20w - 30w - 50w

Floodlight spike

VT-854-G

SKU: 7533 3800157630467

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium

IP65 RATING

Floodlight spike

VT-854-W

SKU: 7534 3800157630474

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium

IP65 RATING

Floodlight spike

VT-854-B

SKU: 7535 3800157630481

Size:	Ø35xH150mm
Box Qty:	200 Pcs
Body Type:	Aluminium

IP65 RATING

Floodlight spike

VT-855-G

SKU: 7536 3800157630498

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium

IP65 RATING

Floodlight spike

VT-855-W

SKU: 7537 3800157630504

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium

IP65 RATING

Floodlight spike

VT-855-B

SKU: 7538 3800157630511

Size:	Ø60xH265mm
Box Qty:	100 Pcs
Body Type:	Aluminium

IP65 RATING



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

Big Panels-60x60

45W **VT-6165**

SKU: 6420 - 4000K Day White 3800157626835



5 YEAR WARRANTY*

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-60x60

45W **VT-6060-6**

SKU: 60286 - 3000K Warm White 3800230624482
SKU: 60246 - 4000K Day White 3800230623652
SKU: 60256 - 6400K White 3800230623584



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-UGR<19-60x60

45W **VT-6068-6**

SKU: 62206 - 3000K Warm White 3800157619516
SKU: 62186 - 4000K Day White 3800157609265
SKU: 62196 - 6400K White 3800157609272

LG7 Compliant
UGR<19



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-UGR<19-62x62

45W **VT-6069**

SKU: 6222 - 3000K Warm White	3800157604918
SKU: 6217 - 4000K Day White	3800157604857
SKU: 6221 - 6400K White	3800157604901

LG7 Compliant
UGR<19



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	620x620x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-60x60

29W **VT-6129-6**

SKU: 62406 - 3000K Warm White	3800157619608
SKU: 62416 - 4000K Day White	3800157609289
SKU: 62426 - 6400K White	3800157609296

120+ LUMENS/WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PC
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x13mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-60x60

45W **VT-6145-6**

SKU: 63776 - 3000K Warm White	3800157622158

120+ LUMENS/WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PP
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x13mm
Luminous Flux:	5400lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-60x60

36W **VT-6136**

SKU: 6376 - 3000K Warm White	3800157622141
SKU: 6238 - 4000K Day White	3800157607636
SKU: 6239 - 6400K White	3800157607643

120+ LUMENS/WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PC
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	595x595x13mm
Luminous Flux:	4320lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-High Lumen-62x62

36W **VT-6137**

SKU: 63786 - 3000K Warm White	3800157622165
SKU: 62436 - 4000K Day White	3800157619622
SKU: 63796 - 6400K White	3800157622172

120+ LUMENS/WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PC
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	620x620x13mm
Luminous Flux:	4320lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

Big Panels-Surfaced/Recessed-60x60

36W **VT-6139**

SKU: 6380 - 4000K Day White 3800157624008
SKU: 6381 - 6400K White 3800157624015

2 IN 1
RECESSED OR SURFACE



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Iron+PS
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	595x595x19mm
Luminous Flux:	2880lm	PF:	>0.9	Box Qty:	4 Pcs
Beam Angle:	120°	Shape:	Square		

NEW

Surface Panel-60x60

40W **VT-6142**

SKU: 6451 - 4000K Day White 3800157636438
SKU: 6452 - 6000K White 3800157636421



Emergency Pack:	Available	LED Type:	SMD	Body Type:	FE+PP
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Dimension:	595x595x29mm
Luminous Flux:	4000lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

NEW

Surface Panel-60x60

70W **VT-6170**

SKU: 6453 - 4000K Day White 3800157636452
SKU: 6454 - 6000K White 3800157636445



Emergency Pack:	Available	LED Type:	SMD	Body Type:	FE+PP
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Dimension:	595x595x29mm
Luminous Flux:	5950lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Square		

NEW

Transparent Panel-120x30

40W **VT-6144**

SKU: 6458 - 4000K Day White 3800157638098

5 YEAR WARRANTY

0-10V DIMMABLE



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PC
Voltage/Frequency:	AC:220-240V,50Hz	CRI:	>80	Dimension:	1210x319mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	4 Pcs
Beam Angle:	140°	Shape:	Rectangle		

Big Panels-High Lumen-120x30

29W **VT-12031**

SKU: 6256 - 3000K Warm White 3800157610414
SKU: 6257 - 4000K Day White 3800157610421
SKU: 6258 - 6400K White 3800157610438

120 lm/W LUMENS/ WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	3400lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panel-High Lumen-120x30

45W **VT-12046**

SKU: 6384 - 4000K Day White 3800157624770
SKU: 6385 - 6000K White 3800157624787

120 lm/W LUMENS/ WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	5400lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panels-120x30

45W **VT-12030**

SKU: 60696 - 3000K Warm White 3800157609326
SKU: 60266 - 4000K Day White 3800230623638
SKU: 60276 - 6400K White 3800157609319



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panels-UGR<19-120x30

45W **VT-12032**

SKU: 6329 - 4000K Day White 3800157619615

LG7 Compliant UGR<19



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:220-240V,50/60Hz	CRI:	>80	Dimension:	1195x295x14mm
Luminous Flux:	3600lm	PF:	>0.9	Box Qty:	6 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Big Panels-High Lumen-120x60

45W **VT-12045**

SKU: 6332 - 4000K Day White 3800157620321
SKU: 6333 - 6400K White 3800157620338

120 lm/W LUMENS/ WATT SUPER EFFICIENT



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+PMMA+PS
Voltage/Frequency:	AC:200-240V,50/60Hz	CRI:	>80	Dimension:	1195x595x14mm
Luminous Flux:	5400lm	PF:	>0.9	Box Qty:	2 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Round-Suspended Panel

40W VT-6141B

SKU: 6433 - 4000K Day White 3800157628129

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		

Round-Suspended Panel

40W VT-6141

SKU: 6432 - 4000K Day White 3800157628112

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		

DRIVERS FOR BIG PANELS Voltage: AC:220-240V,50/60Hz

Watts:	30w
SKU:	3110
Dimmable:	No
EAN:	3800157622103
Box Qty:	50 Pcs

DALI

Watts:	29w
SKU:	6268
Dimmable:	Yes
EAN:	3800157614412
Box Qty:	20 Pcs

DIMMABLE

Watts:	29w
SKU:	6271
Dimmable:	No
EAN:	3800157614443
Box Qty:	50 Pcs

5 YEAR WARRANTY

FLICKER FREE

Watts:	36w
SKU:	6436
Dimmable:	No
EAN:	3800157629386
Box Qty:	20 Pcs

Watts:	42w
SKU:	6029
Dimmable:	No
EAN:	3800157608626
Box Qty:	50 Pcs

TRIDONIC enlightening your ideas

Watts:	45w
SKU:	6437
Dimmable:	Yes
EAN:	3800157630337
Box Qty:	20 Pcs

0-10V DIMMABLE

Watts:	45w
SKU:	6386
Dimmable:	No
EAN:	3800157624886
Box Qty:	50 Pcs

120+ LUMENS/WATT SUPER EFFICIENT

Watts:	45w
SKU:	6427
Dimmable:	No
EAN:	3800157626996
Box Qty:	50 Pcs

5 YEAR WARRANTY

120+ LUMENS/WATT SUPER EFFICIENT

FLICKER FREE

Watts:	45w
SKU:	6270
Dimmable:	No
EAN:	3800157614436
Box Qty:	50 Pcs

5 YEAR WARRANTY

120+ LUMENS/WATT SUPER EFFICIENT

Watts:	70w
SKU:	6328
Dimmable:	Yes
EAN:	3800157619592
Box Qty:	50 Pcs

5 YEAR WARRANTY

DIMMABLE

Suspended Mounting

SKU: **6018**
EAN: **3800230623669**
Box Qty: **100 Pcs**

Adjustable height from 0.3 to 1m.This product can be used for all sizes of panels , that is
• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600

Surface Mounting-120x30

SKU: **9969**
EAN: **3800230623683**
Box Qty: **6 Pcs**

Surface Mounting-120x60

SKU: **9989**
EAN: **3800230623614**
Box Qty: **5 Pcs**

Extension Frame-60x60

SKU: **9968**
EAN: **3800230623706**
Box Qty: **13 Pcs**

Surface Mounting-30x30

SKU: **9970**
EAN: **3800230623690**
Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

Surface Mounting-62x62

SKU: **9997**
EAN: **3800157633130**
Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

Surface Mounting-60x60

SKU: **9999**
EAN: **3800230623676**
Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.

Surface Frame-60x60

SKU: **3678**
EAN: **3800157625272**
Box Qty: **25 Pcs**

Foldable kit DIY DO IT YOURSELF

Easily fixable frame avaialble in compact packing and easy to install with user manual.

Surface Frame-120x30

SKU: **3679**
EAN: **3800157625289**
Box Qty: **12 Pcs**

Foldable kit DIY DO IT YOURSELF

Easily fixable frame avaialble in compact packing and easy to install with user manual.

Waterproof Surface Kit

SKU:	**8119**
EAN:	**3800157624763**
Box Qty:	

Surface Mounting-60x60

SKU:	**6327**
EAN:	**3800157619424**
Box Qty:	**20 Pcs**

Emergency Pack-6W to 24W

VT-525

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage:	**DC:20-80V**
Led output power:	**AC:220-240V,50/60Hz**
Charging time:	**24 Hours**
Working time:	**3 hours**
Battery:	**Ni-Cd7.2V/2000mAh**

Color of Fixture:	**Silver**
Body Type:	**Aluminium**
Size:	**455x52x33mm**
Emergency switch on time:	**< 1s**
Box Qty:	**20 Pcs**

Emergency Pack-29W to 45W

VT-518

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Voltage:	**DC:30-42V**
Led output power:	**AC:220-240V,50/60Hz**
Charging time:	**24 Hours**
Working time:	**3 Hours**
Battery:	**NI-CD, 7.2V, 4400 mAh**

Color of Fixture:	**Silver**
Body Type:	**Aluminium**
Size:	**465x52x33mm**
Emergency switch on time:	**< 1s**
Box Qty:	**12 Pcs**

Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White	3800157626620
SKU: 6402 - 4000K Day White	3800157626637
SKU: 6403 - 6400K White	3800157626644

Cutting Size: **138x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**160x45x65mm**
Luminous Flux:	**750lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White	3800157626651
SKU: 6405 - 4000K Day White	3800157626668
SKU: 6406 - 6400K White	3800157626675

Cutting Size: **170x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**290x45x65mm**
Luminous Flux:	**1600lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White	3800157626682
SKU: 6408 - 4000K Day White	3800157626699
SKU: 6409 - 6400K White	3800157626705

Cutting Size: **405x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**430x45x65mm**
Luminous Flux:	**2400lm**	PF:	**>0.9**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White	3800157626712
SKU: 6411 - 4000K Day White	3800157626729
SKU: 6412 - 6400K White	3800157626736

Cutting Size: **138x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**160x45x72mm**
Luminous Flux:	**700lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

20W VT-20002

SKU: 6413 - 3000K Warm White	3800157626743
SKU: 6414 - 4000K Day White	3800157626750
SKU: 6415 - 6400K White	3800157626767

Cutting Size: **170x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**290x45x72mm**
Luminous Flux:	**1400lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

30W VT-30002

SKU: 6416 - 3000K Warm White	3800157626774
SKU: 6417 - 4000K Day White	3800157626781
SKU: 6418 - 6400K White	3800157626798

Cutting Size: **405x32mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**430x45x72mm**
Luminous Flux:	**2100lm**	PF:	**>0.9**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Premium Series-Round

3W VT-307RD

SKU: 6292 - 3000K Warm White	3800157616751
SKU: 6293 - 4000K Day White	3800157616768
SKU: 6294 - 6400K White	3800157616775

Cutting Size: **Ø73mm**



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø84x12mm**
Luminous Flux:	**210lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Premium Series-Round

6W VT-607RD

SKU: 4854 - 3000K Warm White	3800230629753
SKU: 4855 - 4000K Day White	3800230629760
SKU: 4856 - 6400K White	3800230629777

Cutting Size: **Ø110mm**



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø120x12mm**
Luminous Flux:	**420lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Premium Series-Round

12W VT-1207RD

SKU: 4857 - 3000K Warm White	3800230629784
SKU: 4858 - 4000K Day White	3800230629791
SKU: 4859 - 6400K White	3800230629807

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x12mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

18W VT-1807RD

SKU: 4860 - 3000K Warm White	3800230629814
SKU: 4861 - 4000K Day White	3800230629821
SKU: 4862 - 6400K White	3800230629838

Cutting Size: Ø210mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø225x12mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

22W VT-2207RD

SKU: 6422 - 3000K Warm White	3800157626941
SKU: 6423 - 4000K Day White	3800157626958
SKU: 6424 - 6400K White	3800157626965

Cutting Size: Ø220 mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø240x12mm
Luminous Flux:	1800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

24W VT-2407RD

SKU: 4872 - 3000K Warm White	3800157601559
SKU: 4873 - 4000K Day White	3800157601566
SKU: 4874 - 6400K White	3800157601573

Cutting Size: Ø285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x12mm
Luminous Flux:	2000lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Round

30W VT-3107RD

SKU: 6428 - 4000K Day White	3800157628075
SKU: 6429 - 6400K White	3800157628082

Cutting Size: Ø280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x12mm
Luminous Flux:	2400lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Premium Series-Square

3W VT-307SQ

SKU: 6295 - 3000K Warm White	3800157616782
SKU: 6296 - 4000K Day White	3800157616799
SKU: 6297 - 6400K White	3800157616805

Cutting Size: 74x73mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	84x84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

6W VT-607SQ

SKU: 4863 - 3000K Warm White	3800230629845
SKU: 4864 - 4000K Day White	3800230629852
SKU: 4865 - 6400K White	3800230629869

Cutting Size: 110mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	120x120x12mm
Luminous Flux:	420lm	PF:	>0.7	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

12W VT-1207SQ

SKU: 4866 - 3000K Warm White	3800230629876
SKU: 4867 - 4000K Day White	3800230629883
SKU: 4868 - 6400K White	3800230629890

Cutting Size: 155x155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	170x170x12mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

18W VT-1807SQ

SKU: 4869 - 3000K Warm White	3800230629906
SKU: 4870 - 4000K Day White	3800230629913
SKU: 4871 - 6400K White	3800230629920

Cutting Size: 205x205mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	225x225x12mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

24W VT-2407SQ

SKU: 4887 - 3000K Warm White	3800157602198
SKU: 4888 - 4000K Day White	3800157602204
SKU: 4889 - 6400K White	3800157602211

Cutting Size: 285x285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	300x300x12mm
Luminous Flux:	2000lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Square		

Premium Series-Square

36W VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099
SKU: 6431 - 6400K White 3800157628105

Cutting Size: 280x280mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	300x300x12mm
Luminous Flux:	2400lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Square		

SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White 3800230622563

Cutting Size: 125x125mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	145x145x20mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White 3800230622587

Cutting Size: Ø105mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x20mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

SG Series-Square

15W VT-1500 SQ

SKU: 4826 - 3000K Warm White 3800230622617
SKU: 4824 - 6400K White 3800230624994
3800230622600

Cutting Size: 140x140mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	160x160x20mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

SG Series-Round

15W VT-1500 RD

SKU: 4827 - 6400K White 3800230622624

Cutting Size: Ø160mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø180x20mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

SG Series-Round

22W VT-2200 RD

SKU: 4833 - 6400K White 3800230622662

Cutting Size: Ø220mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium(PKW)
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø240x20mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		



Trimless Panel-Round

8W VT-888RD

SKU: 4931 - 3000K Warm White 3800157606479
SKU: 4932 - 4000K Day White 3800157606486
SKU: 4933 - 6400K White 3800157606493

Cutting Size: Ø75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x8mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	100 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

15W VT-1515RD

SKU: 4934 - 3000K Warm White 3800157606509
SKU: 4935 - 4000K Day White 3800157606516
SKU: 4936 - 6400K White 3800157606523

Cutting Size: Ø130mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø146x8mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White	3800157606530
SKU: 4938 - 4000K Day White	3800157606547
SKU: 4939 - 6400K White	3800157606554

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x8mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Round

29W VT-2929RD

SKU: 4940 - 3000K Warm White	3800157606561
SKU: 4941 - 4000K Day White	3800157606578
SKU: 4942 - 6400K White	3800157606585

Cutting Size: Ø195mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø220x8mm
Luminous Flux:	2900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Trimless Panel-Square

8W VT-888SQ

SKU: 4943 - 3000K Warm White	3800157606592
SKU: 4944 - 4000K Day White	3800157606608
SKU: 4945 - 6400K White	3800157606615

Cutting Size: 75x75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	90x90x8mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	100 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

15W VT-1515SQ

SKU: 4946 - 3000K Warm White	3800157606622
SKU: 4947 - 4000K Day White	3800157606639
SKU: 4948 - 6400K White	3800157606646

Cutting Size: 130x130mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	146x146x8mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

22W VT-2222SQ

SKU: 4949 - 3000K Warm White	3800157606653
SKU: 4797 - 4000K Day White	3800157606660
SKU: 4798 - 6400K White	3800157606677

Cutting Size: 155x155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	170x170x8mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Trimless Panel-Square

29W **VT-2929SQ**

SKU: 5031 - 3000K Warm White	3800157606660
SKU: 5032 - 4000K Day White	3800157606677
SKU: 5033 - 6400K White	3800157606684

Cutting Size: 195x195mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	220x220x8mm
Luminous Flux:	2900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		



Slim Surface-Round

6W **VT-605RD**

SKU: 4904 - 3000K Warm White	3800157605380
SKU: 4905 - 4000K Day White	3800157605397
SKU: 4906 - 6400K White	3800157605403



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Round

12W **VT-1205 RD**

SKU: 4910 - 3000K Warm White	3800157605441
SKU: 4911 - 4000K Day White	3800157605458
SKU: 4912 - 6400K White	3800157605465



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Round

18W **VT-1805RD**

SKU: 4916 - 3000K Warm White	3800157605502
SKU: 4917 - 4000K Day White	3800157605519
SKU: 4918 - 6400K White	3800157605526



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1440lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White 3800157605410
SKU: 4908 - 4000K Day White 3800157605427
SKU: 4909 - 6400K White 3800157605434



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	90x90x24mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Surface-Square

12W VT-1205 SQ

SKU: 4913 - 3000K Warm White 3800157605472
SKU: 4914 - 4000K Day White 3800157605489
SKU: 4915 - 6400K White 3800157605496



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	140x140x24mm
Luminous Flux:	900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		

Slim Surface-Square

18W VT-1805SQ

SKU: 4919 - 3000K Warm White 3800157605533
SKU: 4920 - 4000K Day White 3800157605540
SKU: 4921 - 6400K White 3800157605557



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	190x190x24mm
Luminous Flux:	1440lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Surface Series-Round

8W VT-1408 RD

SKU: 4805 - 3000K Warm White 3800230622730
SKU: 4804 - 4000K Day White 3800230622723
SKU: 4803 - 6400K White 3800230622716



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø110x35mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Surface Series-Round

15W VT-1415 RD

SKU: 4811 - 3000K Warm White 3800230622792
SKU: 4810 - 4000K Day White 3800230622785
SKU: 4809 - 6400K White 3800230622778



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø160x35mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Surface Series-Round

22W VT-1422 RD

SKU: 4817 - 3000K Warm White	3800230622853
SKU: 4816 - 4000K Day White	3800230622846
SKU: 4815 - 6400K White	3800230622839



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø205x35mm**
Luminous Flux:	**2200lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Surface Series-Square

8W VT-1408 SQ

SKU: 4802 - 3000K Warm White	3800230622709
SKU: 4801 - 4000K Day White	3800230622693
SKU: 4800 - 6400K White	3800230622686



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**107x107x35mm**
Luminous Flux:	**800lm**	PF:	**>0.9**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Surface Series-Square

15W VT-1415 SQ

SKU: 4808 - 3000K Warm White	3800230622761
SKU: 4807 - 4000K Day White	3800230622754
SKU: 4806 - 6400K White	3800230622747



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**155x155x35mm**
Luminous Flux:	**1500lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Surface Series-Square

22W VT-1422 SQ

SKU: 4814 - 3000K Warm White	3800230622822
SKU: 4813 - 4000K Day White	3800230622815
SKU: 4812 - 6400K White	3800230622808



Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**205x205x35mm**
Luminous Flux:	**2200lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Slim Series-Chrome-Round

6W VT-607CH

SKU: 6334 - 3000K Warm White	3800157621182
SKU: 6335 - 4000K Day White	3800157621199
SKU: 6336 - 6400K White	3800157621205

Cutting Size: Ø105mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x25mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Chrome-Round

12W VT-1207CH

SKU: 6340 - 3000K Warm White	3800157621243
SKU: 6341 - 4000K Day White	3800157621250
SKU: 6342 - 6400K White	3800157621267

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x25mm
Luminous Flux:	1000lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Chrome-Round

18W VT-1807CH

SKU: 6346 - 3000K Warm White	3800157621304
SKU: 6347 - 4000K Day White	3800157621311
SKU: 6348 - 6400K White	3800157621328

Cutting Size: Ø205mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø225x25mm
Luminous Flux:	1500lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Chrome-Round

24W VT-2407CH

SKU: 6352 - 3000K Warm White	3800157621366
SKU: 6353 - 4000K Day White	3800157621373
SKU: 6354 - 6400K White	3800157621380

Cutting Size: Ø285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x25mm
Luminous Flux:	2000lm	PF:	>0.5	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Satin Nickel-Round

6W VT-607SN

SKU: 6337 - 3000K Warm White	3800157621212
SKU: 6338 - 4000K Day White	3800157621229
SKU: 6339 - 6400K White	3800157621236

Cutting Size: Ø105mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x25mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Satin Nickel-Round

12W VT-1207SN

SKU: 6343 - 3000K Warm White	3800157621274
SKU: 6344 - 4000K Day White	3800157621281
SKU: 6345 - 6400K White	3800157621298

Cutting Size: Ø155mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø170x25mm
Luminous Flux:	1000lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Satin Nickel-Round

18W VT-1807SN

SKU: 6349 - 3000K Warm White	3800157621335
SKU: 6350 - 4000K Day White	3800157621342
SKU: 6351 - 6400K White	3800157621359

Cutting Size: Ø205mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø225x25mm
Luminous Flux:	1500lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Series-Satin Nickel-Round

24W VT-2407SN

SKU: 6355 - 3000K Warm White	3800157621397
SKU: 6356 - 4000K Day White	3800157621403
SKU: 6357 - 6400K White	3800157621410

Cutting Size: Ø285mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø300x25mm
Luminous Flux:	2000lm	PF:	>0.5	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

6W VT-605CH

SKU: 6358 - 3000K Warm White	3800157621427
SKU: 6359 - 4000K Day White	3800157621434
SKU: 6360 - 6400K White	3800157621441



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

12W VT-1205CH

SKU: 6364 - 3000K Warm White	3800157621489
SKU: 6365 - 4000K Day White	3800157621496
SKU: 6366 - 6400K White	3800157621502



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Chrome-Round

18W **VT-1805CH**

SKU: 6370 - 3000K Warm White	3800157621540
SKU: 6371 - 4000K Day White	3800157621557
SKU: 6372 - 6400K White	3800157621564



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Satin Nickel-Round

6W **VT-605SN**

SKU: 6361 - 3000K Warm White	3800157621458
SKU: 6362 - 4000K Day White	3800157621465
SKU: 6363 - 6400K White	3800157621472



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Satin Nickel-Round

12W **VT-1205SN**

SKU: 6367 - 3000K Warm White	3800157621519
SKU: 6368 - 4000K Day White	3800157621526
SKU: 6369 - 6400K White	3800157621533



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Slim Surface-Satin Nickel-Round

18W **VT-1805SN**

SKU: 6373 - 3000K Warm White	3800157621571
SKU: 6374 - 4000K Day White	3800157621588
SKU: 6375 - 6400K White	3800157621595



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		



Twin LED-Square

8W VT-809SQ

SKU: 4922 - 3000K Warm White	3800157605564
SKU: 4923 - 4000K Day White	3800157605571
SKU: 4924 - 6400K White	3800157605588



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	142x142x40mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Square

15W VT-1509SQ

SKU: 4925 - 3000K Warm White	3800157605595
SKU: 4926 - 4000K Day White	3800157605601
SKU: 4927 - 6400K White	3800157605618



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	192x192x40mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Square

22W VT-2209SQ

SKU: 4928 - 3000K Warm White	3800157605625
SKU: 4929 - 4000K Day White	3800157605632
SKU: 4930 - 6400K White	3800157605649



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	240x240x40mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

Twin LED-Round

8W VT-809RD

SKU: 4890 - 3000K Warm White	3800157602594
SKU: 4891 - 4000K Day White	3800157602600
SKU: 4892 - 6400K White	3800157602617



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	142x40mm
Luminous Flux:	800lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Twin LED-Round

15W VT-1509RD

SKU: 4893 - 3000K Warm White	3800157602624
SKU: 4894 - 4000K Day White	3800157602631
SKU: 4895 - 6400K White	3800157602648



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	192x40mm
Luminous Flux:	1500lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Twin LED-Round

22W VT-2209RD

SKU: 4896 - 3000K Warm White	3800157602655
SKU: 4897 - 4000K Day White	3800157602662
SKU: 4898 - 6400K White	3800157602679



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	240x40mm
Luminous Flux:	2200lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

6W VT-602G RD

SKU: 4740 - 3000K Warm White	3800230622891
SKU: 6277 - 4000K Day White	3800157615754
SKU: 4739 - 6400K White	3800230622884

Cutting Size: Ø75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø100x40mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

12W VT-1202G RD

SKU: 4744 - 3000K Warm White	3800230622938
SKU: 6279 - 4000K Day White	3800157615778
SKU: 4743 - 6400K White	3800230622921

Cutting Size: Ø120mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø160x40mm
Luminous Flux:	840lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Round

18W VT-1881G RD

SKU: 4760 - 3000K Warm White	3800230622976
SKU: 6281 - 4000K Day White	3800157615792
SKU: 4759 - 6400K White	3800230622969

Cutting Size: Ø145mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	Ø198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

Glass Panel-Square

6w VT-602G SQ

SKU: 4738 - 3000K Warm White	3800230622877
SKU: 6276 - 4000K Day White	3800157615747
SKU: 4737 - 6400K White	3800230622860

Cutting Size: 75x75mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	100x100x40mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		



Glass Panel-Square

12w VT-1202G SQ

SKU: 4742 - 3000K Warm White	3800230622914
SKU: 6278 - 4000K Day White	3800157615761
SKU: 4741 - 6400K White	3800230622907

Cutting Size: 120x120mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	160x160x40mm
Luminous Flux:	840lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



Glass Panel-Square

18w VT-1881G SQ

SKU: 4746 - 3000K Warm White	3800230622952
SKU: 6280 - 4000K Day White	3800157615785
SKU: 4745 - 6400K White	3800230622945

Cutting Size: 145x145mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Glass
Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>80	Dimension:	198x198x40mm
Luminous Flux:	1260lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		

DRIVERS FOR MINI PANELS

Voltage: AC:180-240V,50/60Hz

Watts:	6w
SKU:	8073
Dimmable:	Yes
EAN:	3800157605823
Box Qty:	200 Pcs

DIMMABLE

Watts:	12w
SKU:	8074
Dimmable:	Yes
EAN:	3800157605830
Box Qty:	200 Pcs

DIMMABLE

Watts:	18w
SKU:	8075
Dimmable:	Yes
EAN:	3800157605847
Box Qty:	200 Pcs

DIMMABLE

Watts:	18/24w
SKU:	8070
Dimmable:	Yes
EAN:	3800157616836
Box Qty:	50 Pcs

DIMMABLE

Watts:	24w
SKU:	8076
Dimmable:	Yes
EAN:	3800157605946
Box Qty:	200 Pcs

DIMMABLE

LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-High Lumen-60cm

9w **VT-6085**

SKU: 6299 - 3000K Warm White 3800157617345
SKU: 6302 - 6400K White 3800157617369

120+ LUMENS/ WATT SUPER EFFICIENT

ROTATABLE

5 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-Rotatable-60cm

10w **VT-6072-R**

SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6230 - 4000K Day White 3800157605229
SKU: 6231 - 6400K White 3800157605236

ROTATABLE

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

10w **VT-6072-NR**

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-90cm

14w **VT-9077**

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs

T8-Nano Plastic-120cm

18W **VT-1277**

SKU: 6263 - 3000K Warm White 3800157612135
SKU: 6273 - 4000K Day White 3800157615426
SKU: 6264 - 6400K White 3800157612142

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	36w	PF:	>0.5	On/0ff:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1700lm	Body Type:	Nano Plastic	Gross weight:	200g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1200mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-150cm

22W **VT-1577**

SKU: 6265 - 3000K Warm White 3800157612159
SKU: 6309 - 4000K Day White 3800157617437
SKU: 6310 - 6400K White 3800157617444

3 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	58w	PF:	>0.5	On/0ff:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	2000lm	Body Type:	Nano Plastic	Gross weight:	283.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-High Lumen-150cm

22W **VT-1585**

SKU: 6306 - 3000K Warm White 3800157617406

120+ LUMENS/ WATT SUPER EFFICIENT

TÜV SÜD

5 YEAR WARRANTY

Dummy Starter Included



EQ. Watts:	75w	PF:	>0.5	On/0ff:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	3000lm	Body Type:	Nano Plastic	Gross weight:	1000g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	25 Pcs

T8-Nano Plastic-60cm

18W **VT-6077**

SKU: 6313 - 4000K Day White 3800157618656
SKU: 6314 - 6400K White 3800157618663

EQ. Watts:	36w	PF:	>0.9	On/0ff:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s	Box Qty:	10 Pcs

120+ LUMENS/ WATT SUPER EFFICIENT

T5-Glass Plastic-60cm

8W **VT-6005**

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288



EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs

T5-Glass Plastic-120cm

16W **VT-1225**

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301



EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs

T8-Aluminium Plastic-180cm

40W **VT-1840**

SKU: 6251 - 4500K Day White 3800157607841
SKU: 6250 - 6000K White 3800157607834



EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs

T8 Bread Tube-120cm

18W **VT-1228-B**

SKU: 6322 3800157619318



EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs

T8 Meat Tube-120cm

18W **VT-1228-M**

SKU: 6323 3800157619325



EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs

T8 Vegetable Tube-120cm

18W **VT-1228-V**

SKU: 6324 3800157619332



EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs

T8 Seafood Tube-120cm

18W **VT-1228-S**

SKU: 6325 3800157619349



EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs

T8 Plant Tube-120cm

18W **VT-1228-P**

SKU: 6326 3800157619356



EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/0ff:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs

Tube-Batten Fitting

VT-12020

SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021

SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15020

SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15021

SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

T5-With Fitting-30cm

4W VT-3033

SKU: 6166 - 3000K Warm White 3800230629159
SKU: 6167 - 4500K Day White 3800230629166



Upto 5Pcs Interlinkable

Sensor Compatible:	Yes	Body Type:	Plastic
Voltage/Frequency:	AC:200-240V,50/60Hz	On/Off:	>10,000
Luminous Flux:	360lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	140g
CRI:	>80	Dimension:	300x22x33mm
PF:	>0.5	Box Qty:	50 Pcs
Beam Angle:	120°		

T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White 3800230629180



Upto 5Pcs Interlinkable

Sensor Compatible:	Yes	Body Type:	Plastic
Voltage/Frequency:	AC:200-240V,50/60Hz	On/Off:	>10,000
Luminous Flux:	630lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	210g
CRI:	>80	Dimension:	600x22x33mm
PF:	>0.9	Box Qty:	50 Pcs
Beam Angle:	120°		

T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White 3800230629210
SKU: 6173 - 4500K Day White 3800230629227
SKU: 6174 - 6000K White 3800230629234



Upto 5Pcs Interlinkable

Sensor Compatible:	Yes	Body Type:	Plastic
Voltage/Frequency:	AC:200-240V,50/60Hz	On/Off:	>10,000
Luminous Flux:	1260lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	300g
CRI:	>80	Dimension:	1200x22x33mm
PF:	>0.9	Box Qty:	50 Pcs
Beam Angle:	120°		

Prismatic Fitting-30cm

10W VT-8013

SKU: 4987 - 3000K Warm White 3800157601955



Sensor Compatible:	Yes	Body Type:	Aluminium+Plastic
Voltage/Frequency:	AC:200-240V,50Hz	On/Off:	>10,000
Luminous Flux:	900lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	260g
CRI:	>80	Dimension:	300x75x25mm
PF:	>0.5	Box Qty:	10 Pcs
Beam Angle:	110°		

Cabinet Fitting

10W VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
SKU: 5069 - 4500K Day White 3800157606721
SKU: 5070 - 6000K White 3800157606738





Sensor Compatible:	Yes	Body Type:	Aluminium Body,
Voltage/Frequency:	AC:220-240V,50/60Hz	On/0ff:	Plastic Diffuser
Luminous Flux:	800lm	Life span:	>10,000
LED Type:	SMD	Gross weight:	20,000 Hours
CRI:	>80	Dimension:	600g
PF:	>0.9	Box Qty:	579x78x35mm
Beam Angle:	110°		12 Pcs

Wall Fitting-60cm

10W VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
SKU: 5072 - 4500K Day White 3800157606752
SKU: 5073 - 6000K White 3800157606769



Sensor Compatible:	Yes	Body Type:	Aluminium+PC
Voltage/Frequency:	AC:85-265V,50/60Hz	On/0ff:	>10,000
Luminous Flux:	900lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	240g
CRI:	>80	Dimension:	600x32x25mm
PF:	>0.6	Box Qty:	25 Pcs
Beam Angle:	120°		

Wall Fitting-120cm

20W VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
SKU: 5075 - 4500K Day White 3800157606783
SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes	Body Type:	Aluminium+PC
Voltage/Frequency:	AC:85-265V,50/60Hz	On/0ff:	>10,000
Luminous Flux:	1800lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	370g
CRI:	>80	Dimension:	1200x32x25mm
PF:	>0.6	Box Qty:	25 Pcs
Beam Angle:	120°		

Batten Fitting-Linkable

40W VT-80404

SKU: 6389 - 3000K Warm White 3800157625104
SKU: 6391 - 6400K White 3800157625128



Sensor Compatible:	Yes	Body Type:	AL+PC
Voltage/Frequency:	AC:100-240V,50/60Hz	On/0ff:	>15,000
Luminous Flux:	3200lm	Life span:	30,000 Hours
LED Type:	SMD	Gross weight:	780g
CRI:	>80	Dimension:	1200x75x26mm
PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	110°		



LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

Waterproof Fitting-Tubes

10w VT-6028

SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750

IP65 RATING | 1 LED TUBE INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	850lm	Beam Angle:	120°	Gross weight:	0.70 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	666x68x58mm		
CRI:	>80	On/0ff:	>15,000	Box Qty:	16pcs		



Waterproof Fitting-Tubes

2x10w VT-6029

SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774

IP65 RATING | 2 LED TUBES INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	666x96x58mm		
CRI:	>80	On/0ff:	>15,000	Box Qty:	12pcs		



Waterproof Fitting-Tubes

18w VT-12028

SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712

IP65 RATING | 1 LED TUBE INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1276x68x58mm		
CRI:	>80	On/0ff:	>15,000	Box Qty:	16pcs		



Waterproof Fitting-Tubes

22w VT-15028

SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736

IP65 RATING | 1 LED TUBE INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	2000lm	Beam Angle:	120°	Gross weight:	1.2 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1576x68x58mm		
CRI:	>80	On/0ff:	>15,000	Box Qty:	16pcs		



Waterproof Fitting-Tubes

36w VT-12023

SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385

IP65 RATING | 2 LED TUBES INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours		
Luminous Flux:	3400lm	Beam Angle:	120°	Gross weight:	1.33 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1260x112x63mm		
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs		



Waterproof Fitting-Tubes

44w VT-15022

SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392

IP65 RATING | 2 LED TUBES INCLUDED

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours		
Luminous Flux:	4000lm	Beam Angle:	120°	Gross weight:	1.65 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1560x112x63mm		
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs		



Waterproof Fitting-G Series

18w VT-6076

SKU: 6283 - 4000K Day White 3800157616478

IP65 RATING

Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.5	Life span:	20,000 Hours		
Luminous Flux:	1440lm	Beam Angle:	120°	Gross weight:	0.60 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	600x65x58mm		
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs		



Waterproof Fitting-G Series

36w VT-1249

SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485

IP65 RATING

Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours		
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	0.60 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1200x65x58mm		
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs		



Waterproof Fitting-G Series

48w **VT-1574**

SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6000K White 3800157616508

IP65 RATING

Voltage/Frequency:	AC:220-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours		
Luminous Flux:	3840lm	Beam Angle:	120°	Gross weight:	1.1 kg		
LED Type:	SMD	Body Type:	ABS+PC	Dimension:	1500x65x58mm		
CRI:	>70	On/0ff:	>10,000	Box Qty:	12 Pcs		



Waterproof Fitting

18w **VT-6048**

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

IP65 RATING

Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours		
Luminous Flux:	1440lm	Beam Angle:	120°	Gross weight:	0.80 kg		
LED Type:	SMD	Body Type:	Plastic	Dimension:	600x76x66mm		
CRI:	>70	On/0ff:	>10,000	Box Qty:	12 Pcs		



Waterproof Fitting

36w **VT-1248**

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287

IP65 RATING

Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours		
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	1.42 kg		
LED Type:	SMD	Body Type:	Plastic	Dimension:	1200x76x66mm		
CRI:	>70	On/0ff:	>10,000	Box Qty:	12 Pcs		



Waterproof Fitting

48w **VT-1548**

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396

IP65 RATING

Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.7	Life span:	20,000 Hours		
Luminous Flux:	3920lm	Beam Angle:	120°	Gross weight:	1.86 kg		
LED Type:	SMD	Body Type:	Plastic	Dimension:	1480x76x66mm		
CRI:	>70	On/0ff:	>10,000	Box Qty:	12 Pcs		



Waterproof-Emergency Kit

36w VT-1250

SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6500K White 3800157632133

IP65 RATING

Waterproof Emergency Kit

Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	ABS+PC
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.9 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof-Emergency Kit

48w VT-1550

SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6500K White 3800157632119

IP65 RATING

Waterproof Emergency Kit

Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3920lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	ABS+PC
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.35 kg
Dimension:	1500x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting

70w VT-1573

SKU: 6266 - 4000K Day White 3800157612586
SKU: 6267 - 6000K White 3800157612593



120 ± LUMENS/ WATT
SUPER EFFICIENT

IP65 RATING

ALU ALUMINUM



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	8400lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.75 kg
Dimension:	1500x86x70mm
Box Qty:	6 Pcs

LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions.The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90°/ 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.

UFO-High Lumen-Meanwell Driver

100W VT-9107

SKU: 5588 - 6400K White 3800157622301





MEAN WELL | 0-10V DIMMABLE | IP65 RATING | 90° BEAM ANGLE

Sensor Compatible:	Yes	CRI:	>70	IP Rating:	IP65
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	280x165mm
Luminous Flux:	13000lm	Beam Angle:	90°	Box Qty:	4 Pcs
LED Type:	SMD	Body Type:	Die Cast Aluminium		

5 YEAR WARRANTY*

UFO-High Lumen-Meanwell Driver

100W VT-9117

SKU: 5586 - 6400K White 3800157622271
3800157622288





MEAN WELL | 0-10V DIMMABLE | IP65 RATING | 120° BEAM ANGLE

Sensor Compatible:	Yes	CRI:	>70	IP Rating:	IP65
Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>0.9	Dimension:	280x165mm
Luminous Flux:	13000lm	Beam Angle:	120°	Box Qty:	4 Pcs
LED Type:	SMD	Body Type:	Die Cast Aluminium		

5 YEAR WARRANTY*

UFO-High Lumen-Meanwell Driver

500W VT-9500

SKU: 5607 - 4000K Day White 3800157625050
SKU: 5608 - 6400K White 3800157625067





MEAN WELL | 0-10V DIMMABLE | IP65 RATING | 120° BEAM ANGLE

Sensor Compatible:	Yes	CRI:	>80	IP Rating:	IP65
Voltage/Frequency:	AC:90-295V,50Hz	PF:	>0.9	Dimension:	Ø360
Luminous Flux:	65000lm	Beam Angle:	120°	Box Qty:	1 Pcs
LED Type:	SMD	Body Type:	Die Cast Aluminium		

5 YEAR WARRANTY*

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	Ø221x85mm
Box Qty:	4 Pcs

UFO-Highbay-120°

50W VT-9053

120° BEAM ANGLE

SKU: 5554 - 4500K Day White	3800157620895
SKU: 5555 - 6400K White	3800157620901



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50W VT-9065-W

120° BEAM ANGLE

SKU: 5609 - 3000K Warm White	3800157626507
SKU: 5610 - 4000K Day White	3800157626514
SKU: 5611 - 6400K White	3800157626521





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	2 Pcs

UFO-Highbay-120°

100W VT-9115-W

120° BEAM ANGLE

SKU: 5612 - 3000K Warm White	3800157626538
SKU: 5613 - 4000K Day White	3800157626545
SKU: 5614 - 6400K White	3800157626552





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50W VT-9065

120° BEAM ANGLE

SKU: 5557 - 4000K Day White	3800157621946
SKU: 5558 - 6400K White	3800157621953





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-90°

50W VT-9055

90° BEAM ANGLE

SKU: 5559 - 4000K Day White	3800157621960
SKU: 5560 - 6400K White	3800157621977





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	4 Pcs

UFO-Highbay-90°

100w VT-9105

90° BEAM ANGLE

SKU: 5576 - 6400K White 3800157622004
3800157622011





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	12000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	340x138mm
Box Qty:	2 Pcs

UFO-Highbay-90°

150w VT-9165

90° BEAM ANGLE

SKU: 5580 - 6400K White 3800157622059





Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	16000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	400x115mm
Box Qty:	2 Pcs

UFO-Highbay-90°

200w VT-9205

90° BEAM ANGLE

SKU: 5583 - 4000K Day White 3800157622080
SKU: 5584 - 6400K White 3800157622097









Linear Highbay-120°

150w VT-9159

120° BEAM ANGLE

SKU: 56011 - 4000K Day White 3800157624923
SKU: 56021 - 6000K White 3800157624930

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	13500lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	790X103.5X73.5mm
Box Qty:	1 Pcs





Linear Highbay-120°

200w VT-9209

120° BEAM ANGLE

SKU: 56031 - 4000K Day White 3800157624947
SKU: 56041 - 6000K White 3800157624954

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	18000lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	1045x103.5x73.5mm
Box Qty:	1 Pcs

LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.

Product Features

- Perfect replacement for traditional lights
- Saves 80% electricity cost, better efficiency and Longer life lpan
- Dedicated ip65 sealed optical cavities
- Optically optimized glass lenses
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather up to -25° celsius
- Low maintenance & low power consumption
- Reduced co^2 emissions

Applications

Out door applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.

Streetlight

30w VT-15030ST

SKU: 5487 - 4000K Day White 3800157623469
SKU: 5488 - 6400K White 3800157623476

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70
Voltage/Frequency:	AC:190-240V,50/60Hz	PF:	>0.9
Luminous Flux:	2400lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	175x373x52mm		

Streetlight-Photo Cell Sensor

30w VT-15031ST

SKU: 5489 - 4000K Day White 3800157623483
SKU: 5490 - 6400K White 3800157623490

PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70
Voltage/Frequency:	AC:190-240V,50/60Hz	PF:	>0.9
Luminous Flux:	2400lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	175x373x52mm		

Streetlight

50w VT-15051ST

SKU: 5491 - 4000K Day White 3800157623506
SKU: 5492 - 6400K White 3800157623513

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70
Voltage/Frequency:	AC:190-240V,50/60Hz	PF:	>0.9
Luminous Flux:	4000lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	213.5x460x62mm		

Streetlight-Photo Cell Sensor

50w VT-15052ST

SKU: 5493 - 4000K Day White 3800157623520
SKU: 5494 - 6400K White 3800157623537

PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

IP65 RATING





Sensor Compatible:	Yes	CRI:	>70
Voltage/Frequency:	AC:190-240V,50/60Hz	PF:	>0.9
Luminous Flux:	4000lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	213.5x460x62mm		

Streetlight

100w VT-15101ST

SKU: 5495 - 4000K Day White 3800157623551

IP65 RATING



Sensor Compatible:	Yes	CRI:	>70
Voltage/Frequency:	AC:190-240V,50/60Hz	PF:	>0.9
Luminous Flux:	8000lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	264x538x68mm		

ub Group 2

Watts Model

hite
Warm White
ay White

Streetlight-High Lumen

30w VT-15131ST

SKU: 5472 - 4500K Day White EanCode-W 3800157608749
SKU: 5473 - 6000K White EanCode-WW EanCode-DW 3800157608756





Q. Watts:	Equavalance Watts	Sensor Compatible:	Yes	CRI:	>75
oltage/Frequency:	Input Power	Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	PF >0.95
uminous Flux:	Lumens	Luminous Flux:	3720lm	Beam Angle:	Beam Angle 100°
ED Type:	LED Chip Type	LED Type:	SMD	Body Type:	Body Type Die Cast Aluminium
RI:	CRI	IP Rating:	IP65	Holder:	Base
		Dimension:	400x180x55mm	Box Qty:	1 Pcs
				Instant start :	Instant Start

On/0ff:	On/Off Cycles
Life span:	Long Life
Gross weight:	GW
Dimension:	Dimension
Box Qty:	PCs In Cartoon

IP65 RATING

Streetlight-High Lumen

50w VT-15151ST

SKU: 5475 - 4500K Day White 3800157608770
SKU: 5476 - 6000K White 3800157608787





Sensor Compatible:	Yes	CRI:	>75
Voltage/Frequency:	AC:100-240V,50Hz	PF:	>0.95
Luminous Flux:	6200lm	Beam Angle:	100°
LED Type:	SMD	Body Type:	Die Cast Aluminium
IP Rating:	IP65	Box Qty:	1 Pcs
Dimension:	477x216x55mm		

IP65 RATING

Streetlight

50w VT-15050ST

SKU: 9757 - 6000K White





Sensor Compatible:	**Yes**	CRI:	**>70**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	PF:	**>0.9**
Luminous Flux:	**4250lm**	Beam Angle:	**100°**
LED Type:	**SMD**	Body Type:	**Die Cast Aluminium**
IP Rating:	**IP65**	Box Qty:	**1 Pcs**
Dimension:	**495x210x55mm**		

IP65 RATING

Streetlight-High Lumen

100w VT-15105ST

SKU: 5501 - 3000K Warm White 3800157634595





Sensor Compatible:	**Yes**	CRI:	**>70**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	PF:	**>0.90**
Luminous Flux:	**12400lm**	Beam Angle:	**100°**
LED Type:	**SMD**	Body Type:	**Die Cast Aluminium**
IP Rating:	**IP65**	Box Qty:	**1 Pcs**
Dimension:	**566x268x62mm**		

IP65 RATING

ADAPTERS FOR STREET LIGHTS

Adapter

VT-795

Box Qty. **10 Pcs**

SKU: 3624 3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

Adapter

VT-795-1

Box Qty. **12 Pcs**

SKU: 3668 3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.



NEW

IP20 RATING

Strip-2835 60 LEDs

4W **VT-2835 60**

SKU: 2559 - 3000K Warm White	3800157637244
SKU: 2560 - 4000K Day White	3800157637251
SKU: 2561 - 6400K White	3800157637268

Watts:	4w
Voltage:	DC:12V
LED/M:	60
Strips length:	6mm
Box Qty:	400 Meters

NEW

MOTION PIR SENSOR

IP65 RATING

Strip-2835-Sensor

2.4W **VT-8082**

SKU: 2573 - 2700K Warm White	3800157639330
SKU: 2574 - 4000K Day White	3800157639347

Watts:	2.4w
Voltage:	DC:6V
lm/M:	200lm
Roll:	1 Meter
Sensor Type:	Motion Sensor
Detection Range:	2-5 M
Battery Type:	4xAAA(Not Included)
Box Qty:	50 Pcs

Blister Pack

DIMMABLE

MOTION PIR SENSOR

IP20 RATING

Bed Lights-PIR Sensor

3W **VT-8067**

SKU: 2548 - 3000K Warm White	3800157628433
SKU: 2549 - 4500K Day White	3800157628440

Watts:	3w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x1
Sensor Distance:	2-5m
Delay time:	30sec, 130sec, 380sec
Box Qty:	25 Pcs

Blister Pack

DIMMABLE

MOTION PIR SENSOR

IP20 RATING

Bed Lights-PIR Sensor

6W **VT-8068**

SKU: 2550 - 3000K Warm White	3800157628457
SKU: 2551 - 4500K Day White	3800157628464

Watts:	6w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x2
Sensor Distance:	2-5 m
Delay time:	30sec, 130sec, 380sec
Box Qty:	18 Pcs

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804
SKU: 2546 - 6000K White 3800157626811
SKU: 2544 - RGB 3800157625975

BS PLUG

5 Meter Roll | IP20 RATING | POWER SUPPLY

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm
		Box Qty:	20 Pcs

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144

EU PLUG

5 Meter Roll | IP20 RATING | POWER SUPPLY

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm
		Box Qty:	20 Pcs

LED strips-2835 240 LEDs-High Lumen

18w VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117
SKU: 2165 - 4500K Day White 3800157610124
SKU: 2166 - 6000K White 3800157610131

3000 LUMENS PER METER SUPER EFFICIENT

5 Meter Roll | IP20 RATING

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	240	Width:	10mm
		Box Qty:	400 Meters

LED strips-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234
SKU: 2462 - 4500K Day White 3800157612241
SKU: 2463 - 6000K White 3800157612258

5 Meter Roll | IP20 RATING

LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm
		Box Qty:	400 Meters

LED strips-5730 120 LEDs-High Lumen

18w **VT-5730 120**

SKU: 2162 - 3000K Warm White 3800157610094
SKU: 2161 - 6000K White 3800157610087

3000 LUMENS PER METER SUPER EFFICIENT **CRI >95**

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm
		Box Qty:	400 Meters

LED strips-5050 30 LEDs

4.8w **VT-5050 30-IP20**

SKU: 2135 - 3000K Warm White 3800230621405
SKU: 2133 - 6000K White 3800230621382
SKU: 2124 - RGB 3800230621535

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	30	Width:	10mm
		Box Qty:	400 Meters

LED strips-5050 30 LEDs

4.8w **VT-5050 30-IP65**

SKU: 2145 - 3000K Warm White 3800230621412
SKU: 2460 - 4500K Day White 3800157612166
SKU: 2144 - 6000K White 3800230621399
SKU: 2118 - RGB 3800230621528

5 Meter Roll IP65 RATING

LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	30	Width:	10mm
		Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w **VT-5050 60-IP20**

SKU: 2122 - 3000K Warm White 3800230621504
SKU: 2143 - 4500K Day White 3800230621467
SKU: 2126 - 6000K White 3800230621481
SKU: 2120 - RGB 3800230621542
SKU: 2128 - Red 3800230624468
SKU: 2137 - Blue 3800230621429
SKU: 2138 - Green 3800230621443

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.9A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm
		Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White	3800230621511
SKU: 2150 - 4500K Day White	3800230621474
SKU: 2148 - 6000K White	3800230621498
SKU: 2155 - RGB	3800230621559

5 Meter Roll | IP65 RATING

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.9A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	10mm
		Box Qty:	400 Meters

LED strips-3528 60 LEDs

3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White	3800230621160
SKU: 2041 - 4500K Day White	3800230621184
SKU: 2005 - 6000K White	3800230621153
SKU: 2015 - Red	3800230621269
SKU: 2013 - Blue	3800230621252
SKU: 2011 - Green	3800230621221
SKU: 2009 - Yellow	3800230621214

5 Meter Roll | IP20 RATING

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	8mm
		Box Qty:	400 Meters

LED strips-3528 60 LEDs

3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White	3800230621177
SKU: 2043 - 4500K Day White	3800230621191
SKU: 2031 - 6000K White	3800230621146
SKU: 2036 - Red	3800230621276
SKU: 2035 - Blue	3800230621245
SKU: 2034 - Green	3800230621238

5 Meter Roll | IP65 RATING

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	8mm
		Box Qty:	400 Meters

LED strips-3528 120 LEDs

7.2w VT-3528 120-IP20

SKU: 2025 - 3000K Warm White	3800230621306
SKU: 2042 - 4500K Day White	3800230621320
SKU: 2002 - 6000K White	3800230621283

5 Meter Roll | IP20 RATING

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm
		Box Qty:	400 Meters

LED strips-3528 120 LEDs

7.2w VT-3528 120-IP65

SKU: 2038 - 3000K Warm White 3800230621313
SKU: 2044 - 4500K Day White 3800230621337
SKU: 2037 - 6000K White 3800230621290

5 Meter Roll IP65 RATING

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	120	Width:	8mm
		Box Qty:	400 Meters

LED strips-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White 3800230629623
SKU: 2552 - RGB+Day White 3800157630306
SKU: 2553 - RGB+Warm White 3800157630313

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	900lm
Watt/M:	10.8w	lm/LED:	15lm
Current/M:	1.2A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm
		Box Qty:	400 Meters

LED strips-3014 204 LEDs

18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060
SKU: 2405 - 4500K Day White 3800157600309
SKU: 2403 - 6000K White 3800230628053

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm
		Box Qty:	400 Meters

LED strips-5050 60 LEDs

9w VT-5050 60-24V

SKU: 2431 - 3000K Warm White 3800230621573
SKU: 2459 - 4500K Day White 3800157612036
SKU: 2430 - 6000K White 3800230621566

5 Meter Roll IP20 RATING

LED Type:	SMD	lm/M:	600lm
Watt/M:	9w	lm/LED:	14-16lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:24V	IP Rating:	IP20
LED Qty	60	Width:	10mm
		Box Qty:	200 Meters

Tape-5050 60 LEDs

9W VT-5050 60-24V-IP65

SKU: 2562 - 3000K Warm White 3800157637534
SKU: 2563 - 4000K Day White 3800157637541
SKU: 2564 - 6400K White 3800157637558

NEW

5 Meter Roll | IP65 RATING

LED Type:	SMD
Watt/M:	9w
Current/M:	0.375A
Voltage:	DC:24V
LED Qty	60

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	200 Meters

Plug-Pin

SKU :	2565
EAN :	3800157637565
Box Qty:	

Fixing Clip

SKU :	2566
EAN :	3800157637572
Box Qty:	

End Cup

SKU :	2567
EAN :	3800157637589
Box Qty:	

Neon Flex-White

8W VT-555W

10 Meter Roll | IP65 RATING

SKU:	2512 - 6000K White
EAN:	3800157605656
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Warm White

8W VT-555WW

10 Meter Roll | IP65 RATING

SKU:	2513 - 3000K Warm White
EAN:	3800157605663
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Day White

8W **VT-555DW**

10 Meter Roll | IP65 RATING

SKU:	2514 - 4500K Day White	Power W/M:	8w
EAN:	3800157605670	Jacket Dia:	9 x16.5 mm
Voltage:	DC:24V	Beam Angle:	160°
Lumen lm/M:	320±5%	Box Qty:	5 Packets
FPC Width MM:	7.5		



Neon Flex-Blue

8W **VT-555B**

10 Meter Roll | IP65 RATING

SKU:	2515 - Blue	Power W/M:	8w
EAN:	3800157605687	Jacket Dia:	9 x16.5 mm
Voltage:	DC:24V	Beam Angle:	160°
Lumen lm/M:	320±5%	Box Qty:	5 Packets
FPC Width MM:	7.5		



Neon Flex-Red

8W **VT-555R**

10 Meter Roll | IP65 RATING

SKU:	2516 - Red	Power W/M:	8w
EAN:	3800157605694	Jacket Dia:	9 x16.5 mm
Voltage:	DC:24V	Beam Angle:	160°
Lumen lm/M:	320±5%	Box Qty:	5 Packets
FPC Width MM:	7.5		

Neon Flex-Green

8W **VT-555G**

10 Meter Roll | IP65 RATING

SKU:	2517 - Green	Power W/M:	8w
EAN:	3800157605700	Jacket Dia:	9 x16.5 mm
Voltage:	DC:24V	Beam Angle:	160°
Lumen lm/M:	320±5%	Box Qty:	5 Packets
FPC Width MM:	7.5		

Neon Flex-Yellow

8W **VT-555Y**

10 Meter Roll | IP65 RATING

SKU:	2518 - Yellow	Power W/M:	8w
EAN:	3800157605717	Jacket Dia:	9 x16.5 mm
Voltage:	DC:24V	Beam Angle:	160°
Lumen lm/M:	320±5%	Box Qty:	5 Packets
FPC Width MM:	7.5		

Neon Flex-Pink

8w **VT-555P**

10 Meter Roll | IP65 RATING

SKU:	2529 - Pink
EAN:	3800157619523
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Neon Flex-Violet

8w **VT-555V**

10 Meter Roll | IP65 RATING

SKU:	2531 - Violet
EAN:	3800157619547
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets

Backlite Silicon Neon Flex

13w **VT-559**

10 Meter Roll | IP65 RATING | NEW

2570 - 5000K White	3800157637657
2568 - 3000K Warm White	3800157637633
2569 - 4000K Day White	3800157637640

LED Type:	SMD
Watt/M:	13w
Voltage:	DC:24V
lm/M:	1000
CRI:	>80

Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	200 Meters

FIRE RATED | UV PROTECTION | IP65 RATING

Aluminium Profiles

SKU :	2527
EAN :	3800157608404
Box Qty:	2200Pcs

Neon Power Cord

SKU :	3331
EAN :	3800157616829
Box Qty:	500 Pcs

Neon Connector

SKU :	3333
EAN :	3800157607889
Box Qty:	3000 Pcs

Neon End Safe Cap

SKU :	3334
EAN :	3800157607896
Box Qty:	2 Pcs

Plastic Profile

SKU :	2571
EAN :	3800157637664
Box Qty:	

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll

SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors

SKU	Description:	EAN :	BOX Qty:
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

2 PCS PACK

Bar 4014 144 LEDs

18W **VT-4014 144-2Pc**

SKU: 2535 - 3000K Warm White	3800157625883
SKU: 2536 - 4000K Day White	3800157625890
SKU: 2537 - 6400K White	3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	125 Pcs

10 PCS PACK

Bar 4014 144 LEDs

18W **VT-4014 144-10Pc**

SKU: 2538 - 3000K Warm White	3800157625913
SKU: 2539 - 4000K Day White	3800157625920
SKU: 2540 - 6400K White	3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	50 Pcs



Bar 4014 144 LEDs

18W **VT-4014 144-P**

SKU: 2541 - 3000K Warm White	3800157625944
SKU: 2542 - 4500K Day White	3800157625951
SKU: 2543 - 6400K White	3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	100 Pcs

PROFILES AND ACCESSORIES

V-TAC's range of strip lights and aluminum profiles were developed with the sole purpose of adding a constanly stylish way of lighting. Coupled with our diverse range of accesories and controllers, these stylish lights can be installed in a variety of ways and applications.

Lighting Flexibility

Elegant Lighting

Easy to Install

2 YEAR WARRANTY*

add luxury TO YOUR HOME



Box Qty. **180 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8106**
SKU:	**3350**
Dimension:	**2000x24.7x7mm**
Color of Fixture:	**Milky**
EAN:	**3800157636780**

Aluminium Profiles-White Housing

Model No:	**VT-8106-W**
SKU:	**3368**
Dimension:	**2000x24.7x7mm**
Color of Fixture:	**White**
EAN:	**3800157640183**





Aluminium Profiles-Milky

Model No:	**VT-8107**
SKU:	**3351**
Dimension:	**2000x23x15.5mm**
Color of Fixture:	**Milky**
EAN:	**3800157636797**
Box Qty.	**120 Pcs**





Box Qty. **120 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8108**
SKU:	**3352**
Dimension:	**2000x23.5x10mm**
Color of Fixture:	**Milky**
EAN:	**3800157636803**

Aluminium Profiles-White Housing

Model No:	**VT-8108-W**
SKU:	**3367**
Dimension:	**2000x23.5x10mm**
Color of Fixture:	**White**
EAN:	**3800157640176**



Box Qty. **160 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8109**
SKU:	**3353**
Dimension:	**2000x15.8x15.8mm**
Color of Fixture:	**Milky**
EAN:	**3800157636810**

Aluminium Profiles-White Housing

Model No:	**VT-8109-W**
SKU:	**3369**
Dimension:	**2000x15.8x15.8mm**
Color of Fixture:	**White**
EAN:	**3800157640190**





Box Qty. **120 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8110**
SKU:	**3354**
Dimension:	**2000x17.2x15.5mm**
Color of Fixture:	**Milky**
EAN:	**3800157636827**

Aluminium Profiles-White Housing

Model No:	**VT-8110-W**
SKU:	**3366**
Dimension:	**2000x17.2x15.5mm**
Color of Fixture:	**White**
EAN:	**3800157640169**





Box Qty. **180 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8113**
SKU:	**3355**
Dimension:	**2000x17.4x7mm**
Color of Fixture:	**Milky**
EAN:	**3800157636834**

Aluminium Profiles-White Housing

Model No:	**VT-8113-W**
SKU:	**3365**
Dimension:	**2000x17.4x7mm**
Color of Fixture:	**White**
EAN:	**3800157640152**





Box Qty. **120 Pcs**

Aluminium Profiles-Milky

Model No:	**VT-8114**
SKU:	**3356**
Dimension:	**2000x19x19mm**
Color of Fixture:	**Milky**
EAN:	**3800157636841**

Aluminium Profiles-White Housing

Model No:	**VT-8114-W**
SKU:	**3364**
Dimension:	**2000x19x19mm**
Color of Fixture:	**White**
EAN:	**3800157640145**



Aluminium Profiles-Milky

Model No:	**VT-8115**
SKU:	**3357**
Dimension:	**2000x24.5x12.2mm**
Color of Fixture:	**Milky**
EAN:	**3800157636858**
Box Qty.	**120 Pcs**



Aluminium Profiles-Milky

Model No:	**VT-8116**
SKU:	**3358**
Dimension:	**2000x17.4x12.1mm**
Color of Fixture:	**Milky**
EAN:	**3800157636865**
Box Qty.	**120 Pcs**



Aluminium Profiles-Milky-Set

Model No:	**VT-8101**
SKU:	**3359**
Dimension:	**2000mm**
Color of Fixture:	**Milky**
EAN:	**3800157636995**
Box Qty.	**30 Pcs**





Aluminium Profiles-Milky-Set

Model No:	VT-8102
SKU:	3360
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637008
Box Qty.	50 pcs



Aluminium Profiles-Milky-Set

Model No:	VT-8103
SKU:	3361
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637015
Box Qty.	40 Pcs



Aluminium Profiles-Milky-Set

Model No:	VT-8104
SKU:	3362
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637022
Box Qty.	30 Pcs





Aluminium Profiles-Milky-Set

Model No:	VT-8105
SKU:	3363
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637039
Box Qty.	30 Pcs



Aluminium Profile-Transparent

Model No:	VT-7101-T
SKU:	9981
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Transparent
EAN:	3800230622129
Box Qty.	100 Pcs



Aluminium Profile-Matt

Model No:	VT-7101-M
SKU:	9982
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Matt
EAN:	3800230622136
Box Qty.	100 Pcs



Aluminium Profile-Transparent

Model No:	VT-7102-T
SKU:	9983
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Transparent
EAN:	3800230622143
Box Qty.	140 Pcs



Aluminium Profile-Matt

Model No:	VT-7102-M
SKU:	9984
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Matt
EAN:	3800230622150
Box Qty.	140 Pcs



Aluminium Profile-Transparent

Model No:	VT-7103-T
SKU:	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN:	3800230622150
Box Qty.	90 Pcs



Aluminium Profile-Matt

Model No:	VT-7103-M
SKU:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN:	3800230622174
Box Qty.	90 Pcs



Aluminium Profile-Matt

Model No:	VT-7104-M
SKU:	9987
Dimension:	19x19x1000mm
Color of Fixture:	Matt
EAN:	3800230622181
Box Qty.	80 Pcs



2 PCS PACK

Aluminium Profile-2 Meters

Model No:	VT-7104
SKU:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN:	3800157635509
Box Qty.	40 Pcs



2 PCS PACK

Aluminium Profile-2 Meters

Model No:	VT-7109-2Pc
SKU:	9957
Dimension:	22x17x2000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



Aluminium Profile-Milky

Model No:	VT-7109
SKU:	9947
Dimension:	22x17x1000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



Aluminium Profile-Milky

Model No:	VT-7105
SKU:	9990
Dimension:	24.6x7.85x1000mm
Color of Fixture:	Milky
EAN:	3800230628077
Box Qty.	150 Pcs

Strip-Controller-Dimmer

Model:	VT-2402
SKU:	3300
Max Current /Watt:	8A, 96W
Input Voltage:	DC:12/24V
EAN:	3800230622198
Box Qty.	50 Pcs

Strip-Controller-Radio

Model:	VT-2404
SKU:	3303
Max Current /Watt:	12A, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622204
Box Qty.	100 Pcs

Strip-Controller-DMX 512

Model:	VT-DM X 512
SKU:	3307
Max Current /Watt:	4A x3, 360W
Input Voltage:	DC:12V
EAN:	3800230622266
Box Qty.	50 Pcs

Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	3A x4, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622273
Box Qty.	20 Pcs

Strip-Controller-Radio

Model:	VT-2406
SKU:	3318
Max Current /Watt:	500W
Input Voltage:	DC:12/24V
EAN:	3800230622235
Box Qty.	50 Pcs

Strip-Controller-RF

Model:	3320
SKU:	3320
Max Current /Watt:	N/A
Input Voltage:	DC:12V
EAN:	3800230628022
Box Qty.	500 Pcs

Strip-Controller-Infrared

Model:	VT-2472
SKU:	3625
Max Current /Watt:	72w
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs

Strip-Amplifier-5050

Model:	3009
SKU:	3009
Max Current /Watt:	6A, 72W
Input Voltage:	DC:12V
EAN:	3800230622259
Box Qty.	100 Pcs

Strip-Amplifier-5050

Model:	3018
SKU:	3018
Input Voltage:	DC:12V
EAN:	3800230622242
Box Qty.	1000 Pcs

Strip-Controller

Model:	3319
SKU:	3319
Input Voltage:	DC:12V
EAN:	3800230628015
Box Qty.	500 Pcs

Strip-Controller-Wifi

Model:	3321
SKU:	3321
Input Voltage:	DC:12V
EAN:	3800230628039
Box Qty.	50 Pcs

Strip-Controller-Wifi RGB

Model:	3322
SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046
Box Qty.	50 Pcs

Strip-Controller-5050

Model:	3326
SKU:	3326
Input Voltage:	DC:12V
EAN:	3800230629630
Box Qty.	100 Pcs

Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12V
EAN:	3800157601047
Box Qty.	100 Pcs

Strip-Amplifier

Model:	VT-2407
SKU:	3309
Input Voltage:	DC:12V
EAN:	3800157620819
Box Qty.	100Pcs

Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN:	3800157632690
Box Qty.	400Pcs



Bed Light-Touch Sensor

Model:	VT-8071
SKU:	2556
Input voltage:	DC:12V
EAN:	3800157632713
Box Qty.	100Pcs

Bed Light-Hand Wave Sensor

Model:	VT-8072
SKU:	2557
Input voltage:	DC:12V
EAN:	3800157632720
Box Qty.	100Pcs



Strip-Controller-Dimmer

Model:	VT-2411
SKU:	3341
Input voltage:	DC:12V
EAN:	3800157636148
Box Qty.	500Pcs

Bed Light-Connector Terminal

Model:	VT-8070
SKU:	2555
EAN:	3800157632706
Box Qty.	400Pcs

Strip-Controller-Dimmer

Model:	VT-2410
SKU:	3663
Max Current /Watt:	6A 216W/432W
Input Voltage:	DC:12V
EAN:	3800157619509
Box Qty.	100 Pcs

LED Sync Controller- Dimmer

Model:	VT-2414
SKU:	3337
Input Voltage:	DC:12/24V
EAN:	3800157634601
Box Qty.	50Pcs

LED Sync Controller- RGBW/WW

Model:	VT-2424
SKU:	3338
Input Voltage:	DC:12/24V
EAN:	3800157634618
Box Qty.	60Pcs

LED Sync Controller- RGB

Model:	VT-2420
SKU:	3339
Input Voltage:	DC:12/24V
EAN:	3800157634625
Box Qty.	60Pcs

LED Sync Controller- RGB

Model:	VT-2421
SKU:	3340
Input Voltage:	DC:12/24V
EAN:	3800157634632
Box Qty.	100Pcs

Modules-3 SMD-IP67

0.72W **VT-50303**

Voltage/Frequency:	DC:12V
Luminous Flux:	66lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	67x15x8.5mm
IP Rating:	IP67
Box Qty.	2000 Pcs

IP67 RATING

SKU: 5116 - 6000K White	3800157610209
SKU: 5117 -Red	3800157610216
SKU: 5118 - Blue	3800157610223
SKU: 5119 - Green	3800157610230

Modules-3 SMD-IP67

1W **VT-28353**

Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53x12x4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs

IP67 RATING

SKU: 5120 - 6000K White	3800157610247
SKU: 5121 -Red	3800157610254
SKU: 5123 - Green	3800157610261
	3800157610278



Modules-3 SMD-IP67

1.5W **VT-28356**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	120-150lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	87x15x10mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5124 - 3000K Warm White	3800157621687
SKU: 5127 - Blue	3800157621694
SKU: 5128 - Green	3800157621700
	3800157621717
	3800157621724

Modules-4 SMD-IP68

1.44W **VT-28358**

IP68 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	120-135lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	37x37x6.8mm
IP Rating:	IP68
Box Qty.	100Pcs

SKU: 5129 - 3000K Warm White	3800157621731
SKU: 5130 - 6000K White	3800157621748
SKU: 5131 -Red	3800157621755
SKU: 5132 - Blue	3800157621762
SKU: 5133 - Green	3800157621779

Modules-3 SMD-IP67

0.72W **VT-50506**

IP67 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	68x19.5x5.7mm
IP Rating:	IP67
Box Qty.	100 Pcs

SKU: 5134 - RGB	3800157621786

Modules-SMD-IP68

0.24W **VT-50501**

IP68 RATING

Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	12x22mm
IP Rating:	IP68
Box Qty.	320 Pcs

SKU: 5135 - 3000K Warm white	3800157621793
SKU: 5136 - 6000K White	3800157621809
SKU: 5137 -Red	3800157621816
SKU: 5139 - Blue	3800157621830
SKU: 5140 - Green	3800157621847
SKU: 5138 - Yellow	3800157621823

Slim Power Supply
VT-20062

SKU :	3246	Output:	DC:12V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	5A	EAN:	3800157628549
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

24V

Slim Power Supply
VT-24061

SKU :	3261	Output:	DC:24V
Watts:	60w	Unit Size:	130x50x31mm
Current Capacity:	2.5A	EAN:	3800157640367
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

Slim Power Supply
VT-20077

With short circuit protection, over load protection, stable output voltage

SKU :	3247	Output:	DC:12V
Watts:	75w	Unit Size:	130x50x31mm
Current Capacity:	6A	EAN:	3800157628556
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs

Slim Power Supply
VT-20122

Built in EMI Filter

SKU :	3243	Output:	DC:12V
Watts:	120w	Unit Size:	190x50x31mm
Current Capacity:	10A	EAN:	3800157628525
Input Power:	AC:85-265V,50/60Hz	Box Qty.	80 Pcs

24V

Slim Power Supply
VT-24120

Built in EMI Filter

SKU :	3262	Output:	DC:24V
Watts:	120w	Unit Size:	190x50x31mm
Current Capacity:	5A	EAN:	3800157640374
Input Power:	AC:85-265V,50/60Hz	Box Qty.	80 Pcs

Slim Power Supply
VT-20152

High efficiency, low temperature

SKU :	3244	Output:	DC:12V
Watts:	150w	Unit Size:	200x62x31mm
Current Capacity:	12.5A	EAN:	3800157628532
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs

NEW

Slim Power Supply
VT-20352

SKU :	3259	Output:	DC:12V
Watts:	350w	Unit Size:	208x82x32MM
Current Capacity:	30A	EAN:	3800157636766
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	30 Pcs

NEW

24V

Slim Power Supply
VT-24350

SKU :	3263	Output:	DC:24V
Watts:	350w	Unit Size:	208x82x32MM
Current Capacity:	15A	EAN:	3800157640381
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	30 Pcs

Power Supply-Metal
VT-20026

100% load tested

SKU :	3228	Output:	DC:12V
Watts:	25w	Unit Size:	140x33x27mm
Current Capacity:	2.1A	EAN:	3800157622929
Input Power:	AC:85-265V,50/60Hz	Box Qty.	100 Pcs

Power Supply-Metal
VT-20350

SKU :	3057	Output:	DC:12V
Watts:	350w	Unit Size:	215x115x50mm
Current Capacity:	30A	EAN:	3800230621795
Input Power:	AC:110-220V,50/60Hz	Box Qty.	20 Pcs

Power Supply-Metal
VT-20061

SKU :	3229	Output:	DC:12V
Watts:	60w	Unit Size:	160x40x32mm
Current Capacity:	5A	EAN:	3800157622936
Input Power:	AC:85-265V,50/60Hz	Box Qty.	100 Pcs

Power Supply-Metal
VT-20076

SKU :	3230	Output:	DC:12V
Watts:	75w	Unit Size:	188x47x35mm
Current Capacity:	6A	EAN:	3800157622943
Input Power:	AC:85-265V,50/60Hz	Box Qty.	60 Pcs

Power Supply-Metal
VT-20121

SKU :	3226	Output:	DC:12V
Watts:	120w	Unit Size:	188x47x35mm
Current Capacity:	10A	EAN:	3800157622905
Input Power:	AC:85-265V,50/60Hz	Box Qty.	36 Pcs

Power Supply-Metal
VT-20151

SKU :	3227	Output:	DC:12V
Watts:	150w	Unit Size:	200x58x40mm
Current Capacity:	12.5A	EAN:	3800157622912
Input Power:	AC:85-265V,50/60Hz	Box Qty.	50 Pcs



Power Supply-Metal
VT-20153

SKU :	3253	Output:	DC:24V
Watts:	150w	Unit Size:	253x72x45mm
Current Capacity:	6.5A	EAN:	3800157635233
Input Power:	AC:85-265V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Metal
VT-20027

SKU :	3254	Output:	DC:12V
Watts:	25w	Unit Size:	140x33x27mm
Current Capacity:	2A	EAN:	3800157635264
Input Power:	AC:85-265V,50/60Hz	Box Qty.	100 Pcs

TRIAC DIMMABLE

LED Power Supply-TRIAC Dimmable
VT-20101D

SKU :	3256	Output:	DC:12V
Watts:	100w	Unit Size:	199x98x42mm
Current Capacity:	8.5A	EAN:	3800157635523
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

TRIAC DIMMABLE

LED Power Supply-TRIAC Dimmable
VT-20154D

SKU :	3257	Output:	DC:12V
Watts:	150w	Unit Size:	199x98x42mm
Current Capacity:	12.5A	EAN:	3800157635530
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

TRIAC DIMMABLE

LED Power Supply-TRIAC Dimmable
VT-20155D

SKU :	3258	Output:	DC:24V
Watts:	150w	Unit Size:	199x98x42mm
Current Capacity:	6.25A	EAN:	3800157635547
Input Power:	AC:200-240V,50/60 Hz	Box Qty.	50 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21151

SKU :	3231	Output:	DC:12V
Watts:	150w	Unit Size:	207x74x42mm
Current Capacity:	12.5A	EAN:	3800157627979
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21251

SKU :	3232	Output:	DC:12V
Watts:	250w	Unit Size:	218x95x50mm
Current Capacity:	20A	EAN:	3800157627986
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs

IP45 RATING

LED Power Supply-Rainproof-IP45
VT-21401

SKU :	3233	Output:	DC:12V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	33A	EAN:	3800157627993
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

NEW

IP45 RATING

24V

LED Power Supply-Rainproof-IP45

VT-26400

SKU :	3265	Output:	DC:24V
Watts:	400w	Unit Size:	223x118x50mm
Current Capacity:	16.6A	EAN:	3800157640404
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP65 RATING

Power Supply-Waterproof-IP65

VT-22101

SKU :	3101	Output:	DC:24V
Watts:	100w	Unit Size:	201x30.5x20mm
Current Capacity:	4.2A	EAN:	3800157605991
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP67 RATING

Power Supply-Waterproof-IP67

VT-22061

SKU :	3234	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157628006
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP67 RATING

Power Supply-Waterproof-IP67

VT-22075

SKU :	3235	Output:	DC:12V
Watts:	75w	Unit Size:	166x43x33mm
Current Capacity:	6A	EAN:	3800157628013
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

IP67 RATING

Power Supply-Waterproof-IP67

VT-22153

SKU :	3248	Output:	DC:12V
Watts:	150w	Unit Size:	192x52x37mm
Current Capacity:	6A	EAN:	3800157629362
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	15 Pcs

IP67 RATING

5 YEAR WARRANTY*

Power Supply-Waterproof-IP67

VT-22155

SKU :	3250	Output:	DC:12V
Watts:	150w	Unit Size:	192x52x37mm
Current Capacity:	12.5A	EAN:	3800157630436
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	20 Pcs

IP67 RATING

5 YEAR WARRANTY*

Power Supply-Waterproof-IP67

VT-22105

SKU :	3251	Output:	DC:12V
Watts:	100w	Unit Size:	192x52x37mm
Current Capacity:	8.3A	EAN:	3800157630443
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	25 Pcs

IP67 RATING

5 YEAR WARRANTY*

Power Supply-Waterproof-IP67

VT-22065

SKU :	3252	Output:	DC:12V
Watts:	60w	Unit Size:	166x43x33mm
Current Capacity:	5A	EAN:	3800157630450
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	40 Pcs

Power Supply-Plastic-IP44
VT-23019

SKU :	3237	Output:	DC:12V
Watts:	18w	Unit Size:	73x27x43mm
Current Capacity:	1.5A	EAN:	3800157628037
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	120 Pcs

NEW

LED Power Supply-Plastic
VT-23005

SKU :	3260	Output:	DC:+5V
Watts:	5w	Unit Size:	73x27x43mm
Current Capacity:	1A	EAN:	3800157637992
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	120 Pcs

Power Supply-Plastic-IP44
VT-23031

SKU :	3238	Output:	DC:12V
Watts:	30w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157628044
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23061

SKU :	3239	Output:	DC:12V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	5A	EAN:	3800157628051
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

NEW

24V

Power Supply-Plastic-IP44
VT-25060

SKU :	3264	Output:	DC:24V
Watts:	60w	Unit Size:	119x52x32mm
Current Capacity:	2.5A	EAN:	3800157640398
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23079

SKU :	3240	Output:	DC:12V
Watts:	78w	Unit Size:	119x52x32mm
Current Capacity:	6.5A	EAN:	3800157628068
Input Power:	AC: 100-264V,50/60Hz	Box Qty.	50 Pcs

Power Supply-Plastic-IP44
VT-23043

SKU :	3249	Output:	DC:12V
Watts:	42w	Unit Size:	119x52x32mm
Current Capacity:	3.5A	EAN:	3800157629379
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs

Power Supply-Plastic
VT-23060

SKU :	3035	Output:	DC:12V
Watts:	60w	Unit Size:	130x90x45mm
Current Capacity:	5A	EAN:	3800157601085
Input Power:	AC:100-265V 50/60 Hz	Box Qty.	50 Pcs



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.

Tracklights-Smart Color Changing

15W VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

CCT AND DIMMING VIA SMART PHONE APP

CCT Adjustable 2800K/4000K/6000K

5 YEAR WARRANTY

Sensor Compatible:		Beam Angle:	18°-48°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1500	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	250x141x60mm
PF:	>0.5	Box Qty:	20 Pcs





Tracklights-Smart Color Changing

15W VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

CCT AND DIMMING VIA SMART PHONE APP

CCT Adjustable 2800K/4000K/6000K

5 YEAR WARRANTY

Sensor Compatible:		Beam Angle:	18°-48°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1500	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	250x141x60mm
PF:	>0.5	Box Qty:	20 Pcs





Tracklights-Smart Color Changing

35W VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

CCT AND DIMMING VIA SMART PHONE APP

CCT Adjustable 2800K/4000K/6000K

5 YEAR WARRANTY

Sensor Compatible:		Beam Angle:	16°-53°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	250x183x93mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Smart Color Changing

35W VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

CCT AND DIMMING VIA SMART PHONE APP

CCT Adjustable 2800K/4000K/6000K

5 YEAR WARRANTY

Sensor Compatible:		Beam Angle:	16°-53°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	250x183x93mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Color Changing

18W VT-4718-W

SKU: 1410 - 3 IN 1 3800157629324

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



5 YEAR WARRANTY*

Tracklights-Color Changing

18W VT-4718-B

SKU: 1411 - 3 IN 1 3800157629331

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



5 YEAR WARRANTY*

Tracklights-Color Changing

35W VT-4745-W

SKU: 1412 - 3 IN 1 3800157629348

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



5 YEAR WARRANTY*

Tracklights-Color Changing

35W VT-4745-B

SKU: 1413 - 3 IN 1 3800157629355

CCT Adjustable
2800K/4000K/6000K

Lens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



5 YEAR WARRANTY*

Tracklights-Black-White Body

10W VT-4512

5 YEAR WARRANTY*

SKU: 1332 - 3000K Warm White	3800157620604
SKU: 1333 - 4000K Day White	3800157620611
SKU: 1334 - 6000K White	3800157620628

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs





Tracklights-Black-White Body

25W VT-4528

5 YEAR WARRANTY*

SKU: 1335 - 3000K Warm White	3800157620635
SKU: 1336 - 4000K Day White	3800157620642
SKU: 1337 - 6000K White	3800157620659

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black-White Body

35W VT-4537

5 YEAR WARRANTY*

SKU: 1338 - 3000K Warm White	3800157620666
SKU: 1339 - 4000K Day White	3800157620673
SKU: 1340 - 6000K White	3800157620680

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs





Tracklights-CREE COB-15° to 60°

35W VT-4735

15° to 60°
Beam Angle
Adjustable by Rotating

5 YEAR WARRANTY*

SKU: 1357 - 3000K Warm White	3800157625074
SKU: 1358 - 4000K Day White	3800157625081
SKU: 1359 - 6400K White	3800157625098

Sensor Compatible:	Yes	Beam Angle:	15°-60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Aluminium
LED Type:	COB(CREE)	Life span:	30,000 Hours
CRI:	>80	Dimension:	178.4x197.7x95mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-White Body

15W VT-4615W

SKU: 1298 - 3000K Warm White 3800157619851
SKU: 1299 - 4000K Day White 3800157619868
SKU: 1300 - 6400K White 3800157619875

Experience The True Colors with CRI95 TRACKS

CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body

15W VT-4615B

SKU: 1301 - 3000K Warm White 3800157619882
SKU: 1302 - 4000K Day White 3800157619899
SKU: 1303 - 6400K White 3800157619905

Experience The True Colors with CRI95 TRACKS

CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-White Body

30W VT-4635W

SKU: 1292 - 3000K Warm White 3800157619790
SKU: 1293 - 4000K Day White 3800157619806
SKU: 1294 - 6400K White 3800157619813

Experience The True Colors with CRI95 TRACKS

CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body

30W VT-4635B

SKU: 1295 - 3000K Warm White 3800157619820
SKU: 1296 - 4000K Day White 3800157619837
SKU: 1297 - 6400K White 3800157619844

Experience The True Colors with CRI95 TRACKS

CRI >95

5 YEAR WARRANTY*

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs





Tracklights-Black Body

33W VT-4535

Experience The True Colors with CRI95 TRACKS

CRI >95

SKU: 1233 - 3000K Warm White 3800157603720
SKU: 1234 - 4000K Day White 3800157603737
SKU: 1235 - 5000K White 3800157603744

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body

45W VT-4545

Experience The True Colors with CRI95 TRACKS

CRI >95

SKU: 1236 - 3000K Warm White 3800157603751
SKU: 1237 - 4000K Day White 3800157603768
SKU: 1238 - 5000K White 3800157603775

Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body

20W VT-4521T

SKU: 1202 - 5000K Day White 3800157600187

Sensor Compatible:	Yes	Beam Angle:	46°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1500lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	Ø80x185mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-Black Body

40W VT-4540T

SKU: 1191 - 3000K Warm White 3800230629548
SKU: 1192 - 5000K Day White 3800230629555

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs





Tracklights-White Body

33W **VT-4534W**

SKU: 1241 - 3000K Warm White	3800157603997
SKU: 1229 - 4000K Day White	3800157602501
SKU: 1230 - 5000K White	3800157602518

Sensor Compatible:	**Yes**	Beam Angle:	**22°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Color of Fixture:	**White**
Luminous Flux:	**2300lm**	Body Type:	**Die Cast Aluminium**
LED Type:	**COB**	Life span:	**20,000 Hours**
CRI:	**>80**	Dimension:	**106x208x206mm**
PF:	**>0.9**	Box Qty:	**8 Pcs**





Tracklights-Black Body

33W **VT-4534B**

SKU: 1242 - 3000K Warm White	3800157604000
SKU: 1231 - 4000K Day White	3800157602525
SKU: 1232 - 5000K White	3800157602532

Sensor Compatible:	**Yes**	Beam Angle:	**22°**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**2300lm**	Body Type:	**Die Cast Aluminium**
LED Type:	**COB**	Life span:	**20,000 Hours**
CRI:	**>80**	Dimension:	**106x208x206mm**
PF:	**>0.9**	Box Qty:	**8 Pcs**





Tracklights-White Body

35W **VT-4536W**

SKU: 1255 - 3000K Warm White	3800157607551
SKU: 1256 - 4500K Day White	3800157607568
SKU: 1257 - 6000K White	3800157607575

Sensor Compatible:	**Yes**	Beam Angle:	**24°**
Voltage/Frequency:	**AC:220-264V,50/60Hz**	Color of Fixture:	**White**
Luminous Flux:	**3500lm**	Body Type:	**Aluminium**
LED Type:	**COB**	Life span:	**20,000 Hours**
CRI:	**>80**	Dimension:	**92x165x192mm**
PF:	**>0.9**	Box Qty:	**20 Pcs**





Tracklights-Black Body

35W **VT-4536B**

SKU: 1285 - 3000K Warm White	3800157618694
SKU: 1286 - 4000K Day White	3800157618700
SKU: 1287 - 6000K White	3800157618717

Sensor Compatible:	**Yes**	Beam Angle:	**24°**
Voltage/Frequency:	**AC:220-264V,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**3500lm**	Body Type:	**Aluminium**
LED Type:	**COB**	Life span:	**20,000 Hours**
CRI:	**>80**	Dimension:	**92x165x192mm**
PF:	**>0.9**	Box Qty:	**20 Pcs**





Track Fittings-4Line-PAR20
Model: VT-7112-4W
SKU : 3554
EAN : 3800230628398
Box Qty: 18 Pcs

Track Fittings-2Line-PAR20
Model: VT-7112-2W
SKU : 3556
EAN : 3800230628411
Box Qty: 18 Pcs

Track Fittings-4Line-PAR20
Model: VT-7112-4B
SKU : 3553
EAN : 3800230628381
Box Qty: 18 Pcs

Track Fittings-4Line-PAR38
Model: VT-7116-4W
SKU : 3570
EAN : 3800157604252
Box Qty: 18 Pcs

Track-Connectors-4I
SKU : 3522
EAN : 3800230623232
Box Qty: 50 Pcs

Track-Connectors-4I
SKU : 3523
EAN : 3800230623195
Box Qty: 50 Pcs

Track-Connectors-4T
SKU : 3524
EAN : 3800230623201
Box Qty: 25 Pcs

Track-Connectors-4T
SKU : 3525
EAN : 3800230623249
Box Qty: 25 Pcs

Track-Connectors-4X
SKU : 3526
EAN : 3800230623218
Box Qty: 10 Pcs

4 Wired Y Series-Connectors
SKU : 3655
EAN : 3800157619103
Box Qty: 100 Pcs

4 Wired Y Series-Connectors
SKU : 3656
EAN : 3800157619110
Box Qty: 100 Pcs



4 Wired Y Series-Connectors
SKU : 3657
EAN : 3800157619127
Box Qty: 200 Pcs

4 Wired Y Series-Connectors
SKU : 3658
EAN : 3800157619134
Box Qty: 200 Pcs

4 Wired Y Series-Adaptor
SKU : 3659
EAN : 3800157619141
Box Qty: 50 Pcs

4 Wired Y Series-Adaptor
SKU : 3660
EAN : 3800157619158
Box Qty: 50 Pcs

Track-Connectors-4X
SKU : 3527
EAN : 3800230623256
Box Qty: 10 Pcs

Track-Connectors-4L
SKU : 3528
EAN : 3800230623225
Box Qty: 25 Pcs

Track-Connectors-4L
SKU : 3529
EAN : 3800230623263
Box Qty: 25 Pcs

Flexible Joint-4 Line
SKU : 3560
EAN : 3800230628459
Box Qty: 20 Pcs

Hanging Trackline Kit-1
SKU : 3565
EAN : 3800157600019
Box Qty: 100 Pcs

Hanging Trackline Kit-1
SKU : 3566
EAN : 3800157600026
Box Qty: 100 Pcs

4 Core Track-1 Meter
SKU : 9944
EAN : 3800230623133
Box Qty: 10 Pcs

4 Core Track-1 Meter
SKU : 9945
EAN : 3800230623164
Box Qty: 10 Pcs

4 Core Track-1.5 Meter
SKU : 9952
EAN : 3800230623140
Box Qty: 10 Pcs

4 Core Track-1.5 Meter
SKU : 9953
EAN : 3800230623171
Box Qty: 10 Pcs

4 Core Track-2 Meter
SKU : 9954
EAN : 3800230623157
Box Qty: 10 Pcs

4 Core Track-2 Meter
SKU : 9955
EAN : 3800230623188
Box Qty: 10 Pcs

Track Fitting-Gu10
Model: VT-788
SKU : 3617
EAN : 3800157607469
Box Qty: 20 Pcs

Track Fitting-Gu10
Model: VT-789
SKU : 3618
EAN : 3800157607476
Box Qty: 20 Pcs

Track Fitting-Gu10
Model: VT-790
SKU : 3619
EAN : 3800157607483
Box Qty: 10 Pcs

LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.

120 +
LUMENS/ WATT
SUPER EFFICIENT

Reflector Series - High Lumen

10w VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
SKU: 1271 - 4000K Day White 3800157611930
SKU: 1272 - 6400K White 3800157611947



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	1200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø135x71mm
PF	>0.5	Cutting Size:	Ø120mm
		Box Qty:	27 Pcs

120 +
LUMENS/ WATT
SUPER EFFICIENT

Reflector Series - High Lumen

20w VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
SKU: 1274 - 4000K Day White 3800157611961
SKU: 1275 - 6400K White 3800157611978



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	2400lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø180x83mm
PF	>0.5	Cutting Size:	Ø167mm
		Box Qty:	18 Pcs

120 +
LUMENS/ WATT
SUPER EFFICIENT

Reflector Series - High Lumen

30w VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
SKU: 1277 - 4000K Day White 3800157611992
SKU: 1278 - 6400K White 3800157612005



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	3600lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø220x103mm
PF	>0.9	Cutting Size:	Ø207mm
		Box Qty:	12 Pcs

120 +
LUMENS/ WATT
SUPER EFFICIENT

Reflector Series - High Lumen

40w VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
SKU: 1279 - 4500K Day White 3800157612012



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-270V,50/60Hz	Body Type:	PKW
Luminous Flux:	4800lm	Color of Fixture:	PKW
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø220x103mm
PF	>0.9	Cutting Size:	Ø207mm
		Box Qty:	12 Pcs

Reflector Series

10w VT-2610

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Body Type:	PKW
Luminous Flux:	730lm	Color of Fixture:	PKW
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø135x71mm
PF	>0.5	Cutting Size:	Ø105mm
		Box Qty:	27 Pcs

Reflector Series

SKU: 1103 - 6000K White 3800230622402

20W **VT-2620**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs

Zoom Series - Rectangle

SKU: 1306 - 3000K Warm White 3800157619936
SKU: 1307 - 4000K Day White 3800157619943
SKU: 1289 - 6400K White 3800157619646

30W **VT-2930**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs

Zoom Series - Round

SKU: 1304 - 3000K Warm White 3800157619912
SKU: 1305 - 4500K Day White 3800157619929
SKU: 1288 - 6400K White 3800157619639

33W **VT-2933**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs

Downlight-Moving Head-Square

SKU: 5096 - 4000K Day White 3800157609371
SKU: 5097 - 6400K White 3800157609388
3800157609395

3W **VT-1133SQ**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs

Downlight-Fixed Type-Square

SKU: 5110 - 6400K White 3800157609456

3W **VT-1123SQ**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs

Step Light With Sensor

SKU: 5570 - 4000K Day White 3800157617291

3W **VT-8035**



Sensor Compatible:	**Sensor Included**
Voltage/Frequency:	**AC:100-240V, 50/60Hz**
Luminous Flux:	**100lm**
LED Type:	**SMD**
CRI:	**>80**
PF	**>0.5**

Beam Angle:	**45°**
Body Type:	**Die cast Aluminum**
Color of Fixture:	**White**
Shape:	**Square**
Dimension:	**85x85x42mm**
Cutting Size:	**85x85mm**
Box Qty:	**100 Pcs**

Steplight-Square

SKU: 1284 - 4000K Day White 3800157617307

3W **VT-1143**



Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:85-265V,50/60Hz**
Luminous Flux:	**100lm**
LED Type:	**SMD**
CRI:	**>80**
PF	**>0.5**

Beam Angle:	**83°**
Body Type:	**Die Cast Aluminium**
Color of Fixture:	**White**
Shape:	**Square**
Dimension:	**84x84x43mm**
Cutting Size:	**72x72mm**
Box Qty:	**100 Pcs**

Steplight-Square

SKU: 1209 - 3000K Warm White 3800157600255
SKU: 1210 - 4200K Day White 3800157600262

3W **VT-1109**



Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**120lm**
LED Type:	**COB**
CRI:	**>80**
PF	**>0.5**

Beam Angle:	**15°**
Body Type:	**Aluminium**
Color of Fixture:	**White**
Shape:	**Square**
Dimension:	**80x80x51mm**
Cutting Size:	**62x62mm**
Box Qty:	**100 Pcs**

Steplight-Round

SKU: 1207 - 3000K Warm White 3800157600231
SKU: 1208 - 4200K Day White 3800157600248

3W **VT-1109RD**



Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**120lm**
LED Type:	**COB**
CRI:	**>80**
PF	**>0.5**

Beam Angle:	**15°**
Body Type:	**Aluminium**
Color of Fixture:	**White**
Shape:	**Round**
Dimension:	**Ø80x51mm**
Cutting Size:	**Ø62mm**
Box Qty:	**100 Pcs**



Step Light-Rectangle-IP65

3W **VT-1162-W**

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543

IP65 RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W **VT-1162-B**

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567

IP65 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

3W **VT-1162-G**

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581

IP65 RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-W**

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420

IP65 RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-B**

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444

IP65 RATING



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

2W **VT-1142-G**

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468

IP65 RATING

Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	150x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-W**

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-B**

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light-Square-IP65

2W **VT-1152-G**

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529

IP65 RATING



Sensor Compatible:	Yes	Beam Angle:	55°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	60lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	124x124x27mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	50 Pcs

Step Light - IP65

3W **VT-1172-B**

IP65 RATING

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs



Step Light - IP65

3W **VT-1172-G**

IP65 RATING

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light - IP65

3W **VT-1172-W**

IP65 RATING

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	151x72x154mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-B**

IP65 RATING

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-G**

IP65 RATING

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

Step Light-Round-IP65

3W **VT-1182-W**

IP65 RATING

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5	Cutting Size:	N/A
		Box Qty:	20 Pcs

new!

Steplight-Rectangle

6W **VT-856-B**

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

new!

Steplight-Rectangle

6W **VT-856-G**

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

new!

Steplight-Rectangle

6W **VT-856-W**

SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm
		Box Qty:	50 Pcs

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non – flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1 3800157637701

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V	Color of Fixture:	White
Luminous Flux:	4900lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø555x75mm
PF:	>0.9	Box Qty:	6 Pcs



DIMMABLE

COLOR CHANGING WITH REMOTE

Ceiling Lights - Round

14w VT-8073RD

SKU: 1428 - 3000K Warm White 3800157633147
SKU: 1429 - 4000K Day White 3800157633154
SKU: 1430 - 6400K White 3800157633161

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1000lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	257x65mm
PF:	>0.5	Box Qty:	20 Pcs



Ceiling Lights - Round

20w VT-8074RD

SKU: 1431 - 3000K Warm White 3800157633178
SKU: 1432 - 4000K Day White 3800157633185
SKU: 1433 - 6400K White 3800157633192

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1500lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	290x65mm
PF:	>0.5	Box Qty:	10 Pcs



Ceiling Lights - Square

20W **VT-8074SQ**

SKU: 1434 - 3000K Warm White	3800157633208
SKU: 1435 - 4000K Day White	3800157633215
SKU: 1436 - 6400K White	3800157633222

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round

24W **VT-8075RD**

SKU: 1437 - 3000K Warm White	3800157633239
SKU: 1438 - 4000K Day White	3800157633246
SKU: 1439 - 6400K White	3800157633253

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

32W **VT-8076SQ**

SKU: 1443 - 3000K Warm White	3800157633291
SKU: 1444 - 4000K Day White	3800157633307
SKU: 1445 - 6400K White	3800157633314

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round

32W **VT-8076RD**

SKU: 1440 - 3000K Warm White	3800157633260
SKU: 1441 - 4000K Day White	3800157633277
SKU: 1442 - 6400K White	3800157633284

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

15W VT-8033SQ

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1390 - 3000K Warm White	3800157626477
SKU: 5567 - 4000K Day White	3800157610360
SKU: 1391 - 6400K White	3800157626484

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	200x200x47.5
PF:	>0.6	Box Qty:	20 Pcs



Ceiling Lights - Round

15W VT-8033RD

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1388 - 3000K Warm White	3800157626453
SKU: 5566 - 4000K Day White	3800157610353
SKU: 1389 - 6400K White	3800157626460

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø200x47.5mm
PF:	>0.6	Box Qty:	20 Pcs



Ceiling Lights - Square

25W VT-8066SQ

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1395 - 3000K Warm White	3800157628280
SKU: 1396 - 4200K Day White	3800157628297
SKU: 1397 - 6500K White	3800157628303

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	300x300x50mm
PF:	>0.9	Box Qty:	10 Pcs



Ceiling Lights - Round

25W VT-8066RD

TRIMLESS
Luxurious Finish
SURFACE MOUNTED

SKU: 1392 - 3000K Warm White	3800157628259
SKU: 1393 - 4200K Day White	3800157628266
SKU: 1394 - 6500K White	3800157628273

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø300x50mm
PF:	>0.9	Box Qty:	10 Pcs



Dome Series - Rectangle Oval

8W **VT-8038-B**

IP54 RATING

SKU: 1308 - 3000K Warm White	3800157620260
SKU: 1309 - 4500K Day White	3800157620277
SKU: 1310 - 6000K White	3800157620284

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190x100x55mm
PF:	>0.5	Box Qty:	20 Pcs



Dome Series - Rectangle Oval

8W **VT-8038-W**

IP54 RATING

SKU: 1311 - 3000K Warm White	3800157620291
SKU: 1312 - 4000K Day White	3800157620307
SKU: 1313 - 6000K White	3800157620314

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190x100x55mm
PF:	>0.5	Box Qty:	20 Pcs



Bling Star

8W **VT-8061**

SKU: 1370 - 3000K Warm White	3800157626262
SKU: 1371 - 4000K Day White	3800157626279
SKU: 1372 - 6400K White	3800157626286

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø215x78mm
PF:	>0.5	Box Qty:	20 Pcs



Bling Star

12W **VT-8062**

SKU: 1373 - 3000K Warm White	3800157626293
SKU: 1374 - 4000K Day White	3800157626309
SKU: 1375 - 6400K White	3800157626316

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø260x92mm
PF:	>0.5	Box Qty:	10 Pcs



Bling Star

18W VT-8063

SKU: 1376 - 3000K Warm White	3800157626323
SKU: 1377 - 4000K Day White	3800157626330
SKU: 1378 - 6400K White	3800157626347

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	1260lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø290x92mm
PF:	>0.5	Box Qty:	10 Pcs



Bling Star

24W VT-8064

SKU: 1379 - 3000K Warm White	3800157626354
SKU: 1380 - 4000K Day White	3800157626361
SKU: 1381 - 6400K White	3800157626378

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	1680lm	Body Type:	Irom+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø330x102mm
PF:	>0.5	Box Qty:	10 Pcs



Ceiling Lights - Round

12W VT-8031

SKU: 1414 - 3000K Warm White	3800157630092
SKU: 5563 - 4500K Day White	3800157610322
SKU: 5562 - 6500K White	3800157610315

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	800lm	Body Type:	Metal+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø250x80mm
PF:	>0.5	Box Qty:	16 Pcs



Ceiling Lights - Round

24W VT-8032

SKU: 1415 - 3000K Warm White	3800157630108
SKU: 5565 - 4500K Day White	3800157610346
SKU: 5564 - 6500K White	3800157610339

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50Hz	Color of Fixture:	White
Luminous Flux:	1700lm	Body Type:	Metal+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø320x95mm
PF:	>0.5	Box Qty:	10 Pcs



Dome Series - Oval

8W VT-8014-OV-B

IP54 RATING

SKU: 1267 - 3000K Warm White	3800157611893
SKU: 1266 - 4000K Day White	3800157611886
SKU: 1268 - 6400K White	3800157611909

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Oval
PF:	>0.5	Box Qty:	Ø126x76mm



Dome Series - Oval

8W VT-8014-OV-W

IP54 RATING

SKU: 1264 - 3000K Warm White	3800157611862
SKU: 1263 - 4500K Day White	3800157611855
SKU: 1265 - 6400K White	3800157611879

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Oval
PF:	>0.5	Box Qty:	Ø126x76mm



Dome Series - Oval

12W VT-8016-B

IP54 RATING

SKU: 5056 - 4500K Day White	3800157603980

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Oval
PF:	>0.5	Box Qty:	Ø245x96mm



Dome Series - Oval

12W VT-8016-W

IP54 RATING

SKU: 5054 - 4500K Day White	3800157603331
SKU: 5053 - 6400K White	3800157603324

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Oval
PF:	>0.5	Box Qty:	Ø245x96mm



Dome Series - Round

8W VT-8014-RD-W

IP54 RATING

SKU: 4999 - 3000K Warm White	3800157602556
SKU: 1259 - 4500K Day White	3800157611817
SKU: 4997 - 6400K White	3800157602259

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Round
PF:	>0.5	Box Qty:	Ø180x82mm





Dome Series - Round

8W VT-8014-RD-B

IP54 RATING

SKU: 1261 - 3000K Warm White	3800157611831
SKU: 1260 - 4000K Day White	3800157611824
SKU: 1262 - 6000K White	3800157611848

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Round
PF:	>0.5	Box Qty:	Ø180x82mm



Dome Series - Oval

12W VT-8015-B

IP54 RATING

SKU: 1349 - 3000K Warm White	3800157624046
SKU: 5052 - 4000K Day White	3800157603317
SKU: 5051 - 6400K White	3800157603300

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Round
PF:	>0.5	Box Qty:	Ø220x105mm



Dome Series - Round

12W VT-8015-W

IP54 RATING

SKU: 4998 - 3000K Warm White	3800157602549
SKU: 5050 - 4500K Day White	3800157603294
SKU: 4996 - 6400K White	3800157602228

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>70	Dimension:	Round
PF:	>0.5	Box Qty:	Ø220x105mm



Dome Series - Oval

12W VT-8010-B

IP54 RATING

SKU: 1350 - 3000K Warm White	3800157624053
SKU: 4973 - 4500K Day White	3800230629050
SKU: 1269 - 6400K White	3800157611916

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	840lm	Body Type:	Plastic CLAD Alu-
IP Rating:	IP54	Shape:	minium
CRI:	>80	Dimension:	Oval
PF:	>0.9	Box Qty:	Ø242x96mm



Dome Series - Oval

12W VT-8010-W



IP54 RATING

SKU: 1351 - 3000K Warm White	3800157624060
SKU: 1353 - 6000K White	3800157624084

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic CLAD Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>80	Dimension:	Ø242x96mm
PF:	>0.9	Box Qty:	10 Pcs

Dome Sensor Series

VT-8002C

INSIDE SENSOR



SKU: 4966	3800230625816

Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø296x96mm
Rated Load:	Max. 60W	Time Delay:	Min. 10sec±3sec,Max. 12min±1min
		Box Qty:	5 Pcs

Dome Sensor Series

16W VT-8001C

INSIDE SENSOR

IP54 RATING

Built In LED

SKU: 1281 - 3000K Warm White	3800157612678
SKU: 1282 - 6000K White	3800230625809
	3800157612685

Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP54
Voltage:	AC:200-240V,50/60Hz	Dimension:	Ø296 x 96mm
Rated Load:	16w	Time Delay:	Min. 10 sec to 12 min
Watts:	16w	Box Qty:	5 Pcs



Dome Sensor Series

12W VT-8017

SKU: 5057 - 3000K Warm White	3800157605250
SKU: 5058 - 4000K Day White	3800157605267
SKU: 5059 - 6400K White	3800157605274



Sensor Type:	**PIR**
Color:	**White**
Detection Range:	**360°**
Voltage:	**AC:110-240V,50/60Hz**
Rated Load:	**12W(24PCS LED)**
Watts:	**12w**

Detection Distance:	**Max. 6m(<24°C)**
Body Type:	**Plastic CLAD Aluminium**
IP Rating:	**IP20**
Dimension:	**Ø290x60mm**
Time Delay:	**Min. 10sec±3sec, Max. 12min±1min**
Box Qty:	**10 Pcs**

V-TAC SMART LIGHT

5 YEAR WARRANTY*

Fire Rated Light With Anti-glare Lens

- IP65 Rating.
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation.
- Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

Color Changing

Easily can change Color from 2700-6500K



Dimmable

Controls brightness level from 0% To 100%

5 YEAR WARRANTY*

Fire Rated Downlight With White Bezel

10W **VT-7710**

SKU: 1424 - 3 IN 1 3800157633109

Changeable bezel options:

Black
SKU- 1425

Brush Nickel
SKU - 1426

Polish Chrome
SKU- 1427

V-TAC SMART

CCT AND DIMMING
VIA SMART PHONE APP

90 MIN Fire Rated

IP65 RATING

DIMMABLE

QUICK CONNECTOR

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs



---

new!

Fire Rated Downlight With White Bezel

7W **VT-7077-W**

SKU: 1416 - 2700K Warm White 3800157630344
SKU: 1417 - 4000K Day White 3800157630351
SKU: 1418 - 6400K White 3800157630368

IP65 RATING

Optional Bezel Changeable:

Satin Nickel SKU- 1422

Chrome SKU- 1423

90 MIN Fire Rated

QUICK CONNECTOR

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	600lm
LED Type:	COB
Body Type:	Aluminium Alloy & Iron
Beam Angle:	38°

Life Span:	30,000 Hours
Unit Size:	Ø85x52mm
Cutting Size:	Ø72mm
IP Rating:	IP65
Box Qty:	50 Pcs

---

new!

Fire Rated Downlight With Satin Nickel

7W **VT-7077-SN**

SKU: 1419 - 3000K Warm White 3800157630375
SKU: 1420 - 4000K Day White 3800157630382
SKU: 1421 - 6400K White 3800157630399

IP65 RATING

Optional Bezel Changeable:

Chrome SKU- 1423

90 MIN Fire Rated

QUICK CONNECTOR

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	600lm
LED Type:	COB
Body Type:	Aluminium Alloy & Iron
Beam Angle:	38°

Life Span:	30,000 Hours
Unit Size:	Ø85x52mm
Cutting Size:	Ø72mm
IP Rating:	IP65
Box Qty:	50 Pcs

90 MIN Fire Rated

Twist & Lock

Fire Rated Fitting-GU10

SKU: 3131 EAN: 3800157634793

Model:	VT-7011-W	IP Rating:	IP20
Base	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast	Cutting Size:	Ø65mm
Shape:	Aluminum	Box Qty:	50 Pcs
Color of Fxture:	Round		

90 MIN Fire Rated

Twist & Lock

Fire Rated Fitting-GU10

SKU: 3132 EAN: 3800157634809

Model:	VT-7011-SN	IP Rating:	IP20
Base	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast	Cutting Size:	Ø65mm
Shape:	Aluminum	Box Qty:	50 Pcs
Color of Fxture:	Round		

90 MIN Fire Rated

Twist & Lock

Fire Rated Fitting-GU10

SKU: 3133 EAN: 3800157634816

Model:	VT-7011	IP Rating:	IP20
Base	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast	Cutting Size:	Ø65mm
Shape:	Aluminum	Box Qty:	50 Pcs
Color of Fxture:	Round		



90 MIN Fire Rated

IP65 RATING

Fire Rated Fitting-GU10

SKU: 3683 EAN: 3800157626880

Model:	VT-702-SN	IP Rating:	IP65
Base	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Satin Nickel		



90 MIN Fire Rated

IP65 RATING

Fire Rated Fitting-GU10

SKU: 3684 EAN: 3800157626897

Model:	VT-702-W	IP Rating:	IP65
Base	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	White		



90 MIN Fire Rated

IP65 RATING

Fire Rated Fitting-GU10

SKU: 3685 EAN: 3800157626903

Model:	VT-702-CH	IP Rating:	IP65
Base	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Chrome		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3686 EAN: 3800157626910

Model:	VT-703-SN	IP Rating:	IP20
Base	GU10	Dimension:	Ø82mmx130mm
Material:	Steel	Cutting Size:	68mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Satin Nickel		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3687 EAN: 3800157626927

Model:	VT-703-W	IP Rating:	IP20
Base	GU10	Dimension:	Ø82mmx130mm
Material:	Steel	Cutting Size:	68mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	White		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3688 EAN: 3800157626934

Model:	VT-703-CH	IP Rating:	IP20
Base	GU10	Dimension:	Ø82mmx130mm
Material:	Steel	Cutting Size:	68mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Chrome		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3680 EAN: 3800157626859

Model:	VT-701-SN	IP Rating:	IP20
Base	GU10	Dimension:	Ø80mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	Satin Nickel		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3681 EAN: 3800157626866

Model:	VT-701-W	IP Rating:	IP20
Base	GU10	Dimension:	Ø80mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	White		



90 MIN Fire Rated

Fire Rated Fitting-GU10

SKU: 3682 EAN: 3800157626873

Model:	VT-701-CH	IP Rating:	IP20
Base	GU10	Dimension:	Ø80mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	Chrome		

Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

Infrared Sensor

Max 1000W(LED)

VT-8027-W

SKU: 5086 3800157609173

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**625x220x265mm**
Rated Load:	**Max 1000W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 6m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor

Max 1000W(LED)

VT-8027-B

SKU: 5087 3800157609180

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**Black**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**625x220x265mm**
Rated Load:	**Max 1000W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 6m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-W

SKU: 5088 3800157609197

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**445X345X19mm**
Rated Load:	**Max 400W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)

VT-8028-B

SKU: 5089 3800157609203

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**Black**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**445X345X19mm**
Rated Load:	**Max 400W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor

Max 300W(LED)

VT-8029

SKU: 5090 3800157609210

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**76x75.6mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 6m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-Moving Head

Max 400W(LED)

VT-8030

SKU: 5091 3800157609227

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**98x73x82mm**
Rated Load:	**Max 400W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 8m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-IP44

Max 300W(LED)

VT-8003-W

SKU: 4967 3800230625823

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**86.4x60.4x98mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 7min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**

Infrared Sensor-IP44

Max 300W(LED)

VT-8003-B

SKU: 5077 3800157606875

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**Black**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**86.4x60.4x98mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 7min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**

Infrared Sensor

Max 300W(LED)

VT-8004

SKU: 4968 3800230625830

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**Ø88x55mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-E27

Max 60W

VT-8005

SKU: 4982 3800157600071

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**Plastic**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:110-240V,50/60Hz**	Dimension:	**55.5x116.5mm**
Rated Load:	**Max 60W**	Time Delay:	**Min. 10sec±3sec, Max. 5min±1min**
Detection Distance:	**Max. 6m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor-IP44

Max 300W(LED)

VT-8048

SKU: 1354 3800157624794

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**180°**	IP Rating:	**IP44**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**86.4x86.4x60.4mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 7min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**

Infrared Sensor

Max 300W(LED)

VT-8049

SKU: 1355 3800157624800

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**88x55mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 12m(<24°C)**	Box Qty:	**50 Pcs**



Infrared Sensor

Max 300W(LED)

VT-8051

SKU: 1356 3800157624817

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. Thelight will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Sensor Type:	**Infrared**	Ambient Light:	**<3-2000LUX(adjustable)**
Colour:	**White**	Body Type:	**PC**
Detection Range:	**360°**	IP Rating:	**IP20**
Voltage:	**AC:220-240V,50/60Hz**	Dimension:	**76x75.6mm**
Rated Load:	**Max 300W(LED)**	Time Delay:	**Min. 10sec±3sec, Max. 15min±2min**
Detection Distance:	**Max. 6m(<24°C)**	Box Qty:	**50 Pcs**



Day Light Sensor - 1-10V

VT-8059

SKU: 1369 3800157625982

Colour:	**White**
Detection	**360°**
Range:	**1% - 100%**
Dimming	**DC:1-10V**
Range:	**PC**
Voltage:	**IP20**
Body Type:	**100 Pcs**

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

Infrared-Hand Gesture Detecion

Max 200W(LED)

VT-8025

SKU: 5084 3800157608046

On/Off via Moving Hand

Sensor Type:	Infrared	Ambient Light:	
Colour:	White	Body Type:	Plastic
Detection Range:	30°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	35.5x78.2x20.6mm
Rated Load:	Max 200W(LED)	Time Delay:	
Detection Distance:	5cm/6cm(<24°C)	Box Qty:	100 Pcs



Infrared-Door Detection

Max 200W(LED)

VT-8026

SKU: 5085 3800157608053

On/Off via the opening and closing of the door

Sensor Type:	Infrared	Ambient Light:	
Colour:	White	Body Type:	Plastic
Detection Range:	30°	IP Rating:	IP20
Voltage:	AC:110-240V,50/60Hz	Dimension:	35.5x78.2x18.7mm
Rated Load:	Max 200W(LED)	Time Delay:	
Detection Distance:	5cm/6cm(<24°C)	Box Qty:	100 Pcs



Microwave Sensor-IP65

Max 200W(LED)

VT-8036-W

SKU: 5571 3800157620246

IP65 RATING

Sensor Type:	Microwave	Ambient Light:	<25-2000LUX
Colour:	White	Body Type:	Plastic
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x35x25mm
Rated Load:	Max 200W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	5m/10m	Box Qty:	100 Pcs

Microwave Sensor-IP65

Max 200W(LED)

VT-8036-B

SKU: 5572 3800157620253

IP65 RATING

Sensor Type:	Microwave	Ambient Light:	<25-2000LUX
Colour:	Black	Body Type:	Plastic
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	115x35x25mm
Rated Load:	Max 200W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	5m/10m	Box Qty:	100 Pcs

Microwave Sensor

Max 300W(LED)

VT-8018

SKU: 5078 3800157606882

Sensor Type:	Microwave	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	Plastic
Detection Range:	180° / 360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	37x25x61.5mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Detection Distance:	1-8m(radius) adjustable	Box Qty:	100 Pcs



Housing Case-IP65

VT-8021

SKU: 5079 3800157606899

Colour:	**White**
IP Rating:	**IP65**
Dimension:	**134x66.5mm**
Box Qty:	**50 Pcs**



Photocell Sensor-IP44

VT-8019

SKU: 5081 3800157608015

Sensor Type:	**Photocell**
Colour:	**White**
Detection Range:	**360°**
Voltage:	**AC:220-240V,50Hz**
Ambient Light:	**<5-15LUX(adjustable)**
Body Type:	**Plastic**
IP Rating:	**IP44**
Dimension:	**35.5x46x44.1mm**
Time Delay:	**5 sec to 8 min (adjustable)**
Box Qty:	**100 Pcs**



Infrared Sensor-IP44

Max 200W(LED)

VT-8022

SKU: 5082 3800157608022

Sensor Type:	**Infrared**
Colour:	**White**
Detection Range:	**120°/360°**
Voltage:	**AC:220-240V,50/60Hz**
Rated Load:	**Max 200W(LED)**
Detection Distance:	**3/6m(<24°C)**
Ambient Light:	**10LUX/2000LUX(choice)**
Body Type:	**Plastic**
IP Rating:	**IP20**
Dimension:	**36.8x25.5x55.4mm**
Time Delay:	**5s,30s,1min,3min,5min,8min(choice)**
Box Qty:	**100 Pcs**



Microwave Sensor

Max 300W(LED)

VT-8077

SKU: 1446 3800157634755

Sensor Type:	**Microwave**
Colour:	**White**
Detection Range:	**360°**
Voltage:	**AC:220-240V,50/60Hz**
Rated Load:	**Max 300W(LED)**
Detection Distance:	**1-8m(radius) Adjustable**
Ambient Light:	**0<3-2000LUX(Adjustable)**
Body Type:	**Plastic**
IP Rating:	**IP20**
Dimension:	**80.7x42.1x43.8mm**
Time Delay:	**Min. 10sec±3sec, Max.12min±1min**
Box Qty:	**100 Pcs**



Microwave Sensor

Max 300W(LED)

VT-8023

SKU: 5083 3800157608039

Sensor Type:	**Microwave**
Colour:	**White**
Detection Range:	**180°**
Voltage:	**AC:220-240V,50/60Hz**
Rated Load:	**Max 300W(LED)**
Detection Distance:	**5m-15m(adjustable)**
Ambient Light:	**<3-2000LUX(adjustable)**
Body Type:	**Plastic**
IP Rating:	**IP20**
Dimension:	**80x80x32mm**
Time Delay:	**10 sec to 12 min (adjustable)**
Box Qty:	**100 Pcs**



LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Retangular type plastic with different signs
- Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- Corrosion free mounting clamps
- High performance Ni-Cd batteries made for Longevity & low maintenance
- Reliable Emergency backup of 3 hours

Exit Light - Surface

2W **VT-519**

SKU: 8099 - 6000K White 3800157623155

24Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light - Surface

2W **VT-519-12**

SKU: 8312 - 6000K White 3800157630764

12Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light-Surface Hanging

2W **VT-520**

SKU: 8100 - 6000K White 3800157623162

24Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light-Surface Hanging

2W **VT-520-12**

SKU: 8313 - 6000K White 3800157630771

12Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light-Hanging

2W **VT-521**

SKU: 8200 - 6000K White 3800157623179

24Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10Pcs

Exit Light-Hanging

2W **VT-521-12**

SKU: 8314 - 6000K White 3800157630788

12Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light-Recessed

2W **VT-522**

SKU: 8201 - 6000K White 3800157623186

24Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Exit Light-Recessed

2W **VT-522-12**

SKU: 8315 - 6000K White 3800157630795

12Hrs CHARGING TIME



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs

Emergency -Bulkhead

3.8W **VT-511-12**

SKU: 8249 - 6000K White 3800157635554

12Hrs CHARGING TIME

IP65 RATING



Lumens:	110lm
Input:	AC:220-240V,50/60Hz
IP Rating:	IP20
Lamp Type:	20 SMD LEDs
Exit Lamp Type:	Bulkhead
Operation Time:	>3 Hours

Charging Current:	200mA
Discharging Current:	360mA
Battery:	4V2.0AH Lead Acid battery
Material:	ABS+PC
Dimension:	292x79x102mm
Mode Of Operation	Maintained/Non Maintained
Box Qty:	10 Pcs

Emergency-Downlight

3W **VT-503**

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Mouned:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs

Exit Light - Bulkhead

3W **VT-523**

SKU: 8096 - 6000K White 3800157623124

24Hrs CHARGING TIME

IP65 RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Exit Light - Bulkhead

3W **VT-523-12**

SKU: 8311 - 6000K White 3800157630757

12Hrs CHARGING TIME

IP65 RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Exit Light - Bulkhead

4W **VT-524**

SKU: 8097 - 6000K White 3800157623131

24Hrs CHARGING TIME | IP65 RATING



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Exit Light - Bulkhead

4W **VT-524-12**

SKU: 8382 - 6000K White 3800157635493

12Hrs CHARGING TIME | IP65 RATING



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

NEW

Emergency-Twin Spotlight

6W **VT-526-IP65**

SKU: 80981 - 6000K White 3800157623148

24Hrs CHARGING TIME | IP65 RATING



Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs

Emergency-Twin Spotlight

7W **VT-526**

SKU: 8098 - 6000K White 3800157623148

24Hrs CHARGING TIME | IP65 RATING



Lamp Type:	2x15 SMD LEDs
Lumens:	600lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 9.6V,2200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs

LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.

Floor Lamp-Touch Dimming

80w

Silver **VT-8400D-S**

SKU: 8521 4000K Day White 3800157638104

White **VT-8400D-W**

SKU: 8522 4000K Day White 3800157638111

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:4200/Down:3800**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°**
Color:	**Silver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**310x52x1950mm**
Box Qty:	**1 Pc**

TOUCH DIMMING

UP - DOWN LIGHTS



Floor Lamp-Knob Dimming-Round

80w

Silver **VT-8500D-S**

SKU: 8523 4000K Day White 3800157638128

White **VT-8500D-W**

SKU: 8524 4000K Day White 3800157638135

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:5200/Down:3600**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°/90°**
Color:	**SIlver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**280x35x1950mm**
Box Qty:	**1 Pc**

KNOB DIMMING

UP - DOWN LIGHTS







Floor Lamp-Knob Dimming-Square

80w

Silver **VT-8600D-S**

SKU: 8525 4000K Day White 3800157638142

White **VT-8600D-W**

SKU: 8526 4000K Day White 3800157638159

Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**UP:5200/Down:3600**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**110°/90°**
Color:	**Silver**
Body Type:	**Aluminium Alloy+PC**
Dimension:	**280x35x1950mm**
Box Qty:	**1 Pc**

KNOB DIMMING

UP - DOWN LIGHTS





Table Lamps-Slim

6.5w VT-1037

SKU: 8520 3I N 1
3800157637718

- Flexible LED Table Lamp bends 0-180 degress on both sides.
- Touch power switch and dimmer
- Color temperature Switch

DIMMABLE

NEW

Voltage/Frequency:	DC:12V,1A
Luminous Flux:	110lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	PC-Rubber Finish
Dimension:	562x65x21mm
Box Qty:	10 Pcs

Table Lamps-Wireless

16w VT-1027

SKU: 8519 - 3 IN 1
3800157637527

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A

DIMMABLE

NEW

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1000lux
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	12 Pcs

Table Lamps-White+Silver

4w VT-1014-S

SKU: 7098 - 3 IN 1 3800157616980

Rechargeable



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs

Table Lamps-White+Gold

4w VT-1014-G

SKU: 7099 - 3 IN 1 3800157616997

Rechargeable



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Gold
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs

Table Lamps-Black

4w VT-1014-B

SKU: 8500 - 3 IN 1 3800157617215

Rechargeable



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs

Table Lamps-Grey

7W VT-1007D-G

SKU: 7034 - 5000K White 3800157603836

Touch Control | 6 Steps Dimming | 1 hour timer | Eye Protection | Anti-radiation

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Grey
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs



Table Lamps-Pink

7W VT-1007D-P

SKU: 7042- 5000K White 3800157605311

Touch Control | 6 Steps Dimming | 1 hour timer | Eye Protection | Anti-radiation

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Pink
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs

Table Lamps-Blue

7W VT-1007D-B

SKU: 7043- 5000K White 3800157605328

Touch Control | 6 Steps Dimming | 1 hour timer | Eye Protection | Anti-radiation

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Blue
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs

Table Lamps-3 In 1-Dimmable

7W VT-1009D-W

SKU: 7039 - 3 IN 1 3800157605281

DIMMABLE

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	650lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	9 Pcs



Table Lamps-3 In 1-Dimmable

7W VT-1009D-B

SKU: 7040 - 3 IN 1 3800157605298

DIMMABLE

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	650lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black+White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	9 Pcs



Table Lamps-3 In 1-Dimmable

10w VT-1010D

SKU: 7033 - 3 IN 1 3800157603829

DIMMABLE

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	700lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+Aluminium
Dimension:	328x445x205mm
Box Qty:	12 Pcs



Table Lamps-3 In 1-Dimmable

7w VT-1008D

SKU: 7035 - 3 IN 1 3800157603843

DIMMABLE

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	400lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS
Dimension:	170x352x113mm
Box Qty:	16 Pcs

Desk Lamp-White

5w VT-1015-W

SKU: 7051 - 4000K Day white
3800157610650

TOUCH
Touch Control

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	White
Body Type:	ABS+Metal
Dimension:	210x136x32mm
Box Qty:	6 Pcs



Desk Lamp-Touch Dimming

5w VT-1015-B

SKU: 7052 - 4000K Day white
3800157610667

TOUCH
Touch Control

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Black
Body Type:	ABS+Metal
Dimension:	210x136x32mm
Box Qty:	6 Pcs



Table Lamps

5.5w VT-1046

SKU: 8514 - 3000K Warm White
3800157627245

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5

Beam Angle:	110°
Color:	White
Body Type:	Plastic+Metal
Dimension:	142x101.8x310mm
Box Qty:	12 Pcs



Desk Lamp-White

7W VT-1017-W

SKU: 7053 - 4000K Day white
3800157610674

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs

Desk Lamp-Touch Dimming

7W VT-1017-B

SKU: 7054 - 4000K Day white
3800157610681

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs

Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

Body Type:	Glass+Metal
Holder:	E27
Color:	Green
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*



Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

Body Type:	Glass+Metal
Holder:	E27
Color:	Blue
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*



Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

Body Type:	Glass+Metal
Holder:	E27
Color:	Yellow
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY*



Table Lamps+Speaker

3W **VT-1043D**

Touch Control | Touch Dimming | USB port | Rechargeable

SKU: 8516 - 3000K+RGB 3800157632959

Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>70
Luminous Flux:	110lm	PF:	>0.6
Working Time:	2-3 Hours(Min) 15-20 Hours(Max)	Beam Angle:	360°
Battery Type:	Lithium Battery - 1500mAh	Color:	White
Charging Time:	2-3 Hours	Body Type:	ABS
USB Output	5V, 2A	Dimension:	Ø95x122mm
		Box Qty:	40 Pcs





- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

Floor Lamp

7W **VT-7700-W**

SKU: 8507 - 4000K Day White 3800157620406

Built In LED

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Color:	White
Body Type:	ABS+Metal
Dimension:	Ø220x440x1405mm
Box Qty:	3 Pcs



Floor Lamp

7W **VT-7700-B**

SKU: 8508 - 4000K Day White 3800157620413

Built In LED

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Color:	Black
Body Type:	ABS+Metal
Dimension:	Ø220x440x1405mm
Box Qty:	3 Pcs



Floor Lamp-E27

VT-7500-B

SKU: 7055 3800157610698

Max. Watts:	**60W**
Body Type:	**ABS+Metal**
Holder:	**E27**
Color:	**Black**
Dimension:	**250x250x1800mm**
Box Qty:	**4 Pcs**



Floor Lamp-E27

VT-7500-S

SKU: 7056 3800157610704

Max. Watts:	**60W**
Body Type:	**ABS+Metal**
Holder:	**E27**
Color:	**Silver**
Dimension:	**250x250x1800mm**
Box Qty:	**4 Pcs**



Floor Lamp-E27

VT-7600-SB

SKU: 3703 3800157610766

Max. Watts:	**60W**
Body Type:	**Metal With Sand Finish**
Holder:	**E27**
Color:	**Sand Black+Satin Nickel**
Dimension:	**140x200x1600mm**
Box Qty:	**4 Pcs**



Floor Lamp-E27

VT-7600-SW

SKU: 3704 3800157610773

Max. Watts:	**60W**
Body Type:	**Metal With Sand Finish**
Holder:	**E27**
Color:	**Sand White+Satin Nickel**
Dimension:	**140x200x1600mm**
Box Qty:	**4 Pcs**



Desk Lamp-Purple Shade

5W **VT-1035-P**

SKU: 8501 - 4000K Day White 3800157620345

Touch Control

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	300lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Chrome+Purple
Body Type:	PC+Metal
Dimension:	Ø150x233mm
Box Qty:	6 Pcs



Hanging Lamp-Purple Shade

7W **VT-1036-P**

SKU: 8504 - 4000K Day White 3800157620376

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Chrome+Purple
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs

Hanging Lamp-White Shade

7W **VT-1036-W**

SKU: 8505 - 4000K Day White 3800157620383

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Chrome+White
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs

Desk Lamp-Blue Shade

5W **VT-1035-B**

SKU: 8503 - 4000K Day White 3800157620369

Touch Control

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	300lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Chrome+Blue
Body Type:	PC+Metal
Dimension:	Ø150x233mm
Box Qty:	6 Pcs



Hanging Lamp-Blue Shade

7W **VT-1036-B**

SKU: 8506 - 4000K Day White 3800157620390

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Color:	Chrome+Blue
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs

LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

- ZERO Electricity Cost
- Solar Powered
- PIR Detective
- Outdoor
- Light on/off automatically
- Cordless

Applications

Suitable for Outdoor and Indoor Lighting

Solar Wall Light-IP65

1.5W **VT-767-2-W**

SKU: 8276 - 4000K Day White 3800157627931

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 1200mAh	Charging Time:	6-7 hrs Sunlight Charging
Lumens:	220lm	IP Rating:	IP65
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)	Material:	ABS+PC
Detecting Angle:	120°	Dimension:	144.5x96x79mm
Sensing Range:	2 - 6 mtrs	Working Time:	Min 8 hrs and Max 24 hrs
		Box Qty:	20Pcs

Solar Wall Light-IP65

1.5W **VT-767-2-B**

SKU: 8277 - 4000K Day White 3800157627948

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 1200mAh	Charging Time:	6-7 hrs Sunlight Charging
Lumens:	220lm	IP Rating:	IP65
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)	Material:	ABS+PC
Detecting Angle:	120°	Dimension:	144.5x96x79mm
Sensing Range:	2 - 6 mtrs	Working Time:	Min 8 hrs and Max 24 hrs
		Box Qty:	20Pcs

Solar Wall Light-IP65

3W **VT-768**

SKU: 7523 - Day+Warm White 3800157619363

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 2000mAh	Charging Time:	6-7 hrs Sunlight Charging
Lumens:	400lm	IP Rating:	IP65
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)	Material:	ABS+PC
Detecting Angle:	120°	Dimension:	140x212x109.2mm
Sensing Range:	2 - 6 mtrs	Working Time:	Min 5-8 hrs and Max 24 hrs
		Box Qty:	12Pcs

Solar Wall Light-IP65

7W **VT-767-7-W**

SKU: 8278 - 4000K Day White 3800157627955

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 4000mAh	Charging Time:	6-7 hrs Sunlight Charging
Lumens:	800lm	IP Rating:	IP65
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)	Material:	ABS+PC
Detecting Angle:	120°	Dimension:	270x221x109.2mm
Sensing Range:	2 - 6 mtrs	Working Time:	Mode A: 5 hours, Mode B: 2~3 nights
		Box Qty:	Mode C: 3~4 nights

Solar Wall Light-IP65

7W **VT-767-7-B**

SKU: 8279 - 4000K Day White 3800157627962

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING



Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2~3 nights
Box Qty:	Mode C: 3~4 nights

NEW

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING

Solar Floodlight

5W **VT-777-5**

SKU: 8547 - 4000K Day White 3800157639194

Battery:	3.7V Lithium Battery,3000mAh
Lumens:	500lm
No. of LED:	30pcs
Detecting Angle:	180°
Sensing Range:	2-6M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	217.4x149.3x33.7mm
Working Time:	2-36 Hours
Box Qty:	18Pcs

NEW

Solar Lights | MOTION PIR SENSOR | UV PROTECTION | IP65 RATING

Solar Floodlight

10W **VT-787-10**

SKU: 8550 - 4000K Day White 3800157639224

Battery:	3.7V Lithium Battery, 3000mAh
Lumens:	1100lm
No. of LED:	60pcs
Detecting Angle:	180°
Sensing Range:	2-6M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	300x215x35mm
Working Time:	2-36 Hours
Box Qty:	8Pcs

NEW

Solar Lights | UV PROTECTION | IP65 RATING

Solar Streetlight-Black Cover

15W **VT-ST15**

SKU: 8548 - 6000K White 3800157639217
SKU: 8549 - 4000K Day White 3800157639200

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40pcs
Detecting Angle:	120°
Sensing Range:	3-8M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	413x232x58mm
Working Time:	2-36 Hours
Box Qty:	10Pcs

Wireless
Lights Switchs

Introducing the next generation self powered wireless switchs, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.

No Wiring | Wireless | Battery Free

Switch - One Gang Set

VT-541

SKU: 8229 3800157624336

Box Qty. **50**



Switch

Working Type:	**Push -Button**
Power Mode:	**Self Powered**
Control Distance:	**Up to 30 meters**
Switch Lifetime:	**2,00,000**
Operating Temp:	**-5~40°C**
Humidity:	**0-95%RH**
IP Rating:	**IP20**
Dimensions:	**Ø70x15.5mm**

Receiver

Input Voltage:	**AC:200-265V,50/60Hz**
Load Power:	**Max 200W**
Controller:	**RF Receiver**
Dimensions:	**D:48x25mm**

No Wiring | Wireless | Battery Free

Switch - Two Gang Set

VT-542

SKU: 8230 3800157624343

Box Qty. **30**



Switch

Working Type:	**Push -Button**
Power Mode:	**Self Powered**
Control Distance:	**Up to 30 meters**
Switch Lifetime:	**2,00,000**
Operating Temp:	**-5~40°C**
Humidity:	**0-95%RH**
IP Rating:	**IP20**
Dimensions:	**Ø70x15.5mm**

Receiver

Input Voltage:	**AC:200-265V,50/60Hz**
Load Power:	**Max 200W**
Controller:	**RF Receiver**
Dimensions:	**D:48x25mm**

Switch - Mounting Base

VT-540

SKU: 8231 3800157624350

Dimensions:	**86x86x11mm**
Box Qty:	**200**



VT-5111-B Black
SKU: 8385 3800157635714

VT-5111-W White
SKU: 8354 3800157634953

Touch Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100

VT-5112-B Black
SKU: 8387 3800157635738



VT-5112-W White
SKU: 8357 3800157634984

Touch Switch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-1000W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5121-B Black
SKU: 8389 3800157635752



VT-5121-W White
SKU: 8360 3800157635011

Touch Switch 1Gang-2Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5211-B Black
SKU: 8391 3800157635776

VT-5211-W White
SKU: 8363 3800157635042

Remote Touch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100

VT-5212-B Black
SKU: 8393 3800157635790

VT-5212-W White
SKU: 8366 3800157635073

Remote Touch 2Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-1000W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5311-B Black
SKU: 8395 3800157635813



VT-5311-W White
SKU: 8369 3800157635103

Remote Dimmer 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5411-B Black
SKU: 8397 3800157635837



VT-5411-W White
SKU: 8372 3800157635134

Doorbell-Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100

VT-5811-B Black
SKU: 8401 3800157635875

VT-5811-W White
SKU: 8402 3800157635882

Socket EU-2 Way

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60

VT-5711 Black
SKU: 8399 3800157635851

VT-5711-W White
SKU: 8379 3800157635202

Socket EU-Glass Panel

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80

VT-5912-B Black
SKU: 8412 3800157635981



VT-5912-W White
SKU: 8411 3800157635974

LAN Connection USB-White

Input Power:	AC:180-250V,50/60Hz
Body Type:	PC+Glass Finish
Box Qty:	80



V-TAC SMART LIGHT

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

- 16 million colors
- APP remote control
- Smart timer function
- Smart lighting adjustment
- Size: Ø65x120mm

Voltage/Frequency:	AC:85-265V 50/60Hz
Luminous Flux:	800lm
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Dimension:	60x112mm
Box Qty:	60 pcs

DIMMABLE

9w

VT-5010

SKU: 7452 6000K RGB+White
SKU: 7450 3000K RGB+Warm White
SKU: 7451 4000K RGB+Day White

9w

VT-5011

SKU: 7471 3000K RGB+Warm White

works with amazon alexa

works with Google Home

Table Lamps+Speaker

3W **VT-1043D**

SKU: 8516 - 3000K+RGB 3800157632959

Touch Control | Touch Dimming | USB port | Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>70
Luminous Flux:	110lm	PF:	>0.6
Working Time:	2-3 Hours(Min) 15-20 Hours(Max)	Beam Angle:	360°
Battery Type:	Lithium Battery - 1500mAh	Color:	White
Charging Time:	2-3 Hours	Body Type:	ABS
USB Output	5V, 2A	Dimension:	Ø95x122mm
		Box Qty:	40 Pcs





- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

Changeable bezel options:

Black
SKU- 1425

Brush Nickel
SKU - 1426

Polish Chrome
SKU- 1427



Fire Rated Downlight With White Bezel

10W **VT-7710**

SKU: 1424 - 3 IN 1 3800157633109

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs

5 YEAR WARRANTY*

90 MIN Fire Rated

IP65 RATING

DIMMABLE

QUICK CONNECTOR

CCT AND DIMMING VIA SMART PHONE APP

SKU: 5745 - 6000K White
3800157608268

SKU: 5917 - 6000K White
3800157620925



WiFi

CAMERA

MOTION PIR SENSOR

PIR Sensor-WIFI-Camera

18W **VT-4818W**

Video Compression:	H.264 /MJPEG dual video stream
Image Resolution:	1280*720
Image sensor:	1/4 " 1Megapixel CMOS
Pixels:	1 million pixels
Delay Time:	0-30S
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>70
PF:	>0.5
Beam Angle:	180°
Color of Fixture:	White
Body Type:	ABS+Aluminium
IP Rating:	IP20
Dimension:	248x 162x 181mm
Box Qty:	4 Pcs

V-TAC SMART HOME

works with amazon alexa

works with Google Home

SUPPORT AMAZON ALEXA AND GOOGLE HOME.

- SUPPORTS WI-FI NETWORK.
- SUPPORTS STATUS TRACKING, HOME APPLIANCES STATUS TIMELY FEEDBACK TO YOUR DEVICE.
- FCC, CE, ROHS, RED APPROVAL.
- LIGHTING PROTECTION (4000V)
- SUPPORTS SMART CONFIGURE NET TECHNOLOGY, EASY TO ACCESS SETTINGS.
- SUPPORTS MAX 8 TIMING TASK.
- SUPPORTS MAX 150 WI-FI SMART DEVICES FROM ONE SMART PHONE.

Available on the iPhone App Store

ANDROID APP ON Google play



works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5003

SKU: 8417 EAN: 3800157637305

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5004

SKU: 8418 EAN: 3800157637312

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5005

SKU: 8419 EAN: 3800157637329

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5003-BS

SKU: 8429 EAN: 3800157639828

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5004-BS

SKU: 8430 EAN: 3800157639835

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5005-BS

SKU: 8431 EAN: 3800157639842

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5003-B

SKU: 8423 EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5004-B

SKU: 8424 EAN: 3800157637428

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Touch Switch-Wifi

VT-5005-B

SKU: 8425 EAN: 3800157637510

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

works with amazon alexa

works with Google Home

Online Switch-Wifi

VT-5008

SKU: 8422 EAN: 3800157637350

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP30
Dimension:	90x40x25mm
Box Qty:	100 pcs

works with amazon alexa

works with Google Home

Waterproof Socket

VT-5000

SKU: 8414 EAN: 3800157637275

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP54
Dimension:	86x71x68mm
Box Qty:	50 pcs

BS Plug SKU: 8427

BS PLUG AVAILABLE

works with amazon alexa

works with Google Home

Plug-Wifi

VT-5001

SKU: 8415 EAN: 3800157637282

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs

BS Plug SKU: 8428

BS PLUG AVAILABLE

works with amazon alexa

works with Google Home

Mini Plug-Wifi

VT-5002

SKU: 8416 EAN: 3800157637299

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm
Box Qty:	100 pcs

works with amazon alexa

works with Google Home

Power Strip-Wifi

VT-5006

SKU: 8420 EAN: 3800157637336

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	32x60x48mm
Box Qty:	25 pcs

works with amazon alexa

works with Google Home

E27 Lamp Holder-Wifi

VT-5007

SKU: 8421 EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	67x67x102mm
Box Qty:	50 pcs

Controller-Wifi

VT-5009

SKU: 8426 EAN: 3800157637787

Supply:	12-24V DC via screw terminal block.
Strip compatibility:	RGB, RGBW, RGBWW*, single colour, CCT.
Connection mode :	Common anode
Controller dimensions:	L 82mm x W 62mm x H 18mm.
Output:	5 x 4A/channel, 20A total maximum via screw terminal block.
Box Qty:	100 pcs

works with amazon alexa

works with Google Home

LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments

Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611

UP & DOWN LIGHTS

MOTION PIR SENSOR

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x163mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628

UP & DOWN LIGHTS

MOTION PIR SENSOR

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x220mm
Box Qty:	12 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs

Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x118mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x178mm
Box Qty:	12 Pcs

Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x125mm
Box Qty:	24 Pcs

Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x118mm
Box Qty:	24 Pcs

Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x207mm
Box Qty:	16 Pcs

Wall Fitting-Round-IP44-GU10

VT-7651RD

SKU: 7508 3800157617673

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**92x68x80mm**
Box Qty:	**24 Pcs**

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD

SKU: 7509 3800157617680

UP & DOWN LIGHTS

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**92x68x80mm**
Box Qty:	**16 Pcs**

Wall Fitting-Square-IP44-GU10

VT-7651SQ

SKU: 7510 3800157617697

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**92x68x80mm**
Box Qty:	**24 Pcs**

Wall Fitting-Square-IP44-GU10

VT-7652SQ

SKU: 7511 3800157617703

UP & DOWN LIGHTS

Type:	**Wall Fixtures**
Holder:	**2XGU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**92x68x150mm**
Box Qty:	**16 Pcs**

Wall Fitting-Up-Down-GU10

VT-7662

SKU: 7512 3800157617710

UP & DOWN LIGHTS

Type:	**Wall Fixtures**
Holder:	**2XGU10**
Material:	**Stainless Steel**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**85x87x250mm**
Box Qty:	**12 Pcs**

Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

SKU: 7539 3800157630702

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**White**
IP Rating:	**IP44**
Dimension:	**92x68x80mm**
Box Qty:	**24 Pcs**

Wall Fitting-Round-IP44-GU10

VT-7651RD-W

SKU: 7540 3800157630719

Type:	**Wall Fixtures**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**White**
IP Rating:	**IP44**
Dimension:	**92x68x80mm**
Box Qty:	**24 Pcs**

Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726

UP & DOWN LIGHTS

Type:	**Wall Fixtures**
Holder:	**2XGU10**
Material:	**Aluminium**
Color of Fixture:	**White**
IP Rating:	**IP44**
Dimension:	**92x68x150mm**
Box Qty:	**16 Pcs**

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2xGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs

Wall Fitting-Up-Down-GU10

VT-7662-W

SKU: 7543 3800157630740

UP & DOWN LIGHTS

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	100x66x92mm
Box Qty:	24 Pcs

Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	1170x50mm
Box Qty:	6 Pcs

Underground Fitting-Round-GU10

VT-7677RD

SKU: 7515 3800157617741

IP65 RATING

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs

Underground Fitting-Square-GU10

VT-7677SQ

SKU: 7516 3800157617758

IP65 RATING

Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs

Garden Spike-Single Head-E27

VT-728

SKU: 7044 3800157606332

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x27mm
Box Qty:	12 Pcs

Garden Spike-Double Head-E27

VT-729

SKU: 7045 3800157606349

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x205mm
Box Qty:	12 Pcs

Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

Type:	**Garden Lamps**
Holder:	**GU10**
Material:	**Aluminium**
Color of Fixture:	**Black**
IP Rating:	**IP44**
Dimension:	**95x95x335mm**
Box Qty:	**12 Pcs**

Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

Type:	**Garden Lamps**
Holder:	**GU10**
Material:	**Stainless Steel**
Color of Fixture:	**Silver**
IP Rating:	**IP44**
Dimension:	**60x60x420mm**
Box Qty:	**8 Pcs**

NEW

Garden Lamp

12W **VT-857-B**

SKU: 7544 - 3000K Warm White 3800157633444
SKU: 7545 - 4000K Day White 3800157633451
SKU: 7546 - Green 3800157633468

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

NEW

Garden Lamp

12W **VT-857-W**

SKU: 7547 - 3000K Warm White 3800157633475
SKU: 7548 - 4000K Day White 3800157633482
SKU: 7549 - Green 3800157633499

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

NEW

Garden Lamp

12W **VT-857-G**

SKU: 7550 - 3000K Warm White 3800157633505
SKU: 7551 - 4000K Day White 3800157633512
SKU: 7552 - Green 3800157633529

IP65 RATING

Commercial Type:	**Garden Spike Light**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**720lm**
Beam Angle:	**30°**
PF	**>0.6**

CRI:	**>80**
IP Rating:	**IP65**
Body Type:	**Aluminium**
Dimension:	**73x255mm**
Box Qty:	**50 Pcs**

NEW

Pool Lights-PAR56

8W **VT-1258**

SKU: 7556 - 3000K Warm White	3800157633789
SKU: 7555 - 6400K White	3800157633772
SKU: 7557 - Blue	3800157633796



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs

NEW

Pool Lights-PAR56-RGB

8W **VT-1268**

SKU: 7558 - RGB	3800157633802



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs

NEW

Pool Lights-PAR56

12W **VT-1262**

SKU: 7560 - 3000K Warm White	3800157633826
SKU: 7559 - 6500K White	3800157633819
SKU: 7561 - Blue	3800157633833



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs

NEW

Pool Lights-PAR56-RGB

12W **VT-1263**

SKU: 7562 - RGB	3800157633840



IP68 RATING

Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs

LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

Applications

Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment

NEW

LED Wall/ Ceiling Lights

12w

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs

VT-827-RD

SKU: 8537 - 3000K Warm White 3800157638869
SKU: 8538 - 4000K Day White 3800157638876

VT-827-SQ

SKU: 8539 - 3000K Warm White 3800157638883
SKU: 8540 - 4000K Day White 3800157638890



IP65 RATING



NEW

LED Wall/ Ceiling Lights

12w

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	158°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs

VT-828-RD

SKU: 8541 - 3000K Warm White 3800157638906
SKU: 8542 - 4000K Day White 3800157638913

VT-828-SQ

SKU: 8543 - 3000K Warm White 3800157638920
SKU: 8544 - 4000K Day White 3800157638937



IP65 RATING



White

SKU: 8316 - 3000K Warm White	3800157632270
SKU: 8317 - 4000K Day White	3800157632287
SKU: 8318 - 5000K White	3800157632294

Black

SKU: 8322 - 3000K Warm White	3800157632331
SKU: 8323 - 4000K Day White	3800157632348
SKU: 8324 - 5000K White	3800157632355

Grey

SKU: 8319 - 3000K Warm White	3800157632300
SKU: 8320 - 4000K Day White	3800157632317
SKU: 8321 - 5000K White	3800157632324



Bollard Lights

10w **VT-830**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**72°**
Luminous Flux:	**450lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**108x250mm**
CRI:	**>80**	Box Qty:	**8 Pcs**

IP65 RATING

White

SKU: 8325 - 3000K Warm White	3800157632362
SKU: 8326 - 4000K Day White	3800157632379
SKU: 8327 - 5000K White	3800157632386

Black

SKU: 8331 - 3000K Warm White	3800157632423
SKU: 8332 - 4000K Day White	3800157632430
SKU: 8333 - 5000K White	3800157632447

Grey

SKU: 8328 - 3000K Warm White	3800157632393
SKU: 8329 - 4000K Day White	3800157632409
SKU: 8330 - 5000K White	3800157632416



Bollard Lights

10w **VT-820**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**72°**
Luminous Flux:	**450lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**108x800mm**
CRI:	**>80**	Box Qty:	**4 Pcs**

IP65 RATING



White

SKU: 8334 - 3000K Warm White	3800157632454
SKU: 8335 - 4000K Day White	3800157632461
SKU: 8336 - 6400K White	3800157632478

Black

SKU: 8340 - 3000K Warm White	3800157632515
SKU: 8341 - 4000K Day White	3800157632522
SKU: 8342 - 6400K White	3800157632539

Grey

SKU: 8337 - 3000K Warm White	3800157632485
SKU: 8338 - 4000K Day White	3800157632492
SKU: 8339 - 6400K White	3800157632508



Wall Lights

12W **VT-822**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**140°**
Luminous Flux:	**750lm**	Body Type:	**PC**
IP Rating:	**IP65**	Dimension:	**130x160mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8209 - 3000K Warm White	3800157623261
SKU: 8210 - 4000K Day White	3800157623278

Black

SKU: 8211 - 3000K Warm White	3800157623285
SKU: 8212 - 4000K Day White	3800157623292



Square-IP65

4W **VT-704**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*60°**
Luminous Flux:	**440lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP65**	Dimension:	**150x150x50mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8213 - 3000K Warm White 3800157623308
SKU: 8214 - 4000K Day White 3800157623315

Black

SKU: 8215 - 3000K Warm White 3800157623322
SKU: 8216 - 4000K Day White 3800157623339



Round-IP65

4W **VT-706**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*60°**
Luminous Flux:	**440lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP65**	Dimension:	**150x50mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8551 - 3000K Warm White 3800157640459
SKU: 8552 - 4000K Day White 3800157640466

Black

SKU: 8553 - 3000K Warm White 3800157640473
SKU: 8554 - 4000K Day White 3800157640480



Round-IP65

4W **VT-834-W**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**4*90°**
Luminous Flux:	**440lm**	Body Type:	**Aluminum**
IP Rating:	**IP65**	Dimension:	**Ø112mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

White

SKU: 8280 - 3000K Warm White 3800157629744
SKU: 8281 - 4000K Day White 3800157629751

Black

SKU: 8282 - 3000K Warm White 3800157629768
SKU: 8283 - 4000K Day White 3800157629775

Grey

SKU: 8284 - 3000K Warm White 3800157629782
SKU: 8285 - 4000K Day White 3800157629799



Modern Wall Lights

5W **VT-825**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**120°**
Luminous Flux:	**550lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**170x170x75mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8295 - 3000K Warm White 3800157629898
SKU: 8296 - 4000K Day White 3800157629904

Black

SKU: 8297 - 3000K Warm White 3800157629911
SKU: 8298 - 4000K Day White 3800157629928

Grey

SKU: 8299 - 3000K Warm White 3800157629935
SKU: 8300 - 4000K Day White 3800157629942



Triangle Light

6W **VT-826**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Up15°-Down120°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**90x200x90mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8286 - 3000K Warm White 3800157629805
SKU: 8287 - 4000K Day White 3800157629812

Black

SKU: 8288 - 3000K Warm White 3800157629829
SKU: 8289 - 4000K Day White 3800157629836

Grey

SKU: 8290 - 3000K Warm White 3800157629843
SKU: 8291 - 4000K Day White 3800157629850



Single Head-Rotatable

6W **VT-816**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**350°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**110x54x97mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8292 - 3000K Warm White 3800157629867

Black

SKU: 8293 - 3000K Warm White 3800157629874

Grey

SKU: 8294 - 3000K Warm White 3800157629881



Double Head-Rotatable

12W **VT-814**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:110-240V,50/60Hz**	Beam Angle:	**350°**
Luminous Flux:	**1320lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**230x54x97mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 7079 - 3000K Warm White 3800157616386
SKU: 7088 - 4000K Day White 3800157616881

Black

SKU: 7078 - 3000K Warm White 3800157616379
SKU: 7087 - 4000K Day White 3800157616874

Grey

SKU: 7080 - 3000K Warm White 3800157616393
SKU: 7089 - 4000K Day White 3800157616898



Square-Bridgelux

6W **VT-759**

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**660lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.45**
Beam Angle:	**Adjustable 5°-120°**
Body Type:	**Aluminium**
Dimension:	**100x100x100mm**
Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8527 - 3000K Warm White 3800157638616
SKU: 8528 - 4000K Day White 3800157638623

Black

SKU: 8529 - 3000K Warm White 3800157638630
SKU: 8530 - 4000K Day White 3800157638647

Grey

SKU: 8531 - 3000K Warm White 3800157638654
SKU: 8532 - 4000K Day White 3800157638661



Square-Bridgelux

12W **VT-759-12**

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1100lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.45**
Beam Angle:	**Adjustable 5°-120°**
Body Type:	**Aluminium**
Dimension:	**100x100x100mm**
Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 7082 - 3000K Warm White	3800157616416
SKU: 7091 - 4000K Day White	3800157616911

Black

SKU: 7081 - 3000K Warm White	3800157616409
SKU: 7090 - 4000K Day White	3800157616904

Grey

SKU: 7083 - 3000K Warm White	3800157616423
SKU: 7092 - 4000K Day White	3800157616928



Round-Bridgelux

6W **VT-756**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-120°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**140x115x100mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING



White

SKU: 8305 - 3000K Warm White	3800157629997
SKU: 8306 - 4000K Day White	3800157630009

Black

SKU: 8303 - 3000K Warm White	3800157629973
SKU: 8304 - 4000K Day White	3800157629980

Grey

SKU: 8301 - 3000K Warm White	3800157629959
SKU: 8302 - 4000K Day White	3800157629966



Round Light

6W **VT-836**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Up-Down 90°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**112x112x93mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights

7W **VT-707**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**770lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**110x120x170mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

IP65 RATING

IP65 RATING

Round-Bridgelux

6W **VT-741**

SKU: 7524 - 3000K Warm White 3800157620017
SKU: 7525 - 4000K Day White 3800157620024

Sensor Compatible:	**Yes**	PF:	**>0.55**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**660lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**Ø135mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



IP65 RATING

Round-Bridgelux

9W **VT-743**

SKU: 7526 - 3000K Warm White 3800157620031
SKU: 7527 - 4000K Day White 3800157620048

Sensor Compatible:	**Yes**	PF:	**>0.55**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**990lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**Ø180mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



IP65 RATING



Up-Down Light-Medium

9W **VT-8056**

SKU: 8239 - 3000K Warm White	3800157625791
SKU: 8240 - 4000K Day White	3800157625807
SKU: 8241 - 6400K White	3800157625814

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**400lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**90°**
Body Type:	**PC**
Dimension:	**173x81x46mm**
Box Qty:	**20 Pcs**

IP65 RATING



Up-Down Light-Large

12W **VT-8057**

SKU: 8242 - 3000K Warm White	3800157625821
SKU: 8243 - 4000K Day White	3800157625838
SKU: 8244 - 6400K White	3800157625845

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**600lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**92°**
Body Type:	**PC**
Dimension:	**230x100x90mm**
Box Qty:	**20 Pcs**

IP65 RATING



Softlight-Bulkhead

12W **VT-8058**

SKU: 8245 - 3000K Warm White	3800157625852
SKU: 8246 - 4000K Day White	3800157625869
SKU: 8247 - 6400K White	3800157625876

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**500lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**130°**
Body Type:	**PC**
Dimension:	**230x110x76mm**
Box Qty:	**20 Pcs**

IP65 RATING



Landscape-Soft Light-Medium

12W **VT-8054**

SKU: 8233 - 3000K Warm White	3800157625739
SKU: 8234 - 4000K Day White	3800157625746
SKU: 8235 - 6400K White	3800157625753

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**600lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**110°**
Body Type:	**PC**
Dimension:	**265x120x81mm**
Box Qty:	**20 Pcs**

IP65 RATING



Landscape-Soft Light-Large

20w **VT-8055**

SKU: 8236 - 3000K Warm White 3800157625760
SKU: 8238 - 6400K White 3800157625784

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:100-240V,50/60Hz**
Luminous Flux:	**1000lm**
IP Rating:	**IP65**
CRI:	**>80**

PF:	**>0.9**
Beam Angle:	**110°**
Body Type:	**PC**
Dimension:	**319x170x114mm**
Box Qty:	**20 Pcs**

Indoor Wall Lights



Wall Lights

5w **VT-705**

SKU: 8208 - 3000K Warm White 3800157623254
SKU: 8232 - 4000K Day White 3800157624756

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**550lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**150°**
Body Type:	**Aluminium**
Dimension:	**175x80x96mm**
Box Qty:	**20 Pcs**



Rotatable-360-White

5w **VT-757**

SKU: 7086 - 3000K Warm White 3800157616454
SKU: 7093 - 4000K Day White 3800157616935

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:110-240V,50/60Hz**
Luminous Flux:	**560lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.45**
Beam Angle:	**10-360°**
Body Type:	**Aluminium**
Dimension:	**140x105x140mm**
Box Qty:	**20 Pcs**



White

SKU: 8344 - 3000K Warm White	3800157633000
SKU: 8345 - 4000K Day White	3800157633017

Black

SKU: 8346 - 3000K Warm White	3800157633024
SKU: 8347 - 4000K Day White	3800157633031



Square-Bridgelux

3W **VT-803**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:110-240V,50/60Hz**	Beam Angle:	**120°**
Luminous Flux:	**300lm**	Body Type:	**Iron**
IP Rating:	**IP20**	Dimension:	**220x80x200mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



White

SKU: 8225 - 3000K Warm White	3800157623421
SKU: 8226 - 4000K Day White	3800157623438

Black

SKU: 8227 - 3000K Warm White	3800157623445
SKU: 8228 - 4000K Day White	3800157623452



Modern Wall Lights

9W **VT-710**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**990lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP20**	Dimension:	**210x80mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391

Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights

9W **VT-709**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**990lm**	Body Type:	**Aluminium**
IP Rating:	**IP20**	Dimension:	**440x335x75mm**
CRI:	**>80**	Box Qty:	**10 Pcs**

White

SKU: 8307 - 3000K Warm White 3800157630016
SKU: 8308 - 4000K Day White 3800157630023

Black

SKU: 8309 - 3000K Warm White 3800157630030
SKU: 8310 - 4000K Day White 3800157630047



Modern Wall Lights

10W **VT-811**

Sensor Compatible:	**Yes**	PF:	**>0.45**
Voltage/Frequency:	**AC:110-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**1100lm**	Body Type:	**Aluminium**
IP Rating:	**IP65**	Dimension:	**300x215x60mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



White

SKU: 8202 - 3000K Warm White 3800157623193
SKU: 8203 - 4000K Day White 3800157623209

Black

SKU: 8204 - 3000K Warm White 3800157623216
SKU: 8205 - 4000K Day White 3800157623223

Grey

SKU: 8206 - 3000K Warm White 3800157623230
SKU: 8207 - 4000K Day White 3800157623247



Modern Wall Lights

12W **VT-712**

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	Beam Angle:	**360°**
Luminous Flux:	**1100lm**	Body Type:	**Aluminium+Acrylic**
IP Rating:	**IP20**	Dimension:	**260x125x55mm**
CRI:	**>80**	Box Qty:	**20 Pcs**



Adjustable Modern Wall Lights

18W **VT-819-W**

SKU: 8533 - 3000K Warm White 3800157638678
SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**Adjustable 5°-90°**
Luminous Flux:	**1800lm**	Body Type:	**Aluminium**
IP Rating:	**IP44**	Dimension:	**600x100x42mm**
CRI:	**>80**	Box Qty:	**10 Pcs**



Modern Wall Lights

20W **VT-821-W**

SKU: 8535 - 3000K Warm White 3800157638692
SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible:	**Yes**	PF:	**>0.5**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	Beam Angle:	**150°**
Luminous Flux:	**2000**	Body Type:	**Aluminium**
IP Rating:	**IP44**	Dimension:	**610x90x35mm**
CRI:	**>80**	Box Qty:	**20 Pcs**

Single Head

4.5W VT-805-W

SKU: 8262 - 3000K Warm White 3800157627122
SKU: 8264 - 4000K Day White 3800157627146

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**360lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**100x94x45mm**
Box Qty:	**12 Pcs**



Single Head

4.5W VT-805-B

SKU: 8263 - 3000K Warm White 3800157627139
SKU: 8265 - 4000K Day White 3800157627153

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**360lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**100x94x45mm**
Box Qty:	**12 Pcs**



Double Head

9W VT-810-W

SKU: 8266 - 3000K Warm White 3800157627160
SKU: 8268 - 4000K Day White 3800157627184

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**720lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**400x100x94mm**
Box Qty:	**12 Pcs**



Double Head

9W VT-810-B

SKU: 8267 - 3000K Warm White 3800157627177
SKU: 8269 - 4000K Day White 3800157627191

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**720lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**400x100x94mm**
Box Qty:	**12 Pcs**



Tripple Head

13.5W VT-813-W

SKU: 8270 - 3000K Warm White 3800157627207
SKU: 8272 - 4000K Day White 3800157627221

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Tripple Head

13.5W VT-813-B

SKU: 8271 - 3000K Warm White 3800157627214
SKU: 8273 - 4000K Day White 3800157627238

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Single Head

6W VT-806-W

SKU: 8250 - 3000K Warm White 3800157627009
SKU: 8252 - 4000K Day White 3800157627023

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Single Head

6W VT-806-B

SKU: 8251 - 3000K Warm White 3800157627016
SKU: 8253 - 4000K Day White 3800157627030

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs

Double Head

12W VT-812-W

SKU: 8254 - 3000K Warm White 3800157627047
SKU: 8256 - 4000K Day White 3800157627061

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**960lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**405x100x93mm**
Box Qty:	**12 Pcs**



Double Head

12W VT-812-B

SKU: 8255 - 3000K Warm White 3800157627054
SKU: 8257 - 4000K Day White 3800157627078

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**960lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**405x100x93mm**
Box Qty:	**12 Pcs**



Tripple Head

18W VT-818-W

SKU: 8258 - 3000K Warm White 3800157627085
SKU: 8260 - 4000K Day White 3800157627108

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1440lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**605x100x93mm**
Box Qty:	**12 Pcs**



Tripple Head

18W VT-818-B

SKU: 8259 - 3000K Warm White 3800157627092
SKU: 8261 - 4000K Day White 3800157627115

Sensor Compatible:	**Yes**
Voltage/Frequency:	**AC:220-240V,50/60Hz**
Luminous Flux:	**1440lm**
IP Rating:	**IP20**
CRI:	**>80**

PF:	**>0.5**
Beam Angle:	**100°**
Body Type:	**Plastic+Metal**
Dimension:	**605x100x93mm**
Box Qty:	**12 Pcs**



Garden Lamps

V-TAC presents an elegant series of garden lighting-allowing your garden to glow in style when the sun goes down.Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

Applications

Suitable for Outdoor Lighting

NEW

Wall Lamp

VT-837-B

SKU: 8517 3800157637435



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs

NEW

Wall Lamp

VT-837

SKU: 8518 3800157637442



Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs

NEW



Wall Fittings GU10

VT-7613

SKU: 7563 3800157636360

IP54 RATING

Voltage:	AC:220-240V/50-60HZ
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	121x80x250mm
Box Qty:	6 Pcs

NEW



Garden Lamps GU10

VT-7614

SKU: 7564 3800157636377

IP54 RATING

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x500mm
Box Qty:	4 Pcs

NEW



Garden Lamps GU10

VT-7615

SKU: 7565 3800157636384

IP54 RATING

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x800mm
Box Qty:	4 Pcs



Wall Fittings GU10

VT-7616

SKU: 7566 3800157636391

IP54 RATING

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs



Garden Lamps GU10

VT-7617

SKU: 7567 3800157636407

IP54 RATING

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x500mm
Box Qty:	4 Pcs



Garden Lamps GU10

VT-7618

SKU: 7568 3800157636414

IP54 RATING

Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x800mm
Box Qty:	4 Pcs



Wall Lamp

VT-7670

SKU: 7513 3800157617727

UV PROTECTION

Voltage:	AC:220-240V,50Hz
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs



Wall Lamp

VT-7680

SKU: 7514 3800157617734

UV PROTECTION

Voltage:	AC:220-240V
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs



Wall Lamp

VT-745-B

SKU: 7064 3800157614399

IP54 RATING

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



Wall Lamp

VT-745-DG

SKU: 7065 3800157614405

IP54 RATING

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs



Wall Lamp

VT-754-MB

SKU: 7076 3800157616294

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs



Wall Lamp

VT-754-MW

SKU: 7077 3800157616300

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs



Wall Lamp

VT-760-B

SKU: 7519 3800157617789

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs



Wall Lamp

VT-760-W

SKU: 7520 3800157617796

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs



Wall Lamp

VT-761-B

SKU: 7521 3800157617802

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs



Wall Lamp

VT-761-W

SKU: 7522 3800157617819

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs

Wall Lamp

VT-730

SKU: 7046 3800157610391

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp

VT-731

SKU: 7047 3800157610407

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs



Wall Lamp

VT-852

SKU: 7531 3800157630078

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp

VT-853

SKU: 7532 3800157630085

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



Wall Lamp

VT-751-B

SKU: 7070 3800157616232

MOTION PIR SENSOR

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-751-W

SKU: 7071 3800157616249

MOTION PIR SENSOR

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-749-B

SKU: 7066 3800157616195

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-749-W

SKU: 7067 3800157616201

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-750-B

SKU: 7068 3800157616218

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp

VT-750-W

SKU: 7069 3800157616225

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-752-B

SKU: 7072 3800157616256

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-752-W

SKU: 7073 3800157616263

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-735

SKU: 7058 3800157612616

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x720mm
Box Qty:	10 Pcs



Stand Lamp

VT-736

SKU: 7059 3800157612623

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x600mm
Box Qty:	10 Pcs



Ceiling Lamp

VT-850

SKU: 7529 3800157630054

Voltage:	AC:200-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+PC
Size:	250x890mm
Box Qty:	8 Pcs



Pole Lamp

VT-851

SKU: 7530 3800157630061

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	250x1110mm
Box Qty:	1 Pcs



Stand Lamp

VT-734

SKU: 7057 3800157612609

IP65 RATING

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP65
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x290
Box Qty:	10 Pcs



Stand Lamp

VT-753-B

SKU: 7074 3800157616270

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp

VT-753-W

SKU: 7075 3800157616287

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp

VT-737

SKU: 7060 3800157612630

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	345x1365mm
Box Qty:	1 Pcs

Stand Lamp

VT-738

SKU: 7061 3800157612647

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	480x1410mm
Box Qty:	1 Pcs



Stand Lamp

VT-739

SKU: 7062 3800157612654

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



Stand Lamp

VT-740

SKU: 7063 3800157612661

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx3
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.

Indoor Display Screen

P5 Indoor LED Finished Cabinet

Box Qty. **6 Pcs**

SKU: 11077 3800157617468



Screen Parameter

Pixel Density:	**40000dots/sqm**
Brightness:	**1800nits**
Optimum View Distance:	**more than 5m**
Gray Scale:	**16bits**
Display Color:	**281 trillions(synchronized)**
Operation Power:	**220V-240V**
Max Power Consumption:	**750W/sqm**
Control Mode:	**Synchronized**
Refresh Frequency:	**400-700HZ**
Fram Frequency:	**60HZ**
Surport Signal Input:	**S-Video,RGBHV,YUV etc.**
Control Distance:	**UTP140M,SINGLE MODE FIBER 15KM**
Life Span(50% Brightness):	**100000hrs**
IP(Front/rear):	**IP20**

LED Cabinet Parameter

Cabinet Size(L*h*d):	**640*640mm**
Cabinet Resolution:	**128*128**
Module Quantity Each Cabinet:	**2*4=8**
Average Power Consumption:	**300w/cabinet**
Cabinet Material:	**Iron**
Cabinet Size:	**8kg/cabinet**

LED Module Parameter

Pixel Pitch:	**5mm**
Led Specification:	**SMD3528**
Led Configuration:	**SMD 3 in 1**
Module Size:	**320*160mm**
Module Resolution:	**64*32=2048dot**
Drive Method:	**1/16 scan constant current**
Drive IC:	**SM16106**

Sending Box

Box Qty. **20 Pcs**

SKU: 500082

Sending Card

Box Qty. **20 Pcs**

SKU: 500081

Stylish

Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.

Diamond Cut Glass-Transparent

Model:	VT-7350-HT
SKU:	3879
EAN:	3800157620970
Size:	Ø330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Diamond Cut Glass-Black

Model:	VT-7350-HB
SKU:	3880
EAN:	3800157620987
Size:	330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Designer Glass-Transparent

Model:	VT-7254
SKU:	3882
EAN:	3800157621007
Size:	Ø250x230x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Designer Glass-Transparent

Model:	VT-7306
SKU:	3883
EAN:	3800157621014
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass



Designer Glass-Transparent

Model:	VT-7305
SKU:	3881
EAN:	3800157620994
Size:	Ø270x1280mm
Box Qty:	4Pcs
Material:	Glass



Designer Glass-Gun Grey

Model:	VT-7292
SKU:	3887
EAN:	3800157621052
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass



Designer Glass-Gun Grey

Model:	VT-7380
SKU:	3888
EAN:	3800157621069
Size:	Ø380x330x1000mm
Box Qty:	4Pcs
Material:	Glass



Amber Glass-Metal Series

Model:	VT-7303
SKU:	3866
EAN:	3800157620765
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7302
SKU:	3865
EAN:	3800157620758
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7229
SKU:	3867
EAN:	3800157620772
Size:	265x190x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7304-AW
SKU:	3875
EAN:	3800157620932
Size:	Ø250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7181-AW
SKU:	3878
EAN:	3800157620963
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal



Double Glass-Gungrey-White

Model:	**VT-7304-GW**
SKU:	**3876**
EAN:	**3800157620949**
Size:	**250x420x1000mm**
Box Qty:	**8Pcs**
Material:	**Glass+Metal**



Double Glass-Gungrey-White

Model:	**VT-7181-GW**
SKU:	**3877**
EAN:	**3800157620956**
Size:	**180x350x1000mm**
Box Qty:	**9Pcs**
Material:	**Glass+Metal**



Modern-White Glass Pendant

Model:	**VT-7281-WG**
SKU:	**3884**
EAN:	**3800157621021**
Size:	**Ø285x440x1000mm**
Box Qty:	**4Pcs**
Material:	**Glass+Metal**



Modern-Black Glass Pendant

Model:	**VT-7281-BG**
SKU:	**3885**
EAN:	**3800157621038**
Size:	**285x440x1000mm**
Box Qty:	**4Pcs**
Material:	**Glass+Metal**



Modern-Amber Glass Pendant

Model:	VT-7281-AG
SKU:	3886
EAN:	3800157621045
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Glass-Metal Series

Model:	VT-7210
SKU:	3730
EAN:	3800157611039
Size:	245x230x1100mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7140-A
SKU:	3736
EAN:	3800157611091
Size:	140x240x1130mm
Box Qty:	12Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	VT-7140-T
SKU:	3735
EAN:	3800157611084
Size:	140x240x1130mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series

Model:	**VT-7185**
SKU:	**3738**
EAN:	**3800157611114**
Size:	**180x230x1110mm**
Box Qty:	**12Pcs**
Material:	**Glass+Metal**



Transparent Glass-Metal Series

Model:	**VT-7250**
SKU:	**3739**
EAN:	**3800157611121**
Size:	**250x330x1220mm**
Box Qty:	**8Pcs**
Material:	**Glass+Metal**



Amber Glass-Metal Series

Model:	**VT-7290**
SKU:	**3741**
EAN:	**3800157611145**
Size:	**260x260x1150mm**
Box Qty:	**8Pcs**
Material:	**Glass+Metal**



Transparent Glass-Metal Series

Model:	**VT-7300**
SKU:	**3737**
EAN:	**3800157611107**
Size:	**300x250x1150mm**
Box Qty:	**8Pcs**
Material:	**Glass+Metal**



Amber Glass-Metal Series

Model:	VT-7320
SKU:	3740
EAN:	3800157611138
Size:	250x280x1180mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass-Metal Series

Model:	VT-7150-AG
SKU:	3732
EAN:	3800157611053
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Green Glass-Metal Series

Model:	VT-7150-GG
SKU:	3734
EAN:	3800157611077
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Red Glass-Metal Series

Model:	VT-7150-RG
SKU:	3731
EAN:	3800157611046
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Glass-Metal Series

Model:	VT-7150-CG
SKU:	3733
EAN:	3800157611060
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



Amber Glass Pendant

Model:	VT-7220-A
SKU:	3726
EAN:	3800157610995
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass Pendant

Model:	VT-7220-T
SKU:	3727
EAN:	3800157611008
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Wood Pendant

Model:	VT-7130
SKU:	3818
EAN:	3800157615433
Size:	135x240x1150mm
Box Qty:	8Pcs
Material:	Glass+Wood



Transparent Glass-Wood Pendant

Model:	VT-7170
SKU:	3819
EAN:	3800157615440
Size:	165x220x1100mm
Box Qty:	8Pcs
Material:	Glass+Wood



Trio Glass Pendant-Lampholder

Model:	VT-7307
SKU:	3926
EAN:	3800157626217
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Glass+Wood



Transparent Glass-Wood Pendant

Model:	VT-7240
SKU:	3820
EAN:	3800157615457
Size:	235x140x1050mm
Box Qty:	8Pcs
Material:	Glass+Wood





3D Glass-Black Canopy

Model:	VT-7015
SKU:	3830
EAN:	3800157616652
Size:	150x140x1200mm
Box Qty:	10Pcs
Material:	Glass



Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
EAN:	3800157620741
Size:	Ø250x230mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape

Model:	VT-7180
SKU:	3863
EAN:	3800157620734
Size:	Ø250x90mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-Cone Shape

Model:	VT-7142
SKU:	3861
EAN:	3800157620710
Size:	140x160mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape

Model:	VT-7143
SKU:	3862
EAN:	3800157620727
Size:	185x140 mm
Box Qty:	8Pcs
Material:	Glass+Metal



6 Bulb Chandelier-Movable

Model:	**VT-7400**
SKU:	**3889**
EAN:	**3800157621076**
Size:	**791x900mm**
Box Qty:	**4Pcs**
Material:	**Metal**



Aluminium Shade-Black

Model:	**VT-7422-B**
SKU:	**3728**
EAN:	**3800157611015**
Size:	**230x310x1150mm**
Box Qty:	**8Pcs**
Material:	**Aluminium**



Aluminium Shade-White

Model:	**VT-7422-WH**
SKU:	**3729**
EAN:	**3800157611022**
Size:	**230x310x1150mm**
Box Qty:	**8Pcs**
Material:	**Aluminium**



Mesh Metal-Grey

Model:	VT-7200-MG
SKU:	3822
EAN:	3800157616577
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-Gold

Model:	VT-7200-CG
SKU:	3821
EAN:	3800157616560
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-White

Model:	VT-7200-MW
SKU:	3823
EAN:	3800157616584
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



Can Shape-Gold Pendant

Model:	VT-7131-CG
SKU:	3824
EAN:	3800157616591
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant

Model:	VT-7131-MB
SKU:	3825
EAN:	3800157616607
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-WhitePendant

Model:	VT-7131-MW
SKU:	3826
EAN:	3800157616614
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
EAN:	3800157616621
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant

Model:	VT-7132-MB
SKU:	3828
EAN:	3800157616638
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-WhitePendant

Model:	VT-7132-MW
SKU:	3829
EAN:	3800157616645
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Mesh Metal-Globe

Model:	VT-7332
SKU:	3859
EAN:	3800157620697
Size:	Ø290x1000x1340mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-GV Shape

Model:	VT-7252
SKU:	3860
EAN:	3800157620703
Size:	285x170x1000mm
Box Qty:	12Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
EAN:	3800157610865
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal

Copper Series-Rose Gold

Model:	VT-8300
SKU:	3710
EAN:	3800157610834
Size:	Ø300
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8220
SKU:	3711
EAN:	3800157610841
Size:	Ø220
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8255
SKU:	3709
EAN:	3800157610827
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8150-CH
SKU:	3712
EAN:	3800157610858
Size:	Ø150mm
Box Qty:	10Pcs
Material:	Iron with electric copper paint

Copper Series-Chrome

Model:	VT-8180-CH
SKU:	3707
EAN:	3800157610803
Size:	Ø180mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8180-CO
SKU:	3708
EAN:	3800157610810
Size:	Ø180mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8170
SKU:	3714
EAN:	3800157610872
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8230
SKU:	3715
EAN:	3800157610889
Size:	Ø230mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Chrome

Model:	VT-8175-CH
SKU:	3705
EAN:	3800157610780
Size:	Ø170
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8175-CO
SKU:	3706
EAN:	3800157610797
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8200
SKU:	3716
EAN:	3800157610896
Size:	Ø200mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

Copper Series-Rose Gold

Model:	VT-8250
SKU:	3717
EAN:	3800157610902
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint

White Glass-Wood Pendant

Model:	**VT-7205**
SKU:	**3759**
EAN:	**3800157611329**
Size:	**190x320x1120mm**
Box Qty:	**8Pcs**
Material:	**Glass+Wood**



White Glass-Wood Pendant

Model:	**VT-7175**
SKU:	**3758**
EAN:	**3800157611312**
Size:	**170x320x1120mm**
Box Qty:	**8Pcs**
Material:	**Glass+Wood**



White Glass-Wood Pendant

Model:	**VT-7177**
SKU:	**3760**
EAN:	**3800157611336**
Size:	**170x320x1120mm**
Box Qty:	**8Pcs**
Material:	**Glass+Wood**



Aluminum Pendant-White

Model:	**VT-7162-WH**
SKU:	**3868**
EAN:	**3800157620789**
Size:	**Ø160x350x600mm**
Box Qty:	**20Pcs**
Material:	**Aluminium**



Aluminum Pendant-Black

Model:	VT-7162-B
SKU:	3869
EAN:	3800157620796
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium



Concrete-Mesh

Model:	VT-7330
SKU:	3849
EAN:	3800157618984
Size:	400x250x1100mm
Box Qty:	4Pcs
Material:	Concrete+Iron



Concrete-Mesh

Model:	VT-7121
SKU:	3847
EAN:	3800157618960
Size:	120x380x1300mm
Box Qty:	6Pcs
Material:	Concrete+Iron



Concrete-Mesh

Model:	VT-7253
SKU:	3848
EAN:	3800157618977
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron



Concrete-Lampshade

Model:	VT-7155
SKU:	3850
EAN:	3800157618991
Size:	160x290x1250mm
Box Qty:	6Pcs
Material:	Concrete



Concrete-Lampshade

Model:	VT-7202
SKU:	3853
EAN:	3800157619028
Size:	180x160x1100mm
Box Qty:	4Pcs
Material:	Concrete



Concrete-Acrylic

Model:	VT-7291
SKU:	3854
EAN:	3800157619035
Size:	265x260x1050mm
Box Qty:	4Pcs
Material:	Concrete+Wood



Concrete-Wooden

Model:	VT-7301
SKU:	3858
EAN:	3800157619073
Size:	290x250x1150mm
Box Qty:	4Pcs
Material:	Concrete+Wood



Concrete-Wooden

Model:	VT-7125-GY
SKU:	3855
EAN:	3800157619042
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood





Concrete-Wooden

Model:	VT-7125-GN
SKU:	3856
EAN:	3800157619059
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



Concrete-Wooden

Model:	VT-7125-R
SKU:	3857
EAN:	3800157619066
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



Concrete-Table Lamp

Model:	VT-7160
SKU:	3851
EAN:	3800157619004
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete



Concrete-Table Lamp

Model:	VT-7171
SKU:	3852
EAN:	3800157619011
Size:	180x130x2000mm
Box Qty:	8Pcs
Material:	Concrete



Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
EAN:	3800157616669
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7141-MB
SKU:	3832
EAN:	3800157616676
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy

Model:	VT-7161-CG
SKU:	3833
EAN:	3800157616683
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	**VT-7161-MB**
SKU:	**3834**
EAN:	**3800157616690**
Size:	**225x225x1250mm**
Box Qty:	**8Pcs**
Material:	**Metal**



Geometric Series-Black Canopy

Model:	**VT-7144**
SKU:	**3927**
EAN:	**3800157626224**
Size:	**300x1300mm**
Box Qty:	**4Pcs**
Material:	**Metal Finish**



Geometric Series-Gold Canopy

Model:	**VT-7322-CG**
SKU:	**3835**
EAN:	**3800157616706**
Size:	**320x320x1350mm**
Box Qty:	**10Pcs**
Material:	**Metal**



Geometric Series-Black Canopy

Model:	**VT-7322-MB**
SKU:	**3836**
EAN:	**3800157616713**
Size:	**320x320x1350mm**
Box Qty:	**10Pcs**
Material:	**Metal**



Geometric Series-Gold Canopy

Model:	**VT-7321-CG**
SKU:	**3837**
EAN:	**3800157616720**
Size:	**320x320x1350mm**
Box Qty:	**10Pcs**
Material:	**Metal**



Geometric Series-Black Canopy

Model:	**VT-7321-MB**
SKU:	**3838**
EAN:	**3800157616737**
Size:	**320x320x1350mm**
Box Qty:	**10Pcs**
Material:	**Metal**



Danish Wood-Bronze Canopy

Model:	**VT-7225**
SKU:	**3816**
EAN:	**3800157612760**
Size:	**260x330x1111mm**
Box Qty:	**8Pcs**
Material:	**Aluminium+Sand Finish**



Danish Wood-Bronze Canopy

Model:	**VT-7340**
SKU:	**3817**
EAN:	**3800157612777**
Size:	**360x420x1200mm**
Box Qty:	**4Pcs**
Material:	**Aluminium+Sand Finish**



Aluminum-Sand finish-Black

Model:	VT-7520-B
SKU:	3700
EAN:	3800157610735
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish



Aluminum-Sand finish-Grey

Model:	VT-7520-G
SKU:	3701
EAN:	3800157610742
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish



Aluminum-Sand finish-White

Model:	VT-7520-WH
SKU:	3702
EAN:	3800157610759
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish



Modern Wooden Top-White

Model:	**VT-7425-WH**
SKU:	**3756**
EAN:	**3800157611299**
Size:	**250x200x1100mm**
Box Qty:	**8Pcs**
Material:	**Aluminium+Wooden Top**



Modern Wooden Top-Black

Model:	**VT-7425-B**
SKU:	**3757**
EAN:	**3800157611305**
Size:	**250x200x1100mm**
Box Qty:	**8Pcs**
Material:	**Aluminium+Wooden Top**



Wooden Top Iron-White

Model:	**VT-7525-WH**
SKU:	**3761**
EAN:	**3800157611343**
Size:	**250x400x1200mm**
Box Qty:	**8Pcs**
Material:	**Iron+Wooden Top**



Wooden Top Iron-Black

Model:	**VT-7525-B**
SKU:	**3762**
EAN:	**3800157611350**
Size:	**250x400x1200mm**
Box Qty:	**8Pcs**
Material:	**Iron+Wooden Top**



Wooden Top Iron-White

Model:	VT-7535-W
SKU:	3763
EAN:	3800157611367
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black

Model:	VT-7535-B
SKU:	3764
EAN:	3800157611374
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-White

Model:	VT-7545-WH
SKU:	3765
EAN:	3800157611381
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black

Model:	VT-7545-B
SKU:	3766
EAN:	3800157611398
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Pendant-Aluminium Shade-White

Model:	VT-7100-WH
SKU:	3920
EAN:	3800157626156
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



Pendant-Aluminium Shade-Black

Model:	VT-7100-B
SKU:	3921
EAN:	3800157626163
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



Pendant-Aluminium Shade-Grey

Model:	VT-7100-G
SKU:	3922
EAN:	3800157626170
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



Pendant-Aluminium Shade-Pink

Model:	VT-7100-P
SKU:	3923
EAN:	3800157626187
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium





Pendant-Aluminium Shade-Red

Model:	**VT-7100-R**
SKU:	**3924**
EAN:	**3800157626194**
Size:	**180x100x1200mm**
Box Qty:	**12Pcs**
Material:	**Plastic+Aluminium**



Pendant-Aluminium Shade-Blue

Model:	**VT-7100-BL**
SKU:	**3925**
EAN:	**3800157626200**
Size:	**180x100x1200mm**
Box Qty:	**12Pcs**
Material:	**Plastic+Aluminium**



Metal Plate-Rose Gold

Model:	**VT-7777-RG**
SKU:	**3751**
EAN:	**3800157611244**
Size:	**300x90x1000mm**
Box Qty:	**20Pcs**
Material:	**Metal**



Metal Plate-Matt Gold

Model:	**VT-7777-MG**
SKU:	**3752**
EAN:	**3800157611251**
Size:	**300x90x1000mm**
Box Qty:	**20Pcs**
Material:	**Metal**



NEW

Net Prism-White Pendant

Model:	**VT-7401-W**
SKU:	**3943**
EAN:	**3800157630115**
Size:	**400x540mm**
Box Qty:	**2Pcs**
Material:	**Metal**

NEW

Net Prism-Black Pendant

Model:	**VT-7401-B**
SKU:	**3944**
EAN:	**3800157630122**
Size:	**400x540mm**
Box Qty:	**2Pcs**
Material:	**Metal**

NEW

Net Prism-Black Pendant

Model:	**VT-7401-BG**
SKU:	**3945**
EAN:	**3800157630139**
Size:	**400x540mm**
Box Qty:	**2Pcs**
Material:	**Metal**

NEW

Prism-Blue Pendant

Model:	**VT-7310-B**
SKU:	**3946**
EAN:	**3800157630146**
Size:	**310x190mm**
Box Qty:	**4Pcs**
Material:	**Metal**

Prism-Yellow Pendant

Model:	VT-7310-Y
SKU:	3947
EAN:	3800157630153
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal

Prism-White Pendant

Model:	VT-7310-W
SKU:	3948
EAN:	3800157630160
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-White

Model:	VT-7323-W
SKU:	3949
EAN:	3800157630177
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-Yellow

Model:	VT-7323-Y
SKU:	3950
EAN:	3800157630184
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



Prism-Wooden-Pink

Model:	**VT-7323-P**
SKU:	**3951**
EAN:	**3800157630191**
Size:	**320x270mm**
Box Qty:	**4Pcs**
Material:	**Metal**

Cone Prism-White

Model:	**VT-7255-W**
SKU:	**3952**
EAN:	**3800157630207**
Size:	**250x255mm**
Box Qty:	**4Pcs**
Material:	**Metal**

Cone Prism-Blue

Model:	**VT-7255-B**
SKU:	**3953**
EAN:	**3800157630214**
Size:	**250x255mm**
Box Qty:	
Material:	**Metal**

Cone Prism-Yellow

Model:	**VT-7255-Y**
SKU:	**3954**
EAN:	**3800157630221**
Size:	**250x255mm**
Box Qty:	
Material:	**Metal**



Metal W/Crystal

Model:	VT-7334-T
SKU:	3955
EAN:	3800157630238
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal

Metal W/Crystal

Model:	VT-7334-M
SKU:	3956
EAN:	3800157630245
Size:	330x300mm
Box Qty:	4Pcs
Material:	Metal



Metal W/Crystal

Model:	VT-7334-B
SKU:	3957
EAN:	3800157630252
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal

Vintage Metal

Model:	VT-7424
SKU:	3753
EAN:	3800157611268
Size:	260x170x1080mm
Box Qty:	12Pcs
Material:	Metal



Vintage Metal-Pulley

Model:	VT-7201
SKU:	3845
EAN:	3800157617192
Size:	220x140x600-1600mm
Box Qty:	8Pcs
Material:	Metal



Pendant-Hemp Rope

Model:	VT-7118
SKU:	3754
EAN:	3800157611275
Size:	45x57x1500mm
Box Qty:	12Pcs
Material:	Rope

Globe-Chrome Canopy

Model:	VT-7251
SKU:	3839
EAN:	3800157616744
Size:	250x250x1300mm
Box Qty:	4Pcs
Material:	Acrylic Glass



Pendant Holder-Bottle-E14

Model:	VT-7558-GN
Color:	Green
SKU:	3767
EAN:	3800157611404
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-BL
Color:	Blue
SKU:	3768
EAN:	3800157611411
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-R
Color:	Red
SKU:	3769
EAN:	3800157611428
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-A
Color:	Amber
SKU:	3770
EAN:	3800157611435
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-T
Color:	Transparent
SKU:	3771
EAN:	3800157611442
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-P
Color:	Pink
SKU:	3772
EAN:	3800157611459
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-Y
Color:	Yellow
SKU:	3773
EAN:	3800157611466
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-RO
Color:	Rose
SKU:	3774
EAN:	3800157611473
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-GY
Color:	Grey
SKU:	3775
EAN:	3800157611480
Material:	Glass
Size:	78x280x1150mm
Box Qty:	25Pcs

Pendant Holder-Bottle-E14

Model:	VT-7558-BR
Color:	Brown
SKU:	3776
EAN:	3800157611497
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs

Metal Holder-Canopy

Model:	VT-7555-RB
Color:	Red Bronze
SKU:	3840
EAN:	3800157617147
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BBR
Color:	Brown Bronze
SKU:	3841
EAN:	3800157617154
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BB
Color:	Brass Bronze
SKU:	3842
EAN:	3800157617161
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-BR
Color:	Bronze
SKU:	3843
EAN:	3800157617178
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal Holder-Canopy

Model:	VT-7555-MG
Color:	Gold
SKU:	3844
EAN:	3800157617185
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs

Metal-Adjustable Canopy

Model:	VT-7999-G2
Color:	Gold Aluminum
SKU:	3811
EAN:	3800157612425
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs

Metal-Adjustable Canopy

Model:	VT-7999-G3
Color:	Gold Aluminum
SKU:	3812
EAN:	3800157612432
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs

Metal-Adjustable Canopy

Model:	VT-7999-B
Color:	Bronze Aluminum
SKU:	3813
EAN:	3800157612449
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs

Metal-Adjustable Canopy

Model:	VT-7999-BV
Color:	Bronze Aluminum
SKU:	3814
EAN:	3800157612456
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs

Metal-Adjustable Canopy

Model:	VT-7999
Color:	Rose Gold Aluminum
SKU:	3815
EAN:	3800157612463
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs

Wooden Holder-White Wire

Model:	VT-7778-W
Color:	White Wire
SKU:	3720
EAN:	3800157610933
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Black Wire

Model:	VT-7778-BK
Color:	Black Wire
SKU:	3721
EAN:	3800157610940
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Blue Wire

Model:	VT-7778-BL
Color:	Blue Wire
SKU:	3722
EAN:	3800157610957
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Red Wire

Model:	VT-7778-R
Color:	Red Wire
SKU:	3723
EAN:	3800157610964
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Purple Wire

Model:	VT-7778-PR
Color:	Purple Wire
SKU:	3724
EAN:	3800157610971
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Wooden Holder-Green Wire

Model:	VT-7778-GN
Color:	Green Wire
SKU:	3725
EAN:	3800157610988
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs

Pendant-Porcelain Set

Model:	VT-7998-W
Color:	White
SKU:	3803
EAN:	3800157612340
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BK
Color:	Black
SKU:	3804
EAN:	3800157612357
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-GN
Color:	Green
SKU:	3805
EAN:	3800157612364
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BL
Color:	Blue
SKU:	3806
EAN:	3800157612371
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-R
Color:	Red
SKU:	3807
EAN:	3800157612388
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-GY
Color:	Grey
SKU:	3808
EAN:	3800157612395
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998Y
Color:	Yellow
SKU:	3809
EAN:	3800157612401
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Pendant-Porcelain Set

Model:	VT-7998-BR
Color:	Brown
SKU:	3810
EAN:	3800157612418
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs

Porcelain Holder

Model:	VT-799-W
Color:	White
SKU:	3795
EAN:	3800157612265
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BK
Color:	Black
SKU:	3796
EAN:	3800157612272
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-GN
Color:	Green
SKU:	3797
EAN:	3800157612289
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BL
Color:	Blue
SKU:	3798
EAN:	3800157612296
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-R
Color:	Red
SKU:	3799
EAN:	3800157612302
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-GY
Color:	Grey
SKU:	3800
EAN:	3800157612319
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-Y
Color:	Yellow
SKU:	3801
EAN:	3800157612326
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Porcelain Holder

Model:	VT-799-BR
Color:	Brown
SKU:	3802
EAN:	3800157612333
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs

Concrete Holder-Canopy

Model:	VT-7668-GN
Color:	Green
SKU:	3742
EAN:	3800157611152
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-R
Color:	Red
SKU:	3743
EAN:	3800157611169
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BL
Color:	Blue
SKU:	3744
EAN:	3800157611176
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-Y
Color:	Yellow
SKU:	3745
EAN:	3800157611183
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-W
Color:	White
SKU:	3746
EAN:	3800157611190
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BK
Color:	Black
SKU:	3747
EAN:	3800157611206
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-GY
Color:	Grey
SKU:	3748
EAN:	3800157611213
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BR
Color:	Brown
SKU:	3749
EAN:	3800157611220
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Concrete Holder-Canopy

Model:	VT-7668-BE
Color:	Beige
SKU:	3750
EAN:	3800157611237
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs

Gold Holder-Gold Canopy

Model:	VT-7448
Color:	Rose Gold Set
SKU:	3777
EAN:	3800157611503
Material:	
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-W
Color:	White
SKU:	3755
EAN:	3800157611282
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BK
Color:	Black
SKU:	3782
EAN:	3800157611558
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BL
Color:	Blue
SKU:	3783
EAN:	3800157611565
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BN
Color:	Brown
SKU:	3784
EAN:	3800157611572
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-GN
Color:	Green
SKU:	3785
EAN:	3800157611589
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-GY
Color:	Grey
SKU:	3786
EAN:	3800157611596
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-LB
Color:	Light Blue
SKU:	3787
EAN:	3800157611602
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-O
Color:	Orange
SKU:	3788
EAN:	3800157611619
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-PK
Color:	Pink
SKU:	3789
EAN:	3800157611626
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-PE
Color:	Purple
SKU:	3790
EAN:	3800157611633
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-R
Color:	Red
SKU:	3791
EAN:	3800157611640
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-RR
Color:	Rose Red
SKU:	3792
EAN:	3800157611657
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-Y
Color:	Yellow
SKU:	3793
EAN:	3800157611664
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Chrome Holder-Chrome Canopy

Model:	VT-7338-BE
Color:	Beige
SKU:	3794
EAN:	3800157611671
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs

Pendant-Silicone

Model:	VT-7228-BN
Color:	Brown
SKU:	3475
EAN:	3800157607919
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-BE
Color:	Blue
SKU:	3476
EAN:	3800157607926
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-W
Color:	White
SKU:	3477
EAN:	3800157607933
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-BK
Color:	Black
SKU:	3478
EAN:	3800157607940
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-PN
Color:	Pink
SKU:	3479
EAN:	3800157607957
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-R
Color:	Red
SKU:	3480
EAN:	3800157607964
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-GY
Color:	Grey
SKU:	3481
EAN:	3800157607971
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-LB
Color:	Light Blue
SKU:	3482
EAN:	3800157609463
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-PE
Color:	Purple
SKU:	3483
EAN:	3800157609470
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-O
Color:	Orange
SKU:	3484
EAN:	3800157609487
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-Y
Color:	Yellow
SKU:	3485
EAN:	3800157609494
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Pendant-Silicone

Model:	VT-7228-GN
Color:	Green
SKU:	3486
EAN:	3800157609500
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs

Sleek Designer

LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials



Designer Sleek Pendant-Chrome

18w **VT-7018**

Built In LED

SKU: 3890 - 4000K Day White

3800157621083

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.38 Kg
Life Span:	20,000 Hours
Size :	940x55x800mm
Box Qty:	12Pcs



Designer Sleek Pendant-Chrome

24w **VT-7024**

Built In LED

SKU: 3891 - 4000K Day White

3800157621090

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	120 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.59 Kg
Life Span:	20,000 Hours
Size :	1220x55x800mm
Box Qty:	12Pcs



Designer Sleek Pendant-Chrome

36w **VT-7036**

Built In LED

SKU: 3892 - 4000K Day White 3800157621106

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.82 Kg
Life Span:	20,000 Hours
Size :	1820x55x800mm
Box Qty:	12Pcs



Designer Sleek Chrome Surface Lamp

36w **VT-7037**

Built In LED

SKU: 3893 - 4000K Day White 3800157621113

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	2.24 Kg
Life Span:	20,000 Hours
Size :	940x120x60mm
Box Qty:	6Pcs



Mirror Light-Picture Chrome Wall Lamp

8W **VT-7008** Built In LED

SKU: 3985 - 3000K Warm White	3800157637978
SKU: 3894 - 4000K Day White	3800157621120

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Metal+PMMA
Unit GW :	0.72 Kg
Life Span:	20,000 Hours
Size :	500x55x185mm
Box Qty:	12Pcs



Mirror Light-Picture Chrome Wall Lamp

12W **VT-7012** Built In LED

SKU: 3982 - 3000K Warm White	3800157637947
SKU: 3895 - 4000K Day White	3800157621137

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640x55x185mm
Box Qty:	12Pcs





Mirror Movable Wall Lamp

8W **VT-7009CH** Built In LED

SKU: 3984 - 3000K Warm White	3800157637961
SKU: 3900 - 4000K Day white	3800157621854

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs



Mirror Movable Wall Lamp Golden

8W **VT-7009** Built In LED

SKU: 3983 - 3000K Warm White	3800157637954
SKU: 3901 - 4000K Day white	3800157621861

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs



Mirror Surface Light - Chrome Cap

10W **VT-7010-CH** Built In LED

SKU: 3916 - 4000K Day White	3800157626118
SKU: 3917 - 6400K White	3800157626125

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs



Mirror Surface Light - White Cap

10W **VT-7010-WH** Built In LED

SKU: 3918 - 4000K Day White	3800157626132
SKU: 3919 - 6400K White	3800157626149

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs



Mirror Surface Light-Chrome

12W **VT-7014** Built In LED

SKU: 3902 - 4000K Day white 3800157621878

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.08 Kg
Life Span:	20,000 Hours
Size :	640x65x65mm
Box Qty:	12Pcs



Mirror Surface Light-Chrome

18W **VT-7021** Built In LED

SKU: 3903 - 4000K Day white 3800157621885

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.28 Kg
Life Span:	20,000 Hours
Size :	940x65x65mm
Box Qty:	12Pcs



Designer Bend Glass-Surface Lamp

12W **VT-7013** Built In LED

SKU: 3896 - 4000K Day White 3800157621144

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.01 Kg
Life Span:	20,000 Hours
Size :	685x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Surface Lamp

18W **VT-7019** Built In LED

SKU: 3897 - 4000K Day white 3800157621151

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.50 Kg
Life Span:	20,000 Hours
Size :	985x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Hanging Pendant

18W **VT-7020** Built In LED

SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.98 Kg
Life Span:	20,000 Hours
Size :	985x55x800mm
Box Qty:	6Pcs





Designer Bend Series - Surface Chrome

36W **VT-7038** Built In LED

SKU: 3899 - 4000K Day white 3800157621175

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	3.53 Kg
Life Span:	20,000 Hours
Size :	985x120x75mm
Box Qty:	6Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7333-G** Built In LED

SKU: 3934 - 3000K Warm White 3800157628952
SKU: 3928 - 4000K Day White 3800157626569

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs



Pendant Light-White Lamp Shade

7W **VT-7333-WH** Built In LED

SKU: 3935 - 3000K Warm White 3800157628969
SKU: 3929 - 4000K Day White 3800157626576

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7444-G** Built In LED

SKU: 3936 - 3000K Warm White 3800157628976
SKU: 3930 - 4000K Day White 3800157626583

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



Pendant Light-White Lamp Shade

7W **VT-7444-WH** Built In LED

SKU: 3937 - 3000K Warm White 3800157628983
SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



Pendant Light-Gold Lamp Shade

7W **VT-7666-G** Built In LED

SKU: 3938 - 3000K Warm White 3800157628990
SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	2.4 Kg
Life Span:	30,000 Hours
Size :	Ø340xH190mm
Box Qty:	4Pcs



Pendant Light-White Lamp Shade

7W **VT-7666-WH** Built In LED

SKU: 3939 - 3000K Warm White 3800157629003
SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	2.4 Kg
Life Span:	30,000 Hours
Size :	Ø340xH190mm
Box Qty:	4Pcs



Pendant Light-White

25W **VT-25-1-W** Built In LED

SKU: 3992 -3000K Warm White 3800157638777

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1725lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-Black

25W **VT-25-1-B** Built In LED

SKU: 3993 -3000K Warm White 3800157638784

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1725lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-Coffee

25W **VT-25-1-C** Built In LED

SKU: 3994 -3000K Warm White 3800157638791

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1725lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



Pendant Light-White

30w **VT-32-1-W** Built In LED

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs



Pendant Light-Black

30w **VT-32-1-B** Built In LED

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs



Pendant Light-Coffee

30w **VT-32-1-C** Built In LED

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2250lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Iron+Acrylic
Unit GW :	4.3 Kg
Life Span:	30,000 Hours
Size :	600mm
Box Qty:	1Pcs

NEW



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

32W VT-7460

SKU: 3958 -3IN1 3800157636520

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	320 pcs
Material :	PC
Unit GW :	2.20 kgs
Life Span:	30,000 Hours
Size :	460x1200mm
Box Qty:	1Pcs

NEW



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

38W VT-7605

SKU: 3959 -3IN1 3800157636537

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.90 kgs
Life Span:	30,000 Hours
Size :	600x1200mm
Box Qty:	1Pcs

NEW



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

82W VT-7750

SKU: 3960 -3IN1 3800157636544

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	6.85 kgs
Life Span:	30,000 Hours
Size :	750x1200mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

40w VT-7461

SKU: 3962 -3IN1 3800157636568

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.00 kgs
Life Span:	30,000 Hours
Size :	460x460x1200mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

42w VT-7607

SKU: 3963 -3IN1 3800157636575

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.80 kgs
Life Span:	30,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

80w VT-7751

SKU: 3964 -3IN1 3800157636582

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	7.00 kgs
Life Span:	30,000 Hours
Size :	750x750x120mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

60W VT-7606

SKU: 3961 -3IN1 3800157636551

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	604 pcs
Material :	PC
Unit GW :	7.5 kgs
Life Span:	30,000 Hours
Size :	600x300mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color Chang-

68W VT-7608

SKU: 3965 -3IN1 3800157636599

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	624 pcs
Material :	PC
Unit GW :	6.50 kgs
Life Span:	30,000 Hours
Size :	600x300mm
Box Qty:	1Pcs



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1 3800157636605

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	240 pcs
Material :	PC
Unit GW :	16.50 kgs
Life Span:	30,000 Hours
Size :	300x80mm
Box Qty:	1Pcs



Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1 3800157636612

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	2.90 kgs
Life Span:	30,000 Hours
Size :	460x120mm
Box Qty:	1Pcs



Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1 3800157636629

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.90 kgs
Life Span:	30,000 Hours
Size :	600x120mm
Box Qty:	1Pcs



Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1 3800157636636

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	9.65 kgs
Life Span:	30,000 Hours
Size :	750x120mm
Box Qty:	1Pcs



NEW



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

26W VT-7309

SKU: 3970 -3IN1 3800157636643

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	240 pcs
Material :	PC
Unit GW :	18.50 kgs
Life Span:	30,000 Hours
Size :	300x300x80mm
Box Qty:	1Pcs



NEW



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

40W VT-7463

SKU: 3971 -3IN1 3800157636650

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.95 kgs
Life Span:	30,000 Hours
Size :	460x460x95mm
Box Qty:	1Pcs



NEW



COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

42W VT-7610

SKU: 3972 -3IN1 3800157636667

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	6.55 kgs
Life Span:	30,000 Hours
Size :	600x600x115mm
Box Qty:	1Pcs





COLOR CHANGING WITH REMOTE

Designer Series Surface-Color Changing

80W **VT-7753**

SKU: 3973 -3IN1 3800157636674

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	768 pcs
Material :	PC
Unit GW :	10.50 kgs
Life Span:	30,000 Hours
Size :	750x120mm
Box Qty:	1Pcs

TRIAC DIMMABLE



Designer Series Pendant-TRAIC Dim-

32W **VT-7049**

SKU: 3978 -3000K Warm White 3800157636728

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	2.6 kgs
Life Span:	30,000 Hours
Size :	ø125x840mm
Box Qty:	1Pcs

TRIAC DIMMABLE



Designer Series Pendant-TRAIC Dim-

52W **VT-7072**

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	300 pcs
Material :	PC
Unit GW :	3.5 kgs
Life Span:	30,000 Hours
Size :	ø125x1260mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Designer Series Pendant-TRAIC Dim-

18W VT-7027

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x420mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Designer Series Pendant-TRAIC Dim-

32W VT-7050

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	2.60 kgs
Life Span:	30,000 Hours
Size :	ø125x840mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Wall Lamp-TRAIC Dimmable

18W VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC+Iron
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x420mm
Box Qty:	1Pcs

TOUCH DIMMING

Table Lamps

18w VT-7026

SKU: 3975 3000K Warm White 3800157636698

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.80 kgs
Life Span:	30,000 Hours
Size :	ø125x420mm
Box Qty:	1Pcs



TOUCH DIMMING

Floor Lamps

32w VT-7048

SKU: 3976 3000K Warm White 3800157636704

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	ø125x840mm
Box Qty:	1Pcs





Floor Lamps

65w VT-7096

SKU: 3977 3000K Warm White 3800157636711

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	864 pcs
Material :	PC
Unit GW :	6.50 Kgs
Life Span:	30,000 Hours
Size :	ø125x1680mm
Box Qty:	1Pcs

Modern Circular

Chandeliers & Pendants

With Built in LED lights

NEW





TRIAC DIMMABLE

White Chandelier-2 Step-Dimmable

100w **VT-101-2-W**

Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**7500lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**600 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/400/200mm**
Box Qty:	**1Pcs**

NEW



TRIAC DIMMABLE

Black Chandelier-2 Step-Dimmable

100w **VT-101-2-B**

Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**7500lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**600 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/400/200mm**
Box Qty:	**1Pcs**

NEW



TRIAC DIMMABLE

Coffee Chandelier-2 Step-Dimmable

100w **VT-101-2-C**

Built In LED

SKU: 3988 - 3000K Warm White 3800157638739

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**7500lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**600 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/400/200mm**
Box Qty:	**1Pcs**

NEW



TRIAC DIMMABLE

White Chandelier-3 Step-Dimmable

80w **VT-82-3-W**

Built In LED

SKU: 3989 - 3000K Warm White 3800157638746

Voltage/Frequency:	**AC:220-240V,50Hz**
Luminous Flux:	**5925lm**
LED Type:	**SMD**
CRI:	**>80**
PF:	**>0.9**
Beam Angle:	**120°**

No. of LED:	**470 pcs**
Material :	**Aluminium+Acrylic**
Unit GW :	**4.7 Kg**
Life Span:	**25,000 Hours**
Size :	**600/500/400mm**
Box Qty:	**1Pcs**



Black Chandelier-3 Step-Dimmable

80w **VT-82-3-B** Built In LED

SKU: 3990 - 3000K Warm White 3800157638753

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Coffee Chandelier-3 Step-Dimmable

80w **VT-82-3-C** Built In LED

SKU: 3991 - 3000K Warm White 3800157638760

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Chandelier Series

40w **VT-40-1**

Built In LED

SKU: 3874 - 3000K Warm White 3800157620888

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	2800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	240 pcs
Material :	Steel+PC
Unit GW :	3.90 Kg
Life Span:	20,000 Hours
Size :	400X210X1000mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Chandelier-3 Step

70w **VT-70-3D**

Built In LED

SKU: 3904 - 3000K Warm White 3800157624633
SKU: 3905 - 4000K Day White 3800157624640

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	4900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	360 pcs
Material :	Acrylic+Aluminium
Unit GW :	3.50 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Chandelier-3 Step

80w **VT-80-3D**

Built In LED

SKU: 3906 - 3000K Warm White 3800157624657
SKU: 3907 - 4000K Day White 3800157624664

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	4.7 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



TRIAC DIMMABLE

Chandelier-3 Step

85w **VT-85-3**

Built In LED

SKU: 3910 - 3000K Warm White 3800157624695
SKU: 3911 - 4000K Day White 3800157624701

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	5.5 Kg
Life Span:	20,000 Hours
Size :	200x400x600mm
Box Qty:	1Pcs

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
101	116	174	112	254	109	377	76	444	5	567	47	670	37	1209	281
102	117	175	112	255	109	378	76	445	13	568	47	671	37	1210	281
103	115	176	112	256	109	379	76	446	13	569	47	672	32	1229	276
104	115	177	113	257	109	380	80	447	13	570	47	673	32	1230	276
105	105	178	113	258	108	381	80	448	17	571	47	674	32	1231	276
106	104	179	113	259	108	382	83	449	17	572	55	675	32	1232	276
107	102	187	122	260	108	383	78	450	17	573	55	676	43	1233	275
108	97	188	122	261	108	384	78	451	19	574	47	677	43	1234	275
109	97	192	98	262	108	385	81	452	19	575	51	678	43	1235	275
110	117	193	98	263	108	386	81	453	19	576	51	679	43	1236	275
111	111	194	98	264	108	387	81	454	13	577	51	680	42	1237	275
112	111	195	98	265	108	388	81	455	13	578	51	681	42	1238	275
113	111	196	98	266	108	389	81	456	13	580	49	686	32	1241	276
114	113	197	98	267	110	390	81	457	17	581	49	687	32	1242	276
115	113	198	98	268	110	391	81	458	17	583	51	688	32	1243	186
116	113	199	98	269	110	392	81	459	17	584	51	689	32	1244	186
117	111	200	98	270	116	393	81	460	19	585	49	748	25	1245	186
118	111	201	97	271	117	394	81	461	19	600	74	749	25	1246	186
119	111	202	97	272	105	395	83	462	19	601	74	750	24	1247	186
123	121	203	97	275	105	396	83	463	13	602	74	751	24	1248	186
124	121	204	99	278	105	397	83	464	13	603	80	753	40	1255	276
125	121	205	99	279	105	398	83	465	13	604	80	754	41	1256	276
126	114	206	99	280	106	399	83	466	17	606	70	755	38	1257	276
127	114	207	99	282	102	400	9	467	17	607	70	756	39	1259	293
128	114	208	99	283	122	401	9	468	17	608	72	757	39	1260	293
131	96	209	99	284	122	402	9	469	19	609	72	758	41	1261	293
132	96	210	118	285	122	403	5	470	19	611	28	759	41	1262	293
133	96	211	118	286	102	404	5	471	19	612	28	801	63	1263	292
135	118	212	118	287	104	405	5	472	14	613	28	802	63	1264	292
136	118	213	120	290	103	406	9	473	14	614	26	803	64	1265	292
137	118	214	120	291	103	407	9	474	14	615	26	804	64	1266	292
138	118	215	120	292	106	408	9	475	10	616	26	805	64	1267	292
139	118	216	120	293	103	409	5	476	10	617	28	806	63	1268	292
140	118	217	120	294	106	410	5	477	10	618	28	812	65	1269	294
141	118	218	120	320	59	411	5	478	6	619	28	813	66	1270	279
142	118	219	120	321	59	412	10	479	6	620	26	814	67	1271	279
143	118	220	120	322	59	413	10	480	6	621	26	815	63	1272	279
144	110	221	120	323	59	414	10	481	14	622	26	816	63	1273	279
145	110	222	121	324	59	415	6	482	14	623	28	817	65	1274	279
146	110	223	121	325	59	416	6	483	14	624	28	818	64	1275	279
147	119	224	121	350	91	417	6	484	14	625	28	819	64	1276	279
148	119	225	121	351	91	418	10	485	14	626	26	850	116	1277	279
149	119	226	121	352	91	419	10	486	6	627	26	851	116	1278	279
150	119	227	121	353	90	420	6	487	6	628	26	852	116	1279	279
151	119	228	113	354	90	421	6	488	14	632	24	853	117	1281	294
152	119	229	113	355	90	422	10	489	14	633	24	854	117	1282	294
153	119	230	113	356	91	423	10	490	21	634	24	855	117	1284	281
154	119	231	114	357	91	424	9	493	21	650	33	856	112	1285	276
155	119	232	114	358	91	425	9	520	122	651	33	857	112	1286	276
156	113	233	114	359	90	426	9	521	122	652	33	858	111	1287	276
157	113	234	110	360	90	427	5	550	53	653	33	859	111	1288	280
158	113	235	110	361	90	428	5	551	53	654	33	860	115	1289	280
159	114	236	110	362	91	429	5	552	53	655	33	861	115	1292	274
160	114	240	96	363	91	430	13	553	53	656	33	862	106	1293	274
161	114	241	96	364	91	431	13	554	53	657	33	863	112	1294	274
162	114	242	96	365	90	432	13	555	53	658	33	864	112	1295	274
163	114	243	96	366	90	433	17	556	53	659	36	865	112	1296	274
164	114	244	96	367	90	434	17	557	53	660	36	866	112	1297	274
165	99	245	96	368	92	435	17	558	49	661	36	867	112	1298	274
166	99	246	96	369	92	436	19	559	49	662	37	868	112	1299	274
167	99	247	96	370	92	437	19	560	49	663	37	1100	279	1300	274
168	112	248	97	371	92	438	19	561	49	664	37	1103	280	1301	274
169	112	249	109	372	92	439	9	562	49	665	37	1191	275	1302	274
170	112	250	109	373	92	440	9	563	49	666	37	1192	275	1303	274
171	111	251	109	374	74	441	9	564	49	667	37	1202	275	1304	280
172	111	252	109	375	74	442	5	565	49	668	37	1207	281	1305	280
173	111	253	109	376	74	443	5	566	47	669	37	1208	281	1306	280

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
1307	280	1383	87	1658	166	2354	255	3111	180	3233	267	3472	177	3602	176
1308	290	1384	87	1659	166	2355	255	3112	180	3234	268	3473	178	3603	176
1309	290	1385	87	1663	167	2356	255	3113	181	3235	268	3474	178	3604	176
1310	290	1388	289	1664	167	2403	251	3114	181	3237	269	3475	414	3605	176
1311	290	1389	289	1665	167	2404	251	3115	182	3238	269	3476	414	3606	176
1312	290	1390	289	1666	166	2405	251	3116	182	3239	269	3477	414	3607	176
1313	290	1391	289	1667	166	2430	251	3117	182	3240	269	3478	414	3608	177
1314	282	1392	289	1668	166	2431	251	3118	182	3243	265	3479	414	3609	177
1315	282	1393	289	1669	168	2459	251	3119	182	3244	265	3480	414	3610	177
1316	282	1394	289	1670	168	2460	249	3120	182	3246	265	3481	414	3611	177
1317	282	1395	289	1671	168	2461	248	3121	183	3247	265	3482	414	3612	177
1318	283	1396	289	1672	166	2462	248	3122	183	3248	268	3483	414	3613	178
1319	283	1397	289	1673	166	2463	248	3123	183	3249	269	3484	414	3614	178
1320	283	1398	284	1674	166	2512	252	3124	183	3250	268	3485	414	3615	178
1321	283	1399	284	1685	167	2513	252	3125	183	3251	268	3486	414	3616	178
1322	283	1400	284	1686	167	2514	253	3126	183	3252	268	3500	255	3617	277
1323	283	1401	284	1687	167	2515	253	3127	183	3253	267	3501	255	3618	277
1324	283	1402	284	1688	168	2516	253	3128	183	3254	267	3502	255	3619	277
1325	283	1403	284	1690	168	2517	253	3129	181	3256	267	3503	255	3620	185
1326	282	1404	284	1693	167	2518	253	3130	181	3257	267	3504	255	3621	200
1327	282	1405	284	1695	167	2527	254	3131	298	3258	267	3505	255	3622	200
1328	282	1406	284	2002	250	2529	254	3132	298	3259	266	3507	255	3623	200
1329	282	1407	284	2005	250	2531	254	3133	298	3260	269	3508	255	3624	245
1330	282	1408	285	2009	250	2535	255	3134	180	3261	265	3509	255	3625	262
1331	282	1409	285	2011	250	2536	255	3135	180	3262	265	3510	255	3627	172
1332	273	1410	272	2013	250	2537	255	3136	181	3263	266	3511	255	3628	172
1333	273	1411	272	2015	250	2538	255	3137	181	3264	269	3512	255	3629	172
1334	273	1412	272	2016	250	2539	255	3138	181	3265	268	3522	277	3630	172
1335	273	1413	272	2025	250	2540	255	3139	181	3300	262	3523	277	3631	172
1336	273	1414	291	2031	250	2541	255	3140	181	3303	262	3524	277	3632	172
1337	273	1415	291	2032	250	2542	255	3141	182	3307	262	3525	277	3640	174
1338	273	1416	297	2034	250	2543	255	3142	182	3309	262	3526	277	3641	174
1339	273	1417	297	2035	250	2544	248	3143	182	3312	262	3527	277	3642	175
1340	273	1418	297	2036	250	2545	248	3144	183	3318	262	3528	277	3643	175
1349	293	1419	297	2037	251	2546	248	3145	184	3319	262	3529	277	3644	175
1350	294	1420	297	2038	251	2548	247	3146	184	3320	262	3553	277	3645	175
1351	294	1421	297	2041	250	2549	247	3147	184	3321	262	3554	277	3646	175
1353	294	1424	297	2042	250	2550	247	3148	184	3322	262	3556	277	3647	175
1354	303	1424	332	2043	250	2551	247	3149	184	3326	262	3560	277	3648	173
1355	303	1428	287	2044	251	2552	251	3150	184	3327	262	3565	277	3649	173
1356	303	1429	287	2118	249	2553	251	3151	184	3331	254	3566	277	3650	173
1357	273	1430	287	2120	249	2554	262	3152	184	3333	254	3570	277	3651	173
1358	273	1431	287	2122	249	2555	263	3153	170	3334	254	3575	187	3652	173
1359	273	1432	287	2124	249	2556	263	3154	170	3337	263	3576	187	3653	174
1360	85	1433	287	2126	249	2557	263	3155	170	3338	263	3577	187	3654	174
1361	85	1434	288	2128	249	2558	248	3156	170	3339	263	3578	200	3655	277
1362	85	1435	288	2133	249	2559	247	3157	170	3340	263	3581	187	3656	277
1363	86	1436	288	2135	249	2560	247	3158	170	3341	263	3582	187	3657	277
1364	86	1437	288	2137	249	2561	247	3159	170	3350	257	3583	187	3658	277
1365	86	1438	288	2138	249	2562	252	3160	170	3351	257	3584	174	3659	277
1366	87	1439	288	2143	249	2563	252	3161	170	3352	257	3585	174	3660	277
1367	87	1440	288	2144	249	2564	252	3162	171	3353	257	3586	175	3663	263
1368	87	1441	288	2145	249	2565	252	3163	171	3354	257	3587	179	3664	173
1369	303	1442	288	2148	250	2566	252	3164	171	3355	258	3588	179	3665	173
1370	290	1443	288	2149	250	2567	252	3165	171	3356	258	3589	179	3666	173
1371	290	1444	288	2150	250	2568	254	3166	171	3357	258	3590	179	3667	173
1372	290	1445	288	2155	250	2569	254	3167	171	3358	258	3591	179	3668	245
1373	290	1446	305	2159	251	2570	254	3168	171	3359	258	3592	180	3669	178
1374	290	1451	87	2161	249	2571	254	3169	171	3360	259	3593	175	3673	163
1375	290	1452	87	2162	249	2573	247	3170	171	3361	259	3594	175	3674	174
1376	291	1453	279	2164	248	2574	247	3226	266	3362	259	3595	179	3675	172
1377	291	1455	287	2165	248	3009	262	3227	266	3363	259	3596	179	3676	172
1378	291	1456	271	2166	248	3018	262	3228	266	3420	163	3597	179	3677	172
1379	291	1457	271	2350	255	3035	269	3229	266	3423	185	3598	179	3678	208
1380	291	1458	271	2351	255	3057	266	3230	266	3469	177	3599	176	3679	208
1381	291	1459	271	2352	255	3101	268	3231	267	3470	177	3600	176	3680	299
1382	87	1657	166	2353	255	3110	207	3232	267	3471	177	3601	176	3681	299

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3682	299	3753	408	3824	386	3896	420	3969	429	4394	161	4805	218	4919	218
3683	298	3754	408	3825	387	3897	421	3970	430	4399	162	4806	219	4920	218
3684	298	3755	413	3826	387	3898	421	3971	430	4407	158	4807	219	4921	218
3685	298	3756	400	3827	387	3899	421	3972	430	4409	158	4808	219	4922	223
3686	299	3757	400	3828	387	3900	418	3973	431	4418	136	4809	218	4923	223
3687	299	3758	392	3829	388	3901	419	3974	432	4419	136	4810	218	4924	223
3688	299	3759	392	3830	383	3902	420	3975	433	4420	136	4811	218	4925	223
3689	178	3760	392	3831	396	3903	420	3976	433	4421	147	4812	219	4926	223
3690	178	3761	400	3832	396	3904	438	3977	433	4426	162	4813	219	4927	223
3691	174	3762	400	3833	396	3905	438	3978	431	4427	160	4814	219	4928	223
3692	174	3763	401	3834	397	3906	439	3979	431	4428	160	4815	219	4929	223
3694	180	3764	401	3835	397	3907	439	3980	432	4431	159	4816	219	4930	223
3695	180	3765	401	3836	397	3910	439	3981	432	4432	159	4817	219	4931	215
3696	180	3766	401	3837	398	3911	439	3982	418	4439	169	4818	214	4932	215
3697	180	3767	409	3838	398	3912	318	3983	419	4440	133	4821	214	4933	215
3698	163	3768	409	3839	408	3913	318	3984	418	4441	131	4824	214	4934	215
3700	399	3769	409	3840	410	3914	318	3985	418	4445	158	4826	214	4935	215
3701	399	3770	409	3841	410	3916	419	3986	435	4446	158	4827	215	4936	215
3702	399	3771	409	3842	410	3917	419	3987	435	4447	126	4833	215	4937	216
3703	320	3772	409	3843	410	3918	419	3988	436	4448	126	4854	211	4938	216
3704	320	3773	409	3844	410	3919	419	3989	436	4449	126	4855	211	4939	216
3705	391	3774	409	3845	408	3920	402	3990	437	4453	130	4856	211	4940	216
3706	391	3775	409	3847	393	3921	402	3991	437	4456	130	4857	212	4941	216
3707	390	3776	409	3848	393	3922	402	3992	424	4459	126	4858	212	4942	216
3708	390	3777	413	3849	393	3923	402	3993	424	4460	126	4859	212	4943	216
3709	389	3782	413	3850	394	3924	403	3994	424	4461	126	4860	212	4944	216
3710	389	3783	413	3851	395	3925	403	3995	425	4472	144	4861	212	4945	216
3711	389	3784	413	3852	396	3926	383	3996	425	4473	148	4862	212	4946	216
3712	389	3785	413	3853	394	3927	397	3997	425	4474	152	4863	213	4947	216
3713	388	3786	413	3854	394	3928	422	4061	186	4475	152	4864	213	4948	216
3714	390	3787	413	3855	395	3929	422	4062	186	4476	152	4865	213	4949	216
3715	390	3788	413	3856	395	3930	422	4084	186	4477	153	4866	213	4966	294
3716	391	3789	413	3857	395	3931	423	4122	132	4478	153	4867	213	4967	302
3717	391	3790	413	3858	394	3932	423	4140	135	4479	153	4868	213	4968	302
3720	410	3791	413	3859	388	3933	423	4164	132	4481	155	4869	213	4973	294
3721	410	3792	413	3860	388	3934	422	4166	132	4482	155	4870	213	4982	302
3722	411	3793	413	3861	384	3935	422	4207	131	4483	155	4871	213	4987	231
3723	411	3794	413	3862	384	3936	422	4216	132	4484	155	4872	212	4996	293
3724	411	3795	411	3863	384	3937	423	4217	133	4485	155	4873	212	4997	293
3725	411	3796	411	3864	384	3938	423	4220	134	4486	154	4874	212	4998	293
3726	382	3797	412	3865	377	3939	423	4223	186	4487	154	4887	213	4999	293
3727	382	3798	412	3866	376	3943	404	4224	186	4488	154	4888	213	5031	217
3728	385	3799	412	3867	377	3944	404	4225	186	4489	151	4889	213	5032	217
3729	385	3800	412	3868	392	3945	404	4242	134	4490	151	4890	223	5033	217
3730	379	3801	412	3869	393	3946	404	4244	135	4491	151	4891	223	5050	293
3731	381	3802	412	3874	438	3947	405	4246	135	4496	154	4892	223	5051	293
3732	381	3803	411	3875	377	3948	405	4253	136	4497	154	4893	223	5052	293
3733	382	3804	411	3876	378	3949	405	4254	136	4498	144	4894	223	5053	292
3734	381	3805	411	3877	378	3950	405	4255	186	4737	225	4895	223	5054	292
3735	379	3806	411	3878	377	3951	406	4256	186	4738	225	4896	224	5056	292
3736	379	3807	411	3879	375	3952	406	4257	186	4739	224	4897	224	5057	295
3737	380	3808	411	3880	375	3953	406	4259	157	4740	224	4898	224	5058	295
3738	380	3809	411	3881	376	3954	406	4274	136	4741	225	4904	217	5059	295
3739	380	3810	411	3882	375	3955	407	4276	136	4742	225	4905	217	5068	232
3740	381	3811	410	3883	375	3956	407	4277	136	4743	224	4906	217	5069	232
3741	380	3812	410	3884	378	3957	407	4278	136	4744	224	4907	218	5070	232
3742	412	3813	410	3885	378	3958	426	4301	158	4745	225	4908	218	5071	232
3743	412	3814	410	3886	379	3959	426	4302	160	4746	225	4909	218	5072	232
3744	412	3815	410	3887	376	3960	426	4308	159	4759	224	4910	217	5073	232
3745	412	3816	398	3888	376	3961	428	4361	146	4760	224	4911	217	5074	232
3746	412	3817	398	3889	385	3962	427	4362	147	4797	216	4912	217	5075	232
3747	412	3818	382	3890	416	3963	427	4366	160	4798	216	4913	218	5076	232
3748	412	3819	383	3891	416	3964	427	4368	146	4800	219	4914	218	5077	302
3749	412	3820	383	3892	417	3965	428	4369	135	4801	219	4915	218	5078	304
3750	412	3821	386	3893	417	3966	428	4388	159	4802	219	4916	217	5079	305
3751	403	3822	386	3894	418	3967	429	4389	135	4803	218	4917	217	5081	305
3752	403	3823	386	3895	418	3968	429	4390	135	4804	218	4918	217	5082	305

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
5083	305	5586	239	5939	194	6250	229	6347	220	6428	212	7074	370	7176	153
5084	304	5588	239	5940	191	6251	229	6348	220	6429	212	7075	370	7177	154
5085	304	5607	239	5941	191	6256	206	6349	221	6430	214	7076	365	7178	154
5086	302	5608	239	5942	191	6257	206	6350	221	6431	214	7077	365	7179	154
5087	302	5609	240	5943	190	6258	206	6351	221	6432	207	7078	351	7180	154
5088	302	5610	240	5944	190	6262	227	6352	220	6433	207	7079	351	7181	155
5089	302	5611	240	5945	190	6263	228	6353	220	6436	207	7080	351	7182	155
5090	302	5612	240	5946	191	6264	228	6354	220	6437	207	7081	352	7183	155
5091	302	5613	240	5947	191	6265	228	6355	221	6438	34	7082	352	7184	156
5096	280	5614	240	5948	191	6266	237	6356	221	6439	34	7083	352	7185	156
5097	280	5691	194	5949	190	6267	237	6357	221	6440	35	7086	355	7186	156
5110	280	5692	193	5950	190	6268	207	6358	221	6441	35	7087	351	7187	156
5116	263	5697	197	5951	190	6270	207	6359	221	6442	34	7088	351	7188	156
5117	263	5699	197	5952	192	6271	207	6360	221	6443	34	7089	351	7189	156
5118	263	5701	197	5953	192	6272	227	6361	222	6444	35	7090	352	7190	156
5119	263	5716	197	5954	192	6273	228	6362	222	6445	35	7091	352	7191	156
5120	263	5735	193	5955	191	6276	225	6363	222	6446	237	7092	352	7196	132
5121	263	5745	198	5956	191	6277	224	6364	221	6447	237	7093	355	7197	132
5123	263	5745	332	5957	191	6278	225	6365	221	6448	237	7098	315	7198	132
5124	264	5747	196	5958	192	6279	224	6366	221	6449	237	7099	315	7199	134
5127	264	5750	196	5959	192	6280	225	6367	222	6451	205	7102	152	7200	134
5128	264	5752	197	5960	192	6281	224	6368	222	6452	205	7103	152	7201	134
5129	264	5754	197	5961	191	6283	235	6369	222	6453	205	7105	152	7202	130
5130	264	5755	194	5962	191	6284	235	6370	222	6454	205	7106	152	7203	130
5131	264	5756	196	5963	191	6285	235	6371	222	6458	205	7108	153	7204	130
5132	264	5758	197	5964	192	6286	236	6372	222	6459	234	7109	153	7210	135
5133	264	5783	196	5965	192	6287	236	6373	222	6460	234	7110	153	7216	148
5134	264	5786	195	5966	192	6292	211	6374	222	6461	234	7111	153	7217	147
5135	264	5787	195	5967	191	6293	211	6375	222	6462	234	7112	153	7218	146
5136	264	5788	195	5968	191	6294	211	6376	204	6463	234	7113	151	7219	144
5137	264	5804	195	5969	191	6295	213	6380	205	6464	234	7114	151	7220	146
5138	264	5806	195	5970	189	6296	213	6381	205	6465	234	7115	151	7224	127
5139	264	5819	196	5971	189	6297	213	6384	206	6466	234	7116	151	7229	130
5140	264	5821	196	5972	189	6299	227	6385	206	7033	317	7121	126	7230	132
5472	245	5822	195	5977	198	6302	227	6386	207	7034	316	7123	135	7231	132
5473	245	5824	195	5978	198	6306	228	6387	235	7035	317	7124	135	7233	130
5475	245	5827	189	5979	199	6309	228	6388	235	7039	316	7126	167	7234	187
5476	245	5837	196	5980	199	6310	228	6389	232	7040	316	7127	167	7235	187
5487	243	5840	195	5981	199	6313	228	6391	232	7042	316	7128	167	7236	187
5488	243	5841	195	5982	199	6314	228	6392	227	7043	316	7132	137	7241	128
5489	243	5842	195	5983	199	6318	229	6393	227	7044	341	7133	137	7242	128
5490	243	5844	189	6018	208	6319	229	6394	227	7045	341	7134	137	7246	128
5491	243	5858	189	6029	207	6320	229	6399	235	7046	366	7142	150	7251	150
5492	243	5877	189	6054	230	6321	229	6400	235	7047	366	7143	150	7252	150
5493	243	5885	190	6055	230	6322	229	6401	210	7051	317	7144	150	7260	129
5494	243	5886	190	6056	230	6323	229	6402	210	7052	317	7145	148	7261	129
5495	245	5894	193	6057	230	6324	230	6403	210	7053	318	7146	147	7262	129
5501	245	5895	193	6166	231	6325	230	6404	210	7054	318	7147	148	7263	133
5554	240	5896	200	6167	231	6326	230	6405	210	7055	320	7148	147	7264	133
5555	240	5897	200	6169	231	6327	209	6406	210	7056	320	7150	126	7265	133
5557	240	5899	190	6172	231	6328	207	6407	210	7057	369	7151	126	7266	128
5558	240	5900	190	6173	231	6329	206	6408	210	7058	369	7153	156	7269	167
5559	240	5905	190	6174	231	6332	206	6409	210	7059	369	7154	156	7270	167
5560	240	5906	190	6184	236	6333	206	6410	210	7060	370	7155	149	7271	167
5562	291	5917	198	6185	236	6334	220	6411	210	7061	370	7156	148	7275	137
5563	291	5917	332	6198	236	6335	220	6412	210	7062	370	7157	145	7276	137
5564	291	5927	192	6199	236	6336	220	6413	211	7063	371	7159	137	7282	138
5565	291	5928	192	6200	236	6337	220	6414	211	7064	365	7160	137	7283	139
5566	289	5929	192	6201	236	6338	220	6415	211	7065	365	7161	137	7284	138
5567	289	5930	192	6217	204	6339	220	6416	211	7066	367	7163	137	7285	140
5570	281	5931	193	6221	204	6340	220	6417	211	7067	368	7164	137	7286	140
5571	304	5932	193	6222	204	6341	220	6418	211	7068	368	7166	137	7287	140
5572	304	5934	194	6229	227	6342	220	6420	203	7069	368	7169	166	7288	140
5576	241	5935	194	6230	227	6343	221	6422	212	7070	367	7170	157	7289	140
5580	241	5936	194	6231	227	6344	221	6423	212	7071	367	7173	136	7290	140
5583	241	5937	194	6238	204	6345	221	6424	212	7072	368	7174	136	7291	139
5584	241	5938	194	6239	204	6346	220	6427	207	7073	368	7175	136	7292	139

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7293	139	7418	133	7524	353	8212	347	8281	349	8349	285	8531	351	43881	159
7295	140	7419	131	7525	353	8213	348	8282	349	8350	285	8532	351	44301	160
7296	140	7420	145	7526	353	8214	348	8283	349	8351	285	8533	358	44801	155
7297	141	7421	145	7527	353	8215	348	8284	349	8352	285	8534	358	44941	154
7300	141	7422	129	7529	369	8216	348	8285	349	8353	285	8535	358	56011	241
7303	168	7423	160	7530	369	8217	353	8286	350	8354	327	8536	358	56021	241
7304	168	7424	160	7531	367	8218	353	8287	350	8357	327	8537	345	56031	241
7305	168	7425	160	7532	367	8219	353	8288	350	8360	327	8538	345	56041	241
7306	168	7426	127	7533	201	8220	353	8289	350	8363	328	8539	345	60246	203
7307	168	7427	162	7534	201	8221	357	8290	350	8366	328	8540	345	60256	203
7308	168	7428	166	7535	201	8222	357	8291	350	8369	328	8541	345	60266	206
7309	140	7429	165	7536	201	8223	357	8292	350	8372	328	8542	345	60276	206
7317	126	7430	165	7537	201	8224	357	8293	350	8379	329	8543	345	60286	203
7320	134	7431	165	7538	201	8225	356	8294	350	8382	310	8544	345	60303	209
7324	140	7432	165	7539	340	8226	356	8295	349	8385	327	8547	324	60696	206
7325	140	7433	165	7540	340	8227	356	8296	349	8387	327	8548	324	62186	203
7326	140	7434	165	7541	340	8228	356	8297	349	8389	327	8549	324	62196	203
7327	145	7435	163	7542	341	8229	326	8298	349	8391	328	8550	193	62206	203
7328	149	7436	163	7543	341	8230	326	8299	349	8393	328	8550	324	62406	204
7331	168	7437	163	7544	342	8231	326	8300	349	8395	328	8551	348	62416	204
7332	169	7438	163	7545	342	8232	355	8301	352	8397	328	8552	348	62426	204
7333	169	7439	163	7546	342	8233	354	8302	352	8399	329	8553	348	62436	204
7334	169	7440	163	7547	342	8234	354	8303	352	8401	329	8554	348	63776	204
7335	144	7450	331	7548	342	8235	354	8304	352	8402	329	9104	200	63786	204
7336	144	7451	331	7549	342	8236	355	8305	352	8411	329	9546	200	63796	204
7337	165	7452	331	7550	342	8238	355	8306	352	8412	329	9757	245	71011	152
7338	165	7453	162	7551	342	8239	354	8307	357	8414	336	9944	277	71031	152
7339	165	7454	162	7552	342	8240	354	8308	357	8415	336	9945	277	71041	152
7340	165	7455	162	7553	341	8241	354	8309	357	8416	337	9947	261	71071	153
7341	127	7456	149	7554	341	8242	354	8310	357	8417	334	9952	277	71081	153
7342	127	7457	145	7555	343	8243	354	8311	309	8418	334	9953	277	71091	153
7343	128	7458	158	7556	343	8244	354	8312	307	8419	334	9954	277	71811	155
7344	128	7459	158	7557	343	8245	354	8313	307	8420	337	9955	277	80981	310
7346	133	7460	158	7558	343	8246	354	8314	308	8421	337	9956	261	500081	373
7350	129	7461	142	7559	343	8247	354	8315	308	8422	336	9957	261	500082	373
7351	129	7462	142	7560	343	8249	309	8316	346	8423	335	9968	208		
7352	129	7463	142	7561	343	8250	360	8317	346	8424	335	9969	208		
7354	129	7464	143	7562	343	8251	360	8318	346	8425	336	9970	208		
7355	139	7465	143	7563	363	8252	360	8319	346	8426	337	9981	259		
7356	139	7466	143	7564	363	8253	360	8320	346	8429	334	9982	260		
7357	134	7467	143	7565	363	8254	361	8321	346	8430	335	9983	260		
7358	134	7468	143	7566	364	8255	361	8322	346	8431	335	9984	260		
7359	134	7471	331	7567	364	8256	361	8323	346	8500	315	9985	260		
7360	139	7500	339	7568	364	8257	361	8324	346	8501	321	9986	260		
7361	139	7501	339	8070	225	8258	361	8325	346	8503	321	9987	261		
7362	131	7502	339	8073	225	8259	361	8326	346	8504	321	9989	208		
7363	131	7503	339	8074	225	8260	361	8327	346	8505	321	9990	261		
7364	131	7504	339	8075	225	8261	361	8328	346	8506	321	9997	208		
7365	138	7505	339	8076	225	8262	359	8329	346	8507	319	9999	208		
7366	138	7506	339	8096	309	8263	359	8330	346	8508	319	11077	373		
7367	138	7507	340	8097	310	8264	359	8331	346	8514	317	34235	185		
7368	139	7508	340	8098	310	8265	359	8332	346	8516	319	36205	185		
7399	130	7509	340	8099	307	8266	359	8333	346	8516	332	36265	185		
7400	130	7510	340	8100	307	8267	359	8334	347	8517	363	42151	132		
7402	129	7511	340	8119	209	8268	359	8335	347	8518	363	42501	134		
7403	129	7512	340	8200	308	8269	359	8336	347	8519	315	42511	134		
7407	131	7513	364	8201	308	8270	360	8337	347	8520	315	42521	134		
7408	131	7514	364	8202	358	8271	360	8338	347	8521	312	42581	132		
7409	131	7515	341	8203	358	8272	360	8339	347	8522	312	42591	157		
7410	161	7516	341	8204	358	8273	360	8340	347	8523	313	43001	162		
7411	161	7517	342	8205	358	8274	309	8341	347	8524	313	43011	158		
7412	161	7518	342	8206	358	8275	209	8342	347	8525	314	43071	159		
7413	161	7519	365	8207	358	8276	323	8344	356	8526	314	43421	133		
7414	157	7520	366	8208	355	8277	323	8345	356	8527	351	43431	133		
7415	149	7521	366	8209	347	8278	323	8346	356	8528	351	43441	133		
7416	146	7522	366	8210	347	8279	324	8347	356	8529	351	43641	157		
7417	127	7523	323	8211	347	8280	349	8348	285	8530	351	43651	159		

Certificates

DIALux Partner

Certificate

This is to certify that

V-TAC Europe Ltd.

is an official DIALux Partner.

2017

DIALux improves the lighting design process by making it accessible and easy to apply for everyone.

Lüdenscheid, 2017-01-02

Dieter Polle
General Manager

Friedrich W. Bremecker
International Sales

DIALux is a registered trademark of DIAL GmbH.

DIALux Partner

CERTIFICATE

No. Z1A 16 10 93064 009

Holder of Certificate: V-TAC Europe Ltd.

Certification Mark:

Product: LED Lamps
LED Lamp

Tested according to:

TUV

Certificate of Conformity

Certification No. : GS1330072728

Applicant : V-TAC EXPORTS LIMITED

Address : ROOM NO. 301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL, CENTRAL, HONGKONG

Manufacturer : V-TAC EXPORTS LIMITED

Address : ROOM NO. 301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL, CENTRAL, HONGKONG

Certification Marking : CE-RoHS

Product Description : LED DOWN LIGHT

Model : VT-2610, VT-2620, VT-2630

Trademark : V-TAC

RoHS

Authorized Signer: James Zhao/Manager

June 3, 2013

RoHS

Certificate of Conformity

Certification No. : GS1330072728

Applicant : V-TAC EXPORTS LIMITED

Address : ROOM NO. 301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL, CENTRAL, HONGKONG

Manufacturer : V-TAC EXPORTS LIMITED

Address : ROOM NO. 301, KAM ON BUILDING 176A QUEENS ROAD CENTRAL, CENTRAL, HONGKONG

Certification Marking : CE-EMC

Product Description : LED DOWN LIGHT

Model : VT-2610, VT-2620, VT-2630

Trademark : V-TAC

Test Standards: EN 55015:2006 + A1:2007 + A2:2009; EN 61547:2009; EN 61000-3-2:2006+A1:2009+A2:2009; EN 61000-3-3:2008

CE

Authorized Signer: James Zhao/Manager

June 3, 2013

CE / LVD

Certified and Tested

RoHS COMPLIANT

TÜV SÜD

CE/EMC

Head Offices

Sofia | London

Europe Office
1, Iliansko Shaussee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK Office
Springheath House,
Kelpatrick Road,
Slough, Berkshire,
SL1 6BW, UK.
www.v-tac.co.uk

Middle East Office
Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com



5 YEAR WARRANTY*